

---

US CATALOG

# Miniature Circuit Breakers





# Miniature circuit breakers

## Table of contents

### S(U)200 series miniature circuit breakers

#### UL 489 series

Description and features	2
SU200M-C	3
SU200M-K	4
SU200M-Z	5
SU200MR-K	6
S200UDC-K	7
S200UDC-Z	8
Accessories	9
Technical specifications	16
Dimensions	22

### S200 series miniature circuit breakers

#### UL 1077 series

Description and features	23
S200-B	24
S200-C	25
S200-D	26
S200-K	27
S200-Z	28
S200P-B	29
S200P-C	30
S200P-D	31
S200P-K	32
S200P-Z	33
S200MR-K	34
S200MUC-C	35
S200MUC-K	36
S200MUC-Z	37
Accessories	38
Technical specifications	42
S200MUC uses	44
Dimensions	45

### Application guide

Introduction, overload, short circuit, breaker definition	46
Circuit breaker construction	47
Circuit breaker current limitation	49
Selective coordination and series ratings	51
Miniature circuit breaker cutaway	53

### S800U series miniature circuit breakers

#### UL 489 series

Description and features	54
S800U-K	55
S800U-Z	56
S804U-PVS5	57
S804U-UCZ	59
S803W-SCL-SR UL Short circuit current limiter	61
S800W-RSU Remote switching unit	63
Accessories	64
Technical specifications	66
Dimensions	70

### S800C series miniature circuit breakers

#### UL 1077 series

Description and features	72
S800C-B Characteristic B	73
S800C-C Characteristic C	74
S800C-D Characteristic D	75
S800C-K Characteristic K	76
Technical specifications	77
Dimensions	78

### S500 series miniature circuit breakers

#### UL 1077 series

Description and features	79
S500-K	80
S500UC-B	81
S500UC-K	82
Accessories	83
Technical specifications	84
Dimensions	85

### EPD24

Electronic Protection Device	
EPD24-TB-101	86
Ordering information	87

# S(U)200 series – SU200M, SU200MR, and S200UDC UL 489 series



## Description

The SU200M, SU200MR, and S200UDC miniature circuit breakers offer a compact solution for protection requirements. The SU200 series devices are current-limiting according to UL 489 and DIN rail mounted.

SU200M, SU200MR, and S200UDC MCBs come in up to 3 trip curves to provide maximum circuit protection.

For the worldwide market, the breakers carry UL, CSA, IEC, CE and many other agency approvals and certifications.

## Features

- UL current limiting
- Fast breaking time (2.3 – 2.5 ms)
- Bus connection system
- Wide range of accessories
- Available with variable depth handle mechanism
- CE certified and marked
- DIN rail mounting
- Finger safe terminals
- Multi-function terminals
- Suitable for reverse feed (except for S200UDC)
- UL 489 Listed - branch circuit protective device  
UL File #E212323

	SU200M	SU200MR	S200UDC
<b>Amperage</b>	0.2-63	0.2-63	1-63
<b>Voltage</b>	up to 277/Y480 VAC 48/96 VDC	up to 277/480 VAC	60/125 VDC
<b>Trip curves</b>	Z, C, K	K	Z, K
<b>Interrupt rating</b>	10 kA-	10 kA	14 kA
<b>Auxiliary contacts</b>	Yes	Yes	Yes
<b>Bell alarm</b>	Yes	Yes	Yes
<b>Shunt trip</b>	Yes	Yes	Yes
<b>Busbar</b>	Yes	Yes	Yes