

Ni-Cd Block battery range

Proven back-up performance and reliability for industrial applications



SAFT

Meeting industry's power back-up challenges



Make Saft your long term partner

Saft has been a trusted battery partner for the world's leading industrial players for over 100 years, with a range of well-proven solutions that deliver secure energy for stationary applications. Saft's products are designed to meet the reliability, safety and security challenges of today's industrial landscape where they provide power back-up, starting power and bulk energy storage. Saft's commitment to research and development and innovative engineering ensures that our nickel-cadmium (Ni-Cd) batteries offer the very latest in design, quality and industrial process technology. They also come with comprehensive through-life global service support, from initial consultancy to volume delivery, including training, maintenance and expert technical back-up.

Saft Block batteries: flexible solutions for a wide range of industrial applications

Reliable and robust batteries for back-up power

Stationary batteries are used in refineries, power plants, onshore & offshore oil & gas industries, substations, airports & building infrastructure – locations where it is absolutely critical to have batteries that will work when they should, even under extreme operating conditions. Power is absolutely vital to Uninterruptible Power Supply (UPS) systems, switching and transmission functions, emergency and security

systems, industrial fire monitors and alarms, process control installations, substation switchgear, signaling systems and more. If the primary power source for these applications is suddenly unavailable, a back-up system provides a temporary source of power until primary power re-engages or while systems operators perform a controlled shutdown. But back-up power is only as good as the stationary battery that enables it!

Instant starting power

Cranking up an emergency generator or switching on heaters, pumps or other equipment requires batteries that are very reliable, offer high discharge capabilities

and function properly in extreme temperatures. Saft batteries recover their voltage instantaneously, making them the ideal choice for starting applications.

Refineries
Power generation
UPS
Emergency and security systems
Process control installations
SCADA
Switching and transmission
DC back-up
Industrial fire monitors and alarms

Saft LE/M/H Block battery range: a wide choice of capacity and performance

Saft has developed the SBLE, SBM and SBH ranges of block batteries to offer the optimum, flexible solution for all stationary applications. The choice of low rate discharge, medium and high performance types makes it easy to select the ideal battery, based on the


required discharge time and end of discharge voltage. Thanks to the robust and reliable Saft Nife® pocket pocket plate technology they resist electrical abuse, shock and vibrations. Furthermore, a generous reserve of electrolyte means that the block

batteries need only basic maintenance, while operating across a wide range of fluctuating temperatures. This ensures an optimized Total Cost of Ownership (TCO) over a life cycle that can last 20 years or more.

| | LE Type | M Type | H Type |
|-----------------------|--|---|---|
| Capacity steps | 58 | 68 | 51 |
| Capacity | 7.5 – 1690 Ah | 11 - 1445 Ah | 8.3 – 920 Ah |
| Performance | For low rate discharge over long periods between 1 and 100 hours | For varied loads with low and high discharge rates between 30 minutes and 3 hours | For high rate discharge over short periods less than 30 minutes |
| Applications | Power back-up applications | | Power back-up and starting applications |

From seconds to hours - every discharge need is covered

Saft has a Block battery range to suit every discharge profile from 1 second to 100 hours



Saft Ni-Cd technology - the proven advantages of a safe and robust design



Specify the ideal battery for every application

- Performance optimized for each application according to plate thickness.

→ LE type

- Thicker plates
- High energy
- Low cost per Amp at low rates

→ M type

- Thinner plates
- Medium power
- Optimised between H and L design for mixed loads

→ H type

- Thinnest plate
- High power
- Low cost per Amp at high rates


- Optimized design boosts electrical performance by up to 10% depending on discharge time.
- Twice the number of capacity steps compared with previous designs enables accurate matching with calculated amp-hour requirements.

Improved performance and more capacity steps allow you to select the best, cost-effective battery for your application.

Ni-Cd means proven reliability

Saft's robust Ni-Cd technology sets the benchmark for industrial batteries operating in difficult and demanding conditions.


- Delivers performance, reliability and a long, totally predictable, service life – with no risk of sudden death failure.
- Ensures a 20-year plus service life at + 25°C (+ 77°F).
- Even at + 35°C (+ 95°F), lifetime falls by just 20% compared with a 50% reduction for a lead-acid battery.





Block battery construction – essential features

- The steel pocket plate structure does not suffer from « sudden death » or internal corrosion since there is no interaction between the active material and the electrolyte.
- Tough polypropylene casing ensures structural integrity throughout a long life.
- An engineered electrolyte solution delivers optimum performance without causing degradation of plate materials.
- Plenty of space is allowed for a good reserve of electrolyte.
- A special electrolyte is available for extremely low temperature applications.
- A specially designed flame arresting flip top vent ensures the battery does not produce corrosive emissions.
- The Block battery offers a long shelf life when stored under Saft's recommended conditions and is easy to install.



1/ Protective cover

In line with IEC 62485-2 / EN 50272-2 (safety) with IP2 level

2/ Flame-arresting vents

Compliant with UL 1989 - Section 7 - Flame arrester vent cap tests

3/ Plate group bus

4/ Plate tab

5/ Plate frame

6/ Separating grids

7/ Cell container

8/ Saft Nife® pocket plate technology

Note: The cells are welded together to form rugged blocks of 1-6 cells depending on the cell size and type. Saft cells fully comply with the requirements of the IEC 60623 standard.


Setting the benchmark for industrial batteries



Low maintenance means lower lifetime costs

- Topping-up intervals are now up to two times longer under standard conditions at + 20°C (+ 68°F) and at float voltage.
- A simple annual maintenance exercise is recommended to check correct functioning of the charging system, battery and the auxiliary electronics.
- Easy maintenance thanks to:
 - Visible electrolyte level
 - Simple bolted connector for fast installation and allowing the battery to be quickly commissioned

Typical topping up intervals at recommended charge voltage




Higher chargeability minimises down time

- Faster recharge time enables at least 80% recovery of capacity from fully discharged conditions in 15 hours at float voltage level.


Recommended charging voltage:

- For two level charge:
 - Float level:
 - 1.42 ± 0.01 V/cell for SBLE
 - 1.40 ± 0.01 V/cell for SBM and SBH
 - High level:
 - 1.47 - 1.70 V/cell for SBLE
 - 1.45 - 1.70 V/cell for SBM and SBH
 A high voltage will increase the speed and efficiency of the recharging.
- For single level charge: 1.43 - 1.50 V/cell.


**SBLE Range - Available capacity after constant voltage charge
at 1,42 V at + 20°C (+ 68°F)**



**SBM Range - Available capacity after constant voltage charge
at 1,40 V at + 20°C (+ 68°F)**



**SBH Range - Available capacity after constant voltage charge
at 1,40 V at + 20°C (+ 68°F)**



Quality built, quality tested for durability and performance



Saft Block batteries are designed in full compliance with the highest quality, safety and environmental standards

Electrical characteristics:

- Certified IEC 60623 - Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable single cells.

Safety:

- Complies with EN 50272-2/ IEC 62485-2 - Safety requirements for secondary batteries and battery installations - Part 2: Stationary batteries - The protective covers for terminals and connectors, the insulated cables are compliant with IP2 level protection against electrical shocks according to safety standard.
- Complies with UL 1989 - Section 7: Flame arrester vent cap tests - UL standard for safety for standby batteries.

Quality:

- ISO 9001 and ISO 14001
- Saft world class continuous programme

Environment & Recycling:

- Fully recyclable
- RoHS – Although batteries and accumulators are not within the scope of the RoHS directive, Saft has taken voluntary measures to make sure that the substances forbidden by RoHS are not present in the battery, with the exception of the electro-chemical core.
- REACH – The Saft Group has adopted internal procedures to ensure conformity with the European REACH (Registration, Evaluation, Authorisation and Restriction of Chemical Substances) Regulation.



Providing a wide scope of support and services



Saft offers total end to end application support

Saft's stationary battery experts offer a comprehensive range of skills and expertise to help our global customers specify the ideal battery solution for their particular application.

This end to end support starts at the design stage, such as advice on battery sizing, and carries customers through installation and commissioning.

Saft's after-sales service covers support, maintenance and diagnostics as well as end of life recycling.

Saft organizes battery training seminars for consultants, engineering teams and maintenance departments.

To ensure that customers receive the optimum service, wherever they are in the world, we are continuing to expand and enhance our network of approved service stations in the Middle East, Asia, Europe and North America.



Perform your own sizing

Saft's Battery Sizing and Configuration System, known as BaSiCs, helps our customers to quickly and easily find the right battery for their back-up or starting applications. BaSiCs helps users create the layout for one or more stands as well as the battery layout itself.

To download the BaSiCs application, search for "BaSiCs" on our web site:

www.saftbatteries.com





Connecting your batteries for optimum efficiency

Standard layouts


Saft has developed a series of standard layouts for ordering a battery. Whether the battery is being installed on a rack, in a cabinet or is simply freestanding, the same configuration principals can be applied.

Two ways to configure the battery

| | Normal connection | Crosswise connection |
|------|-------------------|----------------------|
| SBLE | 7.5 → 510 | 550 → 1690 |
| SBM | 11 → 392 | 415 → 1445 |
| SBH | 8.3 → 157 | 177 → 920 |



The cell is turned through 90° and then connected width-to-width. This is referred to as "crosswise" mounted and its purpose is to minimize the installation's over-all length. The cell's width is used to calculate the row length.




Dimensions

The dimensions of all available cell types are listed in the tables. The block length is determined by the cell length and the number of cells in the block.


Notes:

- All the tabulated dimensions are maximum values.
- All block types with a cell weight exceeding 8.4 kg (18.5 lbs) have handles. The tabulated block length includes 6 mm for handles for these types.
- All the cell heights given in the tables include the height of the IP2X terminal cover.




Position of terminals

Blocks of cells with single pole bolt




SBLE 7.5 → 62




SBLE 75 → 275
SBM 11 → 241
SBH 8.3 → 118

Blocks of cells with 2 poles bolt per poles



SBLE 300 → 510
SBM 250 → 392
SBH 137 → 157

Blocks of cells with 2 - 6 poles bolt per poles



SBLE 550
SBM 415 → 482
SBH 177 → 256
SBH 270 → 281
SBH 307

SBLE 600 → 830
SBM 505 → 723
SBH 265 / 294
SBH 323 → 383
SBH 400 → 460

SBLE 890 → 1100
SBM 740 → 940
SBH 393 / 471
SBH 510 → 560
SBH 600 → 615

SBLE 1150 → 1400
SBM 1009 → 1181
SBH 471 / 590
SBH 640 → 765

SBLE 1450 → 1690
SBM 965
SBM 1220 → 1445
SBH 800 → 920

SBLE Capacities and dimensions - International System of units

| Connection | Cell type | Capacity [C ₅ Ah] | Height* (mm) | Width (mm) | Length per block (mm) | | | | | | Approx. weight per cell (kg) | Approx. electrolyte volume between level marks (cm ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|----------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|---------|---------|---------|------------------------------|---|----------------------|------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | 4 cells | 5 cells | 6 cells | | | Solid (kg) | Liquid (L) | | |
| NORMAL CONNECTION | SBLE 7,5 | 7,5 | 190 | 123 | - | - | - | 101 | 125 | 149 | 0,80 | 80 | 0,08 | 0,24 | 14,0 | M 6 |
| | SBLE 15 | 15 | 260 | 123 | - | - | - | 101 | 125 | 149 | 1,10 | 80 | 0,11 | 0,35 | 8,33 | M 6 |
| | SBLE 22 | 22 | 260 | 123 | - | - | - | 143 | 178 | 212 | 1,70 | 120 | 0,17 | 0,53 | 5,68 | M 6 |
| | SBLE 30 | 30 | 260 | 123 | - | - | - | 143 | 178 | 212 | 1,80 | 120 | 0,15 | 0,46 | 4,17 | M 6 |
| | SBLE 40 | 40 | 260 | 123 | - | - | - | 239 | 298 | 356 | 3,00 | 200 | 0,29 | 0,90 | 3,13 | M 6 |
| | SBLE 47 | 47 | 260 | 123 | - | - | - | 191 | 238 | 284 | 2,50 | 160 | 0,19 | 0,59 | 2,66 | M 6 |
| | SBLE 62 | 62 | 260 | 123 | - | - | - | 239 | 298 | 356 | 3,20 | 200 | 0,23 | 0,70 | 2,02 | M 6 |
| | SBLE 75 | 75 | 350 | 195 | - | 79,0 | 115 | - | - | - | 4,10 | 290 | 0,32 | 1,00 | 2,13 | M 8 |
| | SBLE 85 | 85 | 406 | 195 | - | 79,0 | 115 | - | - | - | 4,90 | 290 | 0,45 | 1,40 | 1,94 | M 8 |
| | SBLE 95 | 95 | 406 | 195 | - | 79,0 | 115 | - | - | - | 4,90 | 290 | 0,45 | 1,40 | 1,74 | M 8 |
| | SBLE 110 | 110 | 350 | 195 | - | 103 | 151 | - | - | - | 5,60 | 390 | 0,49 | 1,50 | 1,45 | M 10 |
| | SBLE 125 | 125 | 406 | 195 | - | 103 | 151 | - | - | - | 6,70 | 390 | 0,58 | 1,80 | 1,32 | M 10 |
| | SBLE 140 | 140 | 406 | 195 | - | 103 | 151 | - | - | - | 6,70 | 390 | 0,58 | 1,80 | 1,18 | M 10 |
| | SBLE 165 | 165 | 406 | 195 | - | 127 | 187 | - | - | - | 8,40 | 490 | 0,71 | 2,20 | 1,00 | M 10 |
| | SBLE 185 | 185 | 406 | 195 | - | 127 | 187 | - | - | - | 8,40 | 490 | 0,71 | 2,20 | 0,89 | M 10 |
| | SBLE 200 | 200 | 406 | 195 | - | 159 | 232 | - | - | - | 10,2 | 610 | 0,84 | 2,60 | 0,83 | M 10 |
| | SBLE 215 | 215 | 406 | 195 | - | 159 | 232 | - | - | - | 10,2 | 610 | 0,84 | 2,60 | 0,77 | M 10 |
| | SBLE 230 | 230 | 406 | 195 | - | 159 | 232 | - | - | - | 10,2 | 610 | 0,84 | 2,60 | 0,72 | M 10 |
| | SBLE 255 | 255 | 406 | 195 | - | 183 | 268 | - | - | - | 11,9 | 710 | 0,97 | 3,00 | 0,65 | M 10 |
| | SBLE 275 | 275 | 406 | 195 | - | 183 | 268 | - | - | - | 11,9 | 710 | 0,97 | 3,00 | 0,60 | M 10 |
| | SBLE 300 | 300 | 406 | 195 | - | 229 | 337 | - | - | - | 14,8 | 890 | 1,26 | 3,90 | 0,55 | 2 x M 10 |
| | SBLE 325 | 325 | 406 | 195 | - | 229 | 337 | - | - | - | 14,8 | 890 | 1,26 | 3,90 | 0,51 | 2 x M 10 |
| | SBLE 355 | 355 | 406 | 195 | - | 253 | 373 | - | - | - | 16,5 | 990 | 1,39 | 4,30 | 0,46 | 2 x M 10 |
| | SBLE 365 | 365 | 406 | 195 | - | 253 | 373 | - | - | - | 16,5 | 990 | 1,39 | 4,30 | 0,45 | 2 x M 10 |
| | SBLE 375 | 375 | 406 | 195 | - | 253 | 373 | - | - | - | 16,5 | 990 | 1,39 | 4,30 | 0,44 | 2 x M 10 |
| | SBLE 395 | 395 | 406 | 195 | 146 | 279 | - | - | - | - | 18,0 | 1110 | 1,52 | 4,70 | 0,42 | 2 x M 10 |
| | SBLE 415 | 415 | 406 | 195 | 146 | 279 | - | - | - | - | 18,0 | 1110 | 1,52 | 4,70 | 0,40 | 2 x M 10 |
| | SBLE 435 | 435 | 406 | 195 | 159 | 305 | - | - | - | - | 19,8 | 1220 | 1,68 | 5,20 | 0,38 | 2 x M 10 |
| | SBLE 460 | 460 | 406 | 195 | 159 | 305 | - | - | - | - | 19,8 | 1220 | 1,68 | 5,20 | 0,36 | 2 x M 10 |
| | SBLE 480 | 480 | 406 | 195 | 171 | 329 | - | - | - | - | 21,8 | 1320 | 1,81 | 5,60 | 0,34 | 2 x M 10 |
| | SBLE 500 | 500 | 406 | 195 | 171 | 329 | - | - | - | - | 21,8 | 1320 | 1,81 | 5,60 | 0,33 | 2 x M 10 |
| SBLE 510 | 510 | 406 | 195 | 171 | 329 | - | - | - | - | 21,8 | 1320 | 1,81 | 5,60 | 0,32 | 2 x M 10 | |
| CROSSWISE CONNECTION | SBLE 550 | 550 | 410 | 195 | 183 | - | - | - | - | - | 23,4 | 1430 | 1,94 | 6,00 | 0,30 | 2 x M 10 |
| | SBLE 600 | 600 | 410 | 195 | 206 | - | - | - | - | - | 26,1 | 1610 | 2,20 | 6,80 | 0,28 | 3 x M 10 |
| | SBLE 650 | 650 | 410 | 195 | 219 | - | - | - | - | - | 27,6 | 1720 | 2,37 | 7,30 | 0,25 | 3 x M 10 |
| | SBLE 700 | 700 | 410 | 195 | 232 | - | - | - | - | - | 29,4 | 1830 | 2,49 | 7,70 | 0,24 | 3 x M 10 |
| | SBLE 750 | 750 | 410 | 195 | 244 | - | - | - | - | - | 31,4 | 1930 | 2,62 | 8,10 | 0,22 | 3 x M 10 |
| | SBLE 790 | 790 | 410 | 195 | 256 | - | - | - | - | - | 33,4 | 2040 | 2,75 | 8,50 | 0,21 | 3 x M 10 |
| | SBLE 830 | 830 | 410 | 195 | 268 | - | - | - | - | - | 35,0 | 2140 | 2,88 | 8,90 | 0,20 | 3 x M 10 |
| | SBLE 890 | 890 | 410 | 195 | 292 | - | - | - | - | - | 37,2 | 2330 | 3,18 | 9,80 | 0,19 | 4 x M 10 |
| | SBLE 925 | 925 | 410 | 195 | 305 | - | - | - | - | - | 39,0 | 2440 | 3,34 | 10,3 | 0,18 | 4 x M 10 |
| | SBLE 980 | 980 | 410 | 195 | 317 | - | - | - | - | - | 41,0 | 2550 | 3,47 | 10,7 | 0,17 | 4 x M 10 |
| | SBLE 1000 | 1000 | 410 | 195 | 329 | - | - | - | - | - | 43,0 | 2650 | 3,60 | 11,1 | 0,17 | 4 x M 10 |
| | SBLE 1020 | 1020 | 410 | 195 | 329 | - | - | - | - | - | 43,0 | 2650 | 3,60 | 11,1 | 0,16 | 4 x M 10 |
| | SBLE 1070 | 1070 | 410 | 195 | 341 | - | - | - | - | - | 45,0 | 2750 | 3,73 | 11,5 | 0,15 | 4 x M 10 |
| | SBLE 1100 | 1100 | 410 | 195 | 353 | - | - | - | - | - | 46,6 | 2860 | 3,86 | 11,9 | 0,15 | 4 x M 10 |
| | SBLE 1150 | 1150 | 410 | 195 | 378 | - | - | - | - | - | 48,6 | 3050 | 4,18 | 12,9 | 0,14 | 5 x M 10 |
| | SBLE 1200 | 1200 | 410 | 195 | 390 | - | - | - | - | - | 50,6 | 3160 | 4,31 | 13,3 | 0,14 | 5 x M 10 |
| | SBLE 1250 | 1250 | 410 | 195 | 402 | - | - | - | - | - | 52,6 | 3260 | 4,41 | 13,6 | 0,13 | 5 x M 10 |
| | SBLE 1300 | 1300 | 410 | 195 | 413 | - | - | - | - | - | 54,8 | 3360 | 4,54 | 14,0 | 0,13 | 5 x M 10 |
| | SBLE 1350 | 1350 | 410 | 195 | 426 | - | - | - | - | - | 56,6 | 3470 | 4,67 | 14,4 | 0,12 | 5 x M 10 |
| | SBLE 1400 | 1400 | 410 | 195 | 438 | - | - | - | - | - | 58,2 | 3570 | 4,80 | 14,8 | 0,12 | 5 x M 10 |
| SBLE 1450 | 1450 | 410 | 195 | 463 | - | - | - | - | - | 60,2 | 3770 | 5,12 | 15,8 | 0,11 | 6 x M 10 | |
| SBLE 1500 | 1500 | 410 | 195 | 487 | - | - | - | - | - | 64,2 | 3980 | 5,38 | 16,6 | 0,11 | 6 x M 10 | |
| SBLE 1560 | 1560 | 410 | 195 | 499 | - | - | - | - | - | 66,2 | 4080 | 5,51 | 17,0 | 0,11 | 6 x M 10 | |
| SBLE 1600 | 1600 | 410 | 195 | 511 | - | - | - | - | - | 68,1 | 4190 | 5,64 | 17,4 | 0,10 | 6 x M 10 | |
| SBLE 1660 | 1660 | 410 | 195 | 523 | - | - | - | - | - | 69,8 | 4290 | 5,77 | 17,8 | 0,10 | 6 x M 10 | |
| SBLE 1690 | 1690 | 410 | 195 | 523 | - | - | - | - | - | 69,8 | 4290 | 5,77 | 17,8 | 0,10 | 6 x M 10 | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

SBLE Capacities and dimensions - Imperial units

| Connection | Cell type | Capacity (C ₅ Ah) | Height* (in) | Width (in) | Length per block (in) | | | | | | Approx. weight per cell (lbs) | Approx. electrolyte volume between level marks (in ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|----------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|---------|---------|---------|-------------------------------|---|----------------------|------------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | 4 cells | 5 cells | 6 cells | | | Solid (lbs) | Liquid (US Gal.) | | |
| NORMAL CONNECTION | SBLE 7,5 | 7,5 | 7,48 | 4,84 | - | - | - | 3,98 | 4,92 | 5,87 | 1,76 | 4,88 | 0,18 | 0,06 | 14,0 | M 6 |
| | SBLE 15 | 15 | 10,2 | 4,84 | - | - | - | 3,98 | 4,92 | 5,87 | 2,43 | 4,88 | 0,24 | 0,09 | 8,33 | M 6 |
| | SBLE 22 | 22 | 10,2 | 4,84 | - | - | - | 5,63 | 6,99 | 8,35 | 3,75 | 7,32 | 0,37 | 0,14 | 5,68 | M 6 |
| | SBLE 30 | 30 | 10,2 | 4,84 | - | - | - | 5,63 | 6,99 | 8,35 | 3,97 | 7,32 | 0,33 | 0,12 | 4,17 | M 6 |
| | SBLE 40 | 40 | 10,2 | 4,84 | - | - | - | 9,41 | 11,7 | 14,0 | 6,61 | 12,2 | 0,64 | 0,24 | 3,13 | M 6 |
| | SBLE 47 | 47 | 10,2 | 4,84 | - | - | - | 7,52 | 9,35 | 11,2 | 5,51 | 9,76 | 0,42 | 0,16 | 2,66 | M 6 |
| | SBLE 62 | 62 | 10,2 | 4,84 | - | - | - | 9,41 | 11,7 | 14,0 | 7,05 | 12,2 | 0,51 | 0,18 | 2,02 | M 6 |
| | SBLE 75 | 75 | 13,8 | 7,68 | - | 3,11 | 4,53 | - | - | - | 9,04 | 17,7 | 0,71 | 0,26 | 2,13 | M 8 |
| | SBLE 85 | 85 | 16,0 | 7,68 | - | 3,11 | 4,53 | - | - | - | 10,8 | 17,7 | 1,00 | 0,37 | 1,94 | M 8 |
| | SBLE 95 | 95 | 16,0 | 7,68 | - | 3,11 | 4,53 | - | - | - | 10,8 | 17,7 | 1,00 | 0,37 | 1,74 | M 8 |
| | SBLE 110 | 110 | 13,8 | 7,68 | - | 4,06 | 5,94 | - | - | - | 12,3 | 23,8 | 1,07 | 0,40 | 1,45 | M 10 |
| | SBLE 125 | 125 | 16,0 | 7,68 | - | 4,06 | 5,94 | - | - | - | 14,8 | 23,8 | 1,29 | 0,48 | 1,32 | M 10 |
| | SBLE 140 | 140 | 16,0 | 7,68 | - | 4,06 | 5,94 | - | - | - | 14,8 | 23,8 | 1,29 | 0,48 | 1,18 | M 10 |
| | SBLE 165 | 165 | 16,0 | 7,68 | - | 5,00 | 7,36 | - | - | - | 18,5 | 29,9 | 1,57 | 0,58 | 1,00 | M 10 |
| | SBLE 185 | 185 | 16,0 | 7,68 | - | 5,00 | 7,36 | - | - | - | 18,5 | 29,9 | 1,57 | 0,58 | 0,89 | M 10 |
| | SBLE 200 | 200 | 16,0 | 7,68 | - | 6,26 | 9,13 | - | - | - | 22,5 | 37,2 | 1,86 | 0,69 | 0,83 | M 10 |
| | SBLE 215 | 215 | 16,0 | 7,68 | - | 6,26 | 9,13 | - | - | - | 22,5 | 37,2 | 1,86 | 0,69 | 0,77 | M 10 |
| | SBLE 230 | 230 | 16,0 | 7,68 | - | 6,26 | 9,13 | - | - | - | 22,5 | 37,2 | 1,86 | 0,69 | 0,72 | M 10 |
| | SBLE 255 | 255 | 16,0 | 7,68 | - | 7,20 | 10,6 | - | - | - | 26,2 | 43,3 | 2,14 | 0,79 | 0,65 | M 10 |
| | SBLE 275 | 275 | 16,0 | 7,68 | - | 7,20 | 10,6 | - | - | - | 26,2 | 43,3 | 2,14 | 0,79 | 0,60 | M 10 |
| | SBLE 300 | 300 | 16,0 | 7,68 | - | 9,02 | 13,3 | - | - | - | 32,6 | 54,3 | 2,79 | 1,03 | 0,55 | 2 x M 10 |
| | SBLE 325 | 325 | 16,0 | 7,68 | - | 9,02 | 13,3 | - | - | - | 32,6 | 54,3 | 2,79 | 1,03 | 0,51 | 2 x M 10 |
| | SBLE 355 | 355 | 16,0 | 7,68 | - | 10,0 | 14,7 | - | - | - | 36,4 | 60,4 | 3,07 | 1,14 | 0,46 | 2 x M 10 |
| | SBLE 365 | 365 | 16,0 | 7,68 | - | 10,0 | 14,7 | - | - | - | 36,4 | 60,4 | 3,07 | 1,14 | 0,45 | 2 x M 10 |
| | SBLE 375 | 375 | 16,0 | 7,68 | - | 10,0 | 14,7 | - | - | - | 36,4 | 60,4 | 3,07 | 1,14 | 0,44 | 2 x M 10 |
| | SBLE 395 | 395 | 16,0 | 7,68 | 5,75 | 11,0 | - | - | - | - | 39,7 | 67,7 | 3,36 | 1,24 | 0,42 | 2 x M 10 |
| | SBLE 415 | 415 | 16,0 | 7,68 | 5,75 | 11,0 | - | - | - | - | 39,7 | 67,7 | 3,36 | 1,24 | 0,40 | 2 x M 10 |
| | SBLE 435 | 435 | 16,0 | 7,68 | 6,26 | 12,0 | - | - | - | - | 43,7 | 74,4 | 3,71 | 1,37 | 0,38 | 2 x M 10 |
| | SBLE 460 | 460 | 16,0 | 7,68 | 6,26 | 12,0 | - | - | - | - | 43,7 | 74,4 | 3,71 | 1,37 | 0,36 | 2 x M 10 |
| | SBLE 480 | 480 | 16,0 | 7,68 | 6,73 | 13,0 | - | - | - | - | 48,1 | 80,6 | 4,00 | 1,48 | 0,34 | 2 x M 10 |
| | SBLE 500 | 500 | 16,0 | 7,68 | 6,73 | 13,0 | - | - | - | - | 48,1 | 80,6 | 4,00 | 1,48 | 0,33 | 2 x M 10 |
| SBLE 510 | 510 | 16,0 | 7,68 | 6,73 | 13,0 | - | - | - | - | 48,1 | 80,6 | 4,00 | 1,48 | 0,32 | 2 x M 10 | |
| CROSSWISE CONNECTION | SBLE 550 | 550 | 16,1 | 7,68 | 7,20 | - | - | - | - | 51,6 | 87,3 | 4,29 | 1,59 | 0,30 | 2 x M 10 | |
| | SBLE 600 | 600 | 16,1 | 7,68 | 8,11 | - | - | - | - | 57,5 | 98,2 | 4,86 | 1,80 | 0,28 | 3 x M 10 | |
| | SBLE 650 | 650 | 16,1 | 7,68 | 8,62 | - | - | - | - | 60,8 | 105 | 5,21 | 1,93 | 0,25 | 3 x M 10 | |
| | SBLE 700 | 700 | 16,1 | 7,68 | 9,13 | - | - | - | - | 64,8 | 112 | 5,50 | 2,03 | 0,24 | 3 x M 10 | |
| | SBLE 750 | 750 | 16,1 | 7,68 | 9,61 | - | - | - | - | 69,2 | 118 | 5,79 | 2,14 | 0,22 | 3 x M 10 | |
| | SBLE 790 | 790 | 16,1 | 7,68 | 10,1 | - | - | - | - | 73,6 | 124 | 6,07 | 2,25 | 0,21 | 3 x M 10 | |
| | SBLE 830 | 830 | 16,1 | 7,68 | 10,6 | - | - | - | - | 77,2 | 131 | 6,36 | 2,35 | 0,20 | 3 x M 10 | |
| | SBLE 890 | 890 | 16,1 | 7,68 | 11,5 | - | - | - | - | 82,0 | 142 | 7,00 | 2,59 | 0,19 | 4 x M 10 | |
| | SBLE 925 | 925 | 16,1 | 7,68 | 12,0 | - | - | - | - | 86,0 | 149 | 7,36 | 2,72 | 0,18 | 4 x M 10 | |
| | SBLE 980 | 980 | 16,1 | 7,68 | 12,5 | - | - | - | - | 90,4 | 156 | 7,64 | 2,83 | 0,17 | 4 x M 10 | |
| | SBLE 1000 | 1000 | 16,1 | 7,68 | 13,0 | - | - | - | - | 94,8 | 162 | 7,93 | 2,93 | 0,17 | 4 x M 10 | |
| | SBLE 1020 | 1020 | 16,1 | 7,68 | 13,0 | - | - | - | - | 94,8 | 162 | 7,93 | 2,93 | 0,16 | 4 x M 10 | |
| | SBLE 1070 | 1070 | 16,1 | 7,68 | 13,4 | - | - | - | - | 99,2 | 168 | 8,21 | 3,04 | 0,15 | 4 x M 10 | |
| | SBLE 1100 | 1100 | 16,1 | 7,68 | 13,9 | - | - | - | - | 103 | 175 | 8,50 | 3,14 | 0,15 | 4 x M 10 | |
| | SBLE 1150 | 1150 | 16,1 | 7,68 | 14,9 | - | - | - | - | 107 | 186 | 9,21 | 3,41 | 0,14 | 5 x M 10 | |
| | SBLE 1200 | 1200 | 16,1 | 7,68 | 15,4 | - | - | - | - | 112 | 193 | 9,50 | 3,51 | 0,14 | 5 x M 10 | |
| | SBLE 1250 | 1250 | 16,1 | 7,68 | 15,8 | - | - | - | - | 116 | 199 | 9,71 | 3,59 | 0,13 | 5 x M 10 | |
| | SBLE 1300 | 1300 | 16,1 | 7,68 | 16,3 | - | - | - | - | 121 | 205 | 10,0 | 3,70 | 0,13 | 5 x M 10 | |
| | SBLE 1350 | 1350 | 16,1 | 7,68 | 16,8 | - | - | - | - | 125 | 212 | 10,3 | 3,80 | 0,12 | 5 x M 10 | |
| | SBLE 1400 | 1400 | 16,1 | 7,68 | 17,2 | - | - | - | - | 128 | 218 | 10,6 | 3,91 | 0,12 | 5 x M 10 | |
| SBLE 1450 | 1450 | 16,1 | 7,68 | 18,2 | - | - | - | - | 133 | 230 | 11,3 | 4,17 | 0,11 | 6 x M 10 | | |
| SBLE 1500 | 1500 | 16,1 | 7,68 | 19,2 | - | - | - | - | 142 | 243 | 11,9 | 4,39 | 0,11 | 6 x M 10 | | |
| SBLE 1560 | 1560 | 16,1 | 7,68 | 19,6 | - | - | - | - | 146 | 249 | 12,1 | 4,49 | 0,11 | 6 x M 10 | | |
| SBLE 1600 | 1600 | 16,1 | 7,68 | 20,1 | - | - | - | - | 150 | 256 | 12,4 | 4,60 | 0,10 | 6 x M 10 | | |
| SBLE 1660 | 1660 | 16,1 | 7,68 | 20,6 | - | - | - | - | 154 | 262 | 12,7 | 4,70 | 0,10 | 6 x M 10 | | |
| SBLE 1690 | 1690 | 16,1 | 7,68 | 20,6 | - | - | - | - | 154 | 262 | 12,7 | 4,70 | 0,10 | 6 x M 10 | | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

SBLE Performance after prolonged float charge of fully charged cells

Available Amperes at + 20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.00 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|-------|-------|---------|-------|-------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBLE 7,5 | 7,5 | 0,77 | 0,95 | 1,50 | 2,42 | 3,28 | 4,08 | 5,22 | 6,38 | 7,15 | 7,67 | 8,40 | 10,43 | 12,40 | 13,70 | 15,50 | 15,90 |
| SBLE 15 | 15 | 1,54 | 1,91 | 3,00 | 4,80 | 6,45 | 8,00 | 10,6 | 14,2 | 16,0 | 17,4 | 18,7 | 23,7 | 26,8 | 29,7 | 38,3 | 43,1 |
| SBLE 22 | 22 | 2,26 | 2,81 | 4,40 | 7,04 | 9,45 | 11,7 | 15,5 | 20,8 | 23,5 | 25,5 | 27,4 | 34,7 | 39,3 | 43,6 | 56,1 | 63,3 |
| SBLE 30 | 30 | 3,08 | 3,83 | 6,00 | 9,60 | 12,9 | 16,0 | 21,2 | 28,4 | 32,1 | 34,8 | 37,4 | 47,3 | 53,6 | 59,5 | 76,5 | 86,3 |
| SBLE 40 | 40 | 4,10 | 5,10 | 8,00 | 12,8 | 17,2 | 21,3 | 28,3 | 37,8 | 42,8 | 46,4 | 49,9 | 63,1 | 71,4 | 79,3 | 102 | 115 |
| SBLE 47 | 47 | 4,82 | 5,99 | 9,40 | 15,0 | 20,2 | 25,1 | 33,2 | 44,5 | 50,3 | 54,5 | 58,6 | 74,1 | 83,9 | 93,2 | 120 | 135 |
| SBLE 62 | 62 | 6,36 | 7,91 | 12,4 | 19,8 | 26,6 | 33,0 | 43,8 | 58,7 | 66,3 | 71,9 | 77,4 | 97,8 | 111 | 123 | 158 | 178 |
| SBLE 75 | 75 | 7,58 | 9,47 | 15,0 | 24,0 | 32,6 | 39,6 | 50,9 | 65,1 | 73,5 | 78,0 | 82,3 | 99,0 | 113 | 121 | 154 | 171 |
| SBLE 85 | 85 | 8,76 | 10,8 | 17,0 | 27,2 | 36,3 | 43,7 | 56,0 | 72,2 | 81,0 | 86,9 | 93,4 | 107 | 119 | 128 | 153 | 164 |
| SBLE 95 | 95 | 9,79 | 12,1 | 19,0 | 30,4 | 40,6 | 48,8 | 62,6 | 80,7 | 90,5 | 97,2 | 104 | 120 | 133 | 143 | 171 | 184 |
| SBLE 110 | 110 | 11,1 | 13,9 | 22,0 | 35,2 | 47,8 | 58,0 | 74,7 | 95,5 | 108 | 114 | 121 | 145 | 166 | 177 | 226 | 251 |
| SBLE 125 | 125 | 12,9 | 15,9 | 25,0 | 40,0 | 53,4 | 64,3 | 82,3 | 106 | 119 | 128 | 137 | 158 | 175 | 188 | 225 | 242 |
| SBLE 140 | 140 | 14,4 | 17,8 | 28,0 | 44,8 | 59,8 | 72,0 | 92,2 | 119 | 133 | 143 | 154 | 177 | 196 | 210 | 252 | 271 |
| SBLE 165 | 165 | 17,0 | 21,0 | 33,0 | 52,8 | 70,5 | 84,8 | 109 | 140 | 157 | 169 | 181 | 208 | 231 | 248 | 297 | 319 |
| SBLE 185 | 185 | 19,1 | 23,6 | 37,0 | 59,2 | 79,0 | 95,1 | 122 | 157 | 176 | 189 | 203 | 233 | 259 | 278 | 333 | 358 |
| SBLE 200 | 200 | 20,6 | 25,5 | 40,0 | 64,0 | 85,4 | 103 | 132 | 170 | 190 | 205 | 220 | 252 | 280 | 300 | 360 | 387 |
| SBLE 215 | 215 | 22,2 | 27,4 | 43,0 | 68,8 | 91,8 | 111 | 142 | 183 | 205 | 220 | 236 | 271 | 301 | 323 | 387 | 416 |
| SBLE 230 | 230 | 23,7 | 29,3 | 46,0 | 73,6 | 98,2 | 118 | 152 | 195 | 219 | 235 | 253 | 290 | 322 | 345 | 414 | 445 |
| SBLE 255 | 255 | 26,3 | 32,5 | 51,0 | 81,6 | 109 | 131 | 168 | 217 | 243 | 261 | 280 | 322 | 357 | 383 | 459 | 493 |
| SBLE 275 | 275 | 28,3 | 35,0 | 55,0 | 88,0 | 117 | 141 | 181 | 234 | 262 | 281 | 302 | 347 | 385 | 413 | 495 | 532 |
| SBLE 300 | 300 | 30,9 | 38,2 | 60,0 | 96,0 | 128 | 154 | 198 | 255 | 286 | 307 | 330 | 378 | 420 | 450 | 540 | 580 |
| SBLE 325 | 325 | 33,5 | 41,4 | 65,0 | 104 | 139 | 167 | 214 | 276 | 310 | 332 | 357 | 410 | 455 | 488 | 585 | 629 |
| SBLE 355 | 355 | 36,6 | 45,2 | 71,0 | 114 | 152 | 183 | 234 | 302 | 338 | 363 | 390 | 448 | 497 | 533 | 639 | 687 |
| SBLE 365 | 365 | 37,6 | 46,5 | 73,0 | 117 | 156 | 188 | 240 | 310 | 348 | 373 | 401 | 460 | 511 | 548 | 657 | 706 |
| SBLE 375 | 375 | 38,6 | 47,8 | 75,0 | 120 | 160 | 193 | 247 | 319 | 357 | 384 | 412 | 473 | 525 | 563 | 675 | 726 |
| SBLE 395 | 395 | 40,7 | 50,3 | 79,0 | 126 | 169 | 203 | 260 | 335 | 376 | 404 | 434 | 498 | 553 | 593 | 711 | 764 |
| SBLE 415 | 415 | 42,8 | 52,9 | 83,0 | 133 | 177 | 213 | 273 | 352 | 395 | 424 | 456 | 523 | 581 | 623 | 747 | 803 |
| SBLE 435 | 435 | 44,8 | 55,4 | 87,0 | 139 | 186 | 224 | 287 | 369 | 414 | 445 | 478 | 548 | 609 | 653 | 783 | 842 |
| SBLE 460 | 460 | 47,4 | 58,6 | 92,0 | 147 | 196 | 236 | 303 | 391 | 438 | 471 | 506 | 580 | 644 | 690 | 828 | 890 |
| SBLE 480 | 480 | 49,5 | 61,1 | 96,0 | 154 | 205 | 247 | 316 | 408 | 457 | 491 | 528 | 605 | 672 | 720 | 864 | 929 |
| SBLE 500 | 500 | 51,5 | 63,7 | 100 | 160 | 214 | 257 | 329 | 425 | 476 | 511 | 550 | 630 | 700 | 750 | 900 | 967 |
| SBLE 510 | 510 | 52,6 | 65,0 | 102 | 163 | 218 | 262 | 336 | 433 | 486 | 522 | 561 | 643 | 714 | 765 | 918 | 987 |
| SBLE 550 | 550 | 56,7 | 70,1 | 110 | 176 | 235 | 283 | 362 | 467 | 524 | 563 | 605 | 693 | 770 | 825 | 990 | 1064 |
| SBLE 600 | 600 | 61,8 | 76,4 | 120 | 192 | 256 | 308 | 395 | 510 | 571 | 614 | 660 | 757 | 840 | 900 | 1080 | 1161 |
| SBLE 650 | 650 | 67,0 | 82,8 | 130 | 208 | 278 | 334 | 428 | 552 | 619 | 665 | 715 | 820 | 910 | 975 | 1170 | 1258 |
| SBLE 700 | 700 | 72,1 | 89,2 | 140 | 224 | 299 | 360 | 461 | 595 | 667 | 716 | 770 | 883 | 980 | 1050 | 1260 | 1354 |
| SBLE 750 | 750 | 77,3 | 95,5 | 150 | 240 | 320 | 386 | 494 | 637 | 714 | 767 | 825 | 946 | 1050 | 1125 | 1350 | 1451 |
| SBLE 790 | 790 | 81,4 | 101 | 158 | 253 | 337 | 406 | 520 | 671 | 752 | 808 | 868 | 996 | 1106 | 1185 | 1422 | 1528 |
| SBLE 830 | 830 | 85,5 | 106 | 166 | 266 | 354 | 427 | 547 | 705 | 791 | 849 | 912 | 1046 | 1162 | 1245 | 1494 | 1606 |
| SBLE 890 | 890 | 91,7 | 113 | 178 | 285 | 380 | 458 | 586 | 756 | 848 | 910 | 978 | 1122 | 1246 | 1335 | 1602 | 1722 |
| SBLE 925 | 925 | 95,3 | 118 | 185 | 296 | 395 | 476 | 609 | 786 | 881 | 946 | 1017 | 1166 | 1295 | 1388 | 1665 | 1790 |
| SBLE 980 | 980 | 101 | 125 | 196 | 314 | 418 | 504 | 646 | 832 | 933 | 1002 | 1077 | 1236 | 1372 | 1470 | 1764 | 1896 |
| SBLE 1000 | 1000 | 103 | 127 | 200 | 320 | 427 | 514 | 659 | 849 | 952 | 1023 | 1099 | 1261 | 1400 | 1500 | 1800 | 1935 |
| SBLE 1020 | 1020 | 105 | 130 | 204 | 326 | 436 | 524 | 672 | 866 | 972 | 1043 | 1121 | 1286 | 1428 | 1530 | 1836 | 1973 |
| SBLE 1070 | 1070 | 110 | 136 | 214 | 342 | 457 | 550 | 705 | 909 | 1019 | 1094 | 1176 | 1349 | 1498 | 1605 | 1926 | 2070 |
| SBLE 1100 | 1100 | 113 | 140 | 220 | 352 | 470 | 566 | 725 | 934 | 1048 | 1125 | 1209 | 1387 | 1540 | 1650 | 1980 | 2128 |
| SBLE 1150 | 1150 | 119 | 147 | 230 | 368 | 491 | 591 | 758 | 977 | 1095 | 1176 | 1264 | 1450 | 1610 | 1725 | 2070 | 2225 |
| SBLE 1200 | 1200 | 124 | 153 | 240 | 384 | 512 | 617 | 790 | 1019 | 1143 | 1227 | 1319 | 1513 | 1680 | 1800 | 2160 | 2322 |
| SBLE 1250 | 1250 | 129 | 159 | 250 | 400 | 534 | 643 | 823 | 1062 | 1191 | 1279 | 1374 | 1576 | 1750 | 1875 | 2250 | 2418 |
| SBLE 1300 | 1300 | 134 | 166 | 260 | 416 | 555 | 668 | 856 | 1104 | 1238 | 1330 | 1429 | 1639 | 1820 | 1950 | 2340 | 2515 |
| SBLE 1350 | 1350 | 139 | 172 | 270 | 432 | 576 | 694 | 889 | 1147 | 1286 | 1381 | 1484 | 1702 | 1890 | 2025 | 2430 | 2612 |
| SBLE 1400 | 1400 | 144 | 178 | 280 | 448 | 598 | 720 | 922 | 1189 | 1333 | 1432 | 1539 | 1765 | 1960 | 2100 | 2520 | 2709 |
| SBLE 1450 | 1450 | 149 | 185 | 290 | 464 | 619 | 745 | 955 | 1232 | 1381 | 1483 | 1594 | 1828 | 2030 | 2175 | 2610 | 2805 |
| SBLE 1500 | 1500 | 155 | 191 | 300 | 480 | 641 | 771 | 988 | 1274 | 1429 | 1534 | 1649 | 1891 | 2100 | 2250 | 2700 | 2902 |
| SBLE 1560 | 1560 | 161 | 199 | 312 | 499 | 666 | 802 | 1028 | 1325 | 1486 | 1596 | 1715 | 1967 | 2184 | 2340 | 2808 | 3018 |
| SBLE 1600 | 1600 | 165 | 204 | 320 | 512 | 683 | 823 | 1054 | 1359 | 1524 | 1637 | 1759 | 2017 | 2240 | 2400 | 2880 | 3096 |
| SBLE 1660 | 1660 | 171 | 211 | 332 | 531 | 709 | 853 | 1093 | 1410 | 1581 | 1698 | 1825 | 2093 | 2324 | 2490 | 2988 | 3212 |
| SBLE 1690 | 1690 | 174 | 215 | 338 | 541 | 722 | 869 | 1113 | 1435 | 1610 | 1729 | 1858 | 2131 | 2366 | 2535 | 3042 | 3270 |

* Height including the IP2X terminal cover

SBLE Performance after prolonged float charge of fully charged cells

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.05 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBLE 7,5 | 7,5 | 0,77 | 0,95 | 1,49 | 2,17 | 3,00 | 3,59 | 4,40 | 5,64 | 6,33 | 6,81 | 7,51 | 8,29 | 10,3 | 11,1 | 12,8 | 13,3 |
| SBLE 15 | 15 | 1,53 | 1,89 | 2,94 | 4,65 | 5,78 | 6,87 | 8,98 | 12,1 | 14,1 | 15,2 | 16,8 | 17,1 | 21,6 | 24,3 | 31,7 | 35,6 |
| SBLE 22 | 22 | 2,24 | 2,78 | 4,31 | 6,82 | 8,48 | 10,1 | 13,2 | 17,7 | 20,7 | 22,3 | 24,6 | 25,0 | 31,7 | 35,6 | 46,4 | 52,3 |
| SBLE 30 | 30 | 3,06 | 3,79 | 5,88 | 9,30 | 11,6 | 13,7 | 18,0 | 24,1 | 28,2 | 30,3 | 33,6 | 34,1 | 43,2 | 48,5 | 63,3 | 71,3 |
| SBLE 40 | 40 | 4,08 | 5,05 | 7,84 | 12,4 | 15,4 | 18,3 | 23,9 | 32,2 | 37,6 | 40,5 | 44,8 | 45,5 | 57,6 | 64,7 | 84,4 | 95,0 |
| SBLE 47 | 47 | 4,79 | 5,93 | 9,21 | 14,6 | 18,1 | 21,5 | 28,1 | 37,8 | 44,1 | 47,5 | 52,6 | 53,5 | 67,7 | 76,0 | 99,2 | 112 |
| SBLE 62 | 62 | 6,32 | 7,83 | 12,2 | 19,2 | 23,9 | 28,4 | 37,1 | 49,9 | 58,2 | 62,7 | 69,4 | 70,5 | 89,3 | 100 | 131 | 147 |
| SBLE 75 | 75 | 7,50 | 9,38 | 14,7 | 23,5 | 28,8 | 33,9 | 42,0 | 55,1 | 62,6 | 66,9 | 72,5 | 78,2 | 90,7 | 100 | 127 | 140 |
| SBLE 85 | 85 | 8,68 | 10,8 | 16,8 | 26,4 | 32,9 | 37,5 | 46,8 | 61,1 | 67,5 | 70,0 | 77,8 | 88,8 | 95,7 | 105 | 126 | 136 |
| SBLE 95 | 95 | 9,71 | 12,1 | 18,8 | 29,5 | 36,8 | 41,9 | 52,3 | 68,2 | 75,4 | 78,2 | 86,9 | 99,2 | 107 | 117 | 140 | 152 |
| SBLE 110 | 110 | 11,0 | 13,8 | 21,6 | 34,5 | 42,2 | 49,7 | 61,5 | 80,8 | 91,8 | 98,1 | 106 | 115 | 133 | 147 | 186 | 205 |
| SBLE 125 | 125 | 12,8 | 15,9 | 24,7 | 38,8 | 48,4 | 55,2 | 68,9 | 89,8 | 99,2 | 103 | 114 | 131 | 141 | 154 | 185 | 201 |
| SBLE 140 | 140 | 14,3 | 17,8 | 27,7 | 43,4 | 54,2 | 61,8 | 77,1 | 101 | 111 | 115 | 128 | 146 | 158 | 172 | 207 | 225 |
| SBLE 165 | 165 | 16,9 | 20,9 | 32,6 | 51,2 | 63,8 | 72,9 | 90,9 | 119 | 131 | 136 | 151 | 172 | 186 | 203 | 244 | 265 |
| SBLE 185 | 185 | 18,9 | 23,5 | 36,6 | 57,4 | 71,6 | 81,7 | 102 | 133 | 147 | 152 | 169 | 193 | 208 | 228 | 273 | 297 |
| SBLE 200 | 200 | 20,4 | 25,4 | 39,6 | 62,0 | 77,4 | 88,3 | 110 | 144 | 159 | 165 | 183 | 209 | 225 | 246 | 296 | 321 |
| SBLE 215 | 215 | 22,0 | 27,3 | 42,5 | 66,7 | 83,2 | 94,9 | 118 | 154 | 171 | 177 | 197 | 224 | 242 | 265 | 318 | 345 |
| SBLE 230 | 230 | 23,5 | 29,2 | 45,5 | 71,3 | 89,0 | 102 | 127 | 165 | 183 | 189 | 210 | 240 | 259 | 283 | 340 | 369 |
| SBLE 255 | 255 | 26,1 | 32,4 | 50,4 | 79,1 | 98,7 | 113 | 141 | 183 | 202 | 210 | 233 | 266 | 287 | 314 | 377 | 409 |
| SBLE 275 | 275 | 28,1 | 34,9 | 54,4 | 85,3 | 106 | 121 | 152 | 198 | 218 | 227 | 252 | 287 | 310 | 338 | 407 | 441 |
| SBLE 300 | 300 | 30,7 | 38,1 | 59,3 | 93,0 | 116 | 132 | 165 | 216 | 238 | 247 | 274 | 313 | 338 | 369 | 443 | 481 |
| SBLE 325 | 325 | 33,2 | 41,3 | 64,3 | 101 | 126 | 144 | 179 | 233 | 258 | 268 | 297 | 339 | 366 | 400 | 480 | 521 |
| SBLE 355 | 355 | 36,3 | 45,1 | 70,2 | 110 | 137 | 157 | 196 | 255 | 282 | 292 | 325 | 371 | 400 | 437 | 525 | 570 |
| SBLE 365 | 365 | 37,3 | 46,3 | 72,2 | 113 | 141 | 161 | 201 | 262 | 290 | 301 | 334 | 381 | 411 | 449 | 540 | 586 |
| SBLE 375 | 375 | 38,3 | 47,6 | 74,2 | 116 | 145 | 166 | 207 | 269 | 298 | 309 | 343 | 392 | 422 | 461 | 554 | 602 |
| SBLE 395 | 395 | 40,4 | 50,1 | 78,1 | 122 | 153 | 174 | 218 | 284 | 314 | 325 | 361 | 412 | 445 | 486 | 584 | 634 |
| SBLE 415 | 415 | 42,4 | 52,7 | 82,1 | 129 | 161 | 183 | 229 | 298 | 329 | 342 | 380 | 433 | 467 | 511 | 613 | 666 |
| SBLE 435 | 435 | 44,4 | 55,2 | 86,1 | 135 | 168 | 192 | 240 | 313 | 345 | 358 | 398 | 454 | 490 | 535 | 643 | 698 |
| SBLE 460 | 460 | 47,0 | 58,4 | 91,0 | 143 | 178 | 203 | 253 | 330 | 365 | 379 | 421 | 480 | 518 | 566 | 680 | 738 |
| SBLE 480 | 480 | 49,0 | 60,9 | 95,0 | 149 | 186 | 212 | 264 | 345 | 381 | 395 | 439 | 501 | 541 | 591 | 710 | 770 |
| SBLE 500 | 500 | 51,1 | 63,5 | 99 | 155 | 193 | 221 | 276 | 359 | 397 | 412 | 457 | 522 | 563 | 615 | 739 | 802 |
| SBLE 510 | 510 | 52,1 | 64,7 | 101 | 158 | 197 | 225 | 281 | 366 | 405 | 420 | 467 | 533 | 574 | 628 | 754 | 818 |
| SBLE 550 | 550 | 56,2 | 69,8 | 109 | 171 | 213 | 243 | 303 | 395 | 437 | 453 | 503 | 574 | 619 | 677 | 813 | 882 |
| SBLE 600 | 600 | 61,3 | 76,2 | 119 | 186 | 232 | 265 | 331 | 431 | 476 | 494 | 549 | 626 | 676 | 738 | 887 | 963 |
| SBLE 650 | 650 | 66,4 | 82,5 | 129 | 202 | 252 | 287 | 358 | 467 | 516 | 535 | 595 | 679 | 732 | 800 | 961 | 1043 |
| SBLE 700 | 700 | 71,5 | 88,9 | 138 | 217 | 271 | 309 | 386 | 503 | 556 | 577 | 640 | 731 | 788 | 861 | 1035 | 1123 |
| SBLE 750 | 750 | 76,6 | 95,2 | 148 | 233 | 290 | 331 | 413 | 539 | 595 | 618 | 686 | 783 | 845 | 923 | 1109 | 1203 |
| SBLE 790 | 790 | 80,7 | 100 | 156 | 245 | 306 | 349 | 435 | 568 | 627 | 651 | 723 | 825 | 890 | 972 | 1168 | 1267 |
| SBLE 830 | 830 | 84,8 | 105 | 164 | 257 | 321 | 366 | 457 | 596 | 659 | 684 | 759 | 867 | 935 | 1021 | 1227 | 1332 |
| SBLE 890 | 890 | 90,9 | 113 | 176 | 276 | 344 | 393 | 490 | 639 | 707 | 733 | 814 | 929 | 1002 | 1095 | 1316 | 1428 |
| SBLE 925 | 925 | 94,5 | 117 | 183 | 287 | 358 | 408 | 510 | 665 | 734 | 762 | 846 | 966 | 1042 | 1138 | 1367 | 1484 |
| SBLE 980 | 980 | 100 | 124 | 194 | 304 | 379 | 433 | 540 | 704 | 778 | 807 | 896 | 1023 | 1104 | 1206 | 1449 | 1572 |
| SBLE 1000 | 1000 | 102 | 127 | 198 | 310 | 387 | 442 | 551 | 718 | 794 | 824 | 915 | 1044 | 1126 | 1230 | 1478 | 1604 |
| SBLE 1020 | 1020 | 104 | 129 | 202 | 316 | 395 | 450 | 562 | 733 | 810 | 840 | 933 | 1065 | 1149 | 1255 | 1508 | 1636 |
| SBLE 1070 | 1070 | 109 | 136 | 212 | 332 | 414 | 472 | 590 | 769 | 850 | 881 | 979 | 1117 | 1205 | 1317 | 1582 | 1717 |
| SBLE 1100 | 1100 | 112 | 140 | 218 | 341 | 426 | 486 | 606 | 790 | 873 | 906 | 1006 | 1149 | 1239 | 1353 | 1626 | 1765 |
| SBLE 1150 | 1150 | 118 | 146 | 228 | 357 | 445 | 508 | 634 | 826 | 913 | 947 | 1052 | 1201 | 1295 | 1415 | 1700 | 1845 |
| SBLE 1200 | 1200 | 123 | 152 | 237 | 372 | 464 | 530 | 661 | 862 | 953 | 988 | 1098 | 1253 | 1351 | 1477 | 1774 | 1925 |
| SBLE 1250 | 1250 | 128 | 159 | 247 | 388 | 484 | 552 | 689 | 898 | 992 | 1030 | 1143 | 1305 | 1408 | 1538 | 1848 | 2005 |
| SBLE 1300 | 1300 | 133 | 165 | 257 | 403 | 503 | 574 | 716 | 934 | 1032 | 1071 | 1189 | 1357 | 1464 | 1600 | 1922 | 2086 |
| SBLE 1350 | 1350 | 138 | 171 | 267 | 419 | 522 | 596 | 744 | 970 | 1072 | 1112 | 1235 | 1410 | 1520 | 1661 | 1996 | 2166 |
| SBLE 1400 | 1400 | 143 | 178 | 277 | 434 | 542 | 618 | 771 | 1006 | 1112 | 1153 | 1281 | 1462 | 1577 | 1723 | 2070 | 2246 |
| SBLE 1450 | 1450 | 148 | 184 | 287 | 450 | 561 | 640 | 799 | 1042 | 1151 | 1194 | 1326 | 1514 | 1633 | 1784 | 2143 | 2326 |
| SBLE 1500 | 1500 | 153 | 190 | 297 | 465 | 580 | 662 | 827 | 1078 | 1191 | 1236 | 1372 | 1566 | 1689 | 1846 | 2217 | 2407 |
| SBLE 1560 | 1560 | 159 | 198 | 309 | 484 | 604 | 689 | 860 | 1121 | 1239 | 1285 | 1427 | 1629 | 1757 | 1919 | 2306 | 2503 |
| SBLE 1600 | 1600 | 163 | 203 | 317 | 496 | 619 | 706 | 882 | 1149 | 1270 | 1318 | 1464 | 1671 | 1802 | 1969 | 2365 | 2567 |
| SBLE 1660 | 1660 | 170 | 211 | 328 | 515 | 642 | 733 | 915 | 1193 | 1318 | 1367 | 1519 | 1733 | 1869 | 2043 | 2454 | 2663 |
| SBLE 1690 | 1690 | 173 | 215 | 334 | 524 | 654 | 746 | 931 | 1214 | 1342 | 1392 | 1546 | 1765 | 1903 | 2079 | 2498 | 2711 |

* Height including the IP2X terminal cover

SBLE Performance after prolonged float charge of fully charged cells

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.10 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBLE 7,5 | 7,5 | 0,75 | 0,90 | 1,31 | 2,10 | 2,72 | 3,18 | 3,59 | 4,70 | 5,27 | 5,66 | 6,14 | 7,12 | 8,33 | 9,10 | 10,1 | 10,4 |
| SBLE 15 | 15 | 1,50 | 1,84 | 2,82 | 4,01 | 5,11 | 6,09 | 7,19 | 9,65 | 10,7 | 11,4 | 12,8 | 15,1 | 17,4 | 20,0 | 26,2 | 29,7 |
| SBLE 22 | 22 | 2,20 | 2,70 | 4,14 | 5,89 | 7,49 | 8,9 | 10,5 | 14,2 | 15,7 | 16,8 | 18,7 | 22,1 | 25,6 | 29,4 | 38,4 | 43,6 |
| SBLE 30 | 30 | 3,00 | 3,68 | 5,65 | 8,03 | 10,2 | 12,2 | 14,4 | 19,3 | 21,5 | 22,9 | 25,5 | 30,1 | 34,9 | 40,1 | 52,4 | 59,5 |
| SBLE 40 | 40 | 4,00 | 4,90 | 7,53 | 10,7 | 13,6 | 16,2 | 19,2 | 25,7 | 28,6 | 30,5 | 34,0 | 40,2 | 46,5 | 53,4 | 69,8 | 79,3 |
| SBLE 47 | 47 | 4,70 | 5,76 | 8,85 | 12,6 | 16,0 | 19,1 | 22,5 | 30,2 | 33,6 | 35,8 | 40,0 | 47,2 | 54,6 | 62,7 | 82,0 | 93 |
| SBLE 62 | 62 | 6,20 | 7,60 | 11,7 | 16,6 | 21,1 | 25,2 | 29,7 | 39,9 | 44,4 | 47,3 | 52,8 | 62,3 | 72,1 | 82,8 | 108 | 123 |
| SBLE 75 | 75 | 7,43 | 9,10 | 14,0 | 20,0 | 25,3 | 29,7 | 34,7 | 44,4 | 49,0 | 49,7 | 54,7 | 64,6 | 73,4 | 82,1 | 103 | 115 |
| SBLE 85 | 85 | 8,50 | 10,4 | 16,0 | 22,2 | 27,8 | 32,1 | 37,9 | 47,5 | 51,4 | 56,3 | 62,0 | 65,1 | 78,0 | 85,0 | 103 | 113 |
| SBLE 95 | 95 | 9,50 | 11,6 | 17,9 | 24,8 | 31,1 | 35,9 | 42,3 | 53,1 | 57,4 | 63,0 | 69,3 | 72,8 | 87,2 | 95,0 | 116 | 127 |
| SBLE 110 | 110 | 10,9 | 13,3 | 20,5 | 29,3 | 37,0 | 43,5 | 50,9 | 65,2 | 71,8 | 72,9 | 80,3 | 94,7 | 108 | 120 | 151 | 169 |
| SBLE 125 | 125 | 12,5 | 15,3 | 23,5 | 32,6 | 41,0 | 47,2 | 55,7 | 69,9 | 75,5 | 82,8 | 91,2 | 95,8 | 115 | 125 | 152 | 167 |
| SBLE 140 | 140 | 14,0 | 17,2 | 26,4 | 36,5 | 45,9 | 52,8 | 62,4 | 78,3 | 84,6 | 92,8 | 102 | 107 | 128 | 140 | 170 | 187 |
| SBLE 165 | 165 | 16,5 | 20,2 | 31,1 | 43,0 | 54,1 | 62,3 | 73,5 | 92,3 | 100 | 109 | 120 | 126 | 151 | 165 | 201 | 220 |
| SBLE 185 | 185 | 18,5 | 22,7 | 34,8 | 48,3 | 60,6 | 69,8 | 82,4 | 103 | 112 | 123 | 135 | 142 | 170 | 185 | 225 | 247 |
| SBLE 200 | 200 | 20,0 | 24,5 | 37,7 | 52,2 | 65,5 | 75,5 | 89,1 | 112 | 121 | 133 | 146 | 153 | 183 | 200 | 243 | 267 |
| SBLE 215 | 215 | 21,5 | 26,4 | 40,5 | 56,1 | 70,4 | 81,2 | 95,8 | 120 | 130 | 142 | 157 | 165 | 197 | 215 | 262 | 287 |
| SBLE 230 | 230 | 23,0 | 28,2 | 43,3 | 60,0 | 75,3 | 86,8 | 102 | 129 | 139 | 152 | 168 | 176 | 211 | 230 | 280 | 307 |
| SBLE 255 | 255 | 25,5 | 31,3 | 48,0 | 66,5 | 83,5 | 96,3 | 114 | 143 | 154 | 169 | 186 | 195 | 234 | 255 | 310 | 340 |
| SBLE 275 | 275 | 27,5 | 33,7 | 51,8 | 71,7 | 90,1 | 104 | 122 | 154 | 166 | 182 | 201 | 211 | 252 | 275 | 335 | 367 |
| SBLE 300 | 300 | 30,0 | 36,8 | 56,5 | 78,3 | 98,3 | 113 | 134 | 168 | 181 | 199 | 219 | 230 | 275 | 300 | 365 | 400 |
| SBLE 325 | 325 | 32,5 | 39,8 | 61,2 | 84,8 | 106 | 123 | 145 | 182 | 196 | 215 | 237 | 249 | 298 | 325 | 396 | 434 |
| SBLE 355 | 355 | 35,5 | 43,5 | 66,8 | 92,6 | 116 | 134 | 158 | 199 | 214 | 235 | 259 | 272 | 326 | 355 | 432 | 474 |
| SBLE 365 | 365 | 36,5 | 44,8 | 68,7 | 95,2 | 120 | 138 | 163 | 204 | 221 | 242 | 266 | 280 | 335 | 365 | 444 | 487 |
| SBLE 375 | 375 | 37,5 | 46,0 | 70,6 | 97,8 | 123 | 142 | 167 | 210 | 227 | 249 | 274 | 287 | 344 | 375 | 457 | 501 |
| SBLE 395 | 395 | 39,5 | 48,4 | 74,4 | 103 | 129 | 149 | 176 | 221 | 239 | 262 | 288 | 303 | 362 | 395 | 481 | 527 |
| SBLE 415 | 415 | 41,5 | 50,9 | 78,1 | 108 | 136 | 157 | 185 | 232 | 251 | 275 | 303 | 318 | 381 | 415 | 505 | 554 |
| SBLE 435 | 435 | 43,5 | 53,3 | 81,9 | 113 | 143 | 164 | 194 | 243 | 263 | 288 | 317 | 333 | 399 | 435 | 530 | 581 |
| SBLE 460 | 460 | 46,0 | 56,4 | 86,6 | 120 | 151 | 174 | 205 | 257 | 278 | 305 | 336 | 352 | 422 | 460 | 560 | 614 |
| SBLE 480 | 480 | 48,0 | 58,9 | 90,4 | 125 | 157 | 181 | 214 | 268 | 290 | 318 | 350 | 368 | 440 | 480 | 584 | 641 |
| SBLE 500 | 500 | 50,0 | 61,3 | 94,1 | 130 | 164 | 189 | 223 | 280 | 302 | 331 | 365 | 383 | 459 | 500 | 609 | 667 |
| SBLE 510 | 510 | 51,0 | 62,5 | 96,0 | 133 | 167 | 193 | 227 | 285 | 308 | 338 | 372 | 391 | 468 | 510 | 621 | 681 |
| SBLE 550 | 550 | 55,0 | 67,4 | 104 | 143 | 180 | 208 | 245 | 308 | 332 | 364 | 401 | 421 | 505 | 550 | 670 | 734 |
| SBLE 600 | 600 | 60,0 | 73,6 | 113 | 157 | 197 | 226 | 267 | 336 | 363 | 398 | 438 | 460 | 550 | 600 | 730 | 801 |
| SBLE 650 | 650 | 65,0 | 79,7 | 122 | 170 | 213 | 245 | 289 | 364 | 393 | 431 | 474 | 498 | 596 | 650 | 791 | 868 |
| SBLE 700 | 700 | 70,0 | 85,8 | 132 | 183 | 229 | 264 | 312 | 392 | 423 | 464 | 511 | 536 | 642 | 700 | 852 | 934 |
| SBLE 750 | 750 | 75,0 | 92,0 | 141 | 196 | 246 | 283 | 334 | 420 | 453 | 497 | 547 | 575 | 688 | 750 | 913 | 1001 |
| SBLE 790 | 790 | 79,0 | 96,9 | 149 | 206 | 259 | 298 | 352 | 442 | 477 | 524 | 576 | 605 | 725 | 790 | 962 | 1054 |
| SBLE 830 | 830 | 83,0 | 102 | 156 | 217 | 272 | 313 | 370 | 464 | 501 | 550 | 606 | 636 | 761 | 830 | 1010 | 1108 |
| SBLE 890 | 890 | 89,0 | 109 | 168 | 232 | 292 | 336 | 396 | 498 | 538 | 590 | 649 | 682 | 816 | 890 | 1083 | 1188 |
| SBLE 925 | 925 | 92,5 | 113 | 174 | 241 | 303 | 349 | 412 | 517 | 559 | 613 | 675 | 709 | 849 | 925 | 1126 | 1235 |
| SBLE 980 | 980 | 98,0 | 120 | 184 | 256 | 321 | 370 | 436 | 548 | 592 | 649 | 715 | 751 | 899 | 980 | 1193 | 1308 |
| SBLE 1000 | 1000 | 100 | 123 | 188 | 261 | 328 | 377 | 445 | 559 | 604 | 663 | 730 | 766 | 917 | 1000 | 1217 | 1335 |
| SBLE 1020 | 1020 | 102 | 125 | 192 | 266 | 334 | 385 | 454 | 571 | 616 | 676 | 744 | 781 | 936 | 1020 | 1242 | 1361 |
| SBLE 1070 | 1070 | 107 | 131 | 201 | 279 | 351 | 404 | 477 | 599 | 646 | 709 | 781 | 820 | 982 | 1070 | 1303 | 1428 |
| SBLE 1100 | 1100 | 110 | 135 | 207 | 287 | 360 | 415 | 490 | 615 | 665 | 729 | 803 | 843 | 1009 | 1100 | 1339 | 1468 |
| SBLE 1150 | 1150 | 115 | 141 | 217 | 300 | 377 | 434 | 512 | 643 | 695 | 762 | 839 | 881 | 1055 | 1150 | 1400 | 1535 |
| SBLE 1200 | 1200 | 120 | 147 | 226 | 313 | 393 | 453 | 534 | 671 | 725 | 795 | 876 | 919 | 1101 | 1200 | 1461 | 1602 |
| SBLE 1250 | 1250 | 125 | 153 | 235 | 326 | 410 | 472 | 557 | 699 | 755 | 828 | 912 | 958 | 1147 | 1250 | 1522 | 1668 |
| SBLE 1300 | 1300 | 130 | 159 | 245 | 339 | 426 | 491 | 579 | 727 | 785 | 862 | 948 | 996 | 1193 | 1300 | 1583 | 1735 |
| SBLE 1350 | 1350 | 135 | 166 | 254 | 352 | 442 | 510 | 601 | 755 | 816 | 895 | 985 | 1034 | 1238 | 1350 | 1643 | 1802 |
| SBLE 1400 | 1400 | 140 | 172 | 264 | 365 | 459 | 528 | 624 | 783 | 846 | 928 | 1021 | 1073 | 1284 | 1400 | 1704 | 1869 |
| SBLE 1450 | 1450 | 145 | 178 | 273 | 378 | 475 | 547 | 646 | 811 | 876 | 961 | 1058 | 1111 | 1330 | 1450 | 1765 | 1935 |
| SBLE 1500 | 1500 | 150 | 184 | 282 | 391 | 491 | 566 | 668 | 839 | 906 | 994 | 1094 | 1149 | 1376 | 1500 | 1826 | 2002 |
| SBLE 1560 | 1560 | 156 | 191 | 294 | 407 | 511 | 589 | 695 | 873 | 943 | 1034 | 1138 | 1195 | 1431 | 1560 | 1899 | 2082 |
| SBLE 1600 | 1600 | 160 | 196 | 301 | 417 | 524 | 604 | 713 | 895 | 967 | 1060 | 1167 | 1226 | 1468 | 1600 | 1948 | 2136 |
| SBLE 1660 | 1660 | 166 | 204 | 313 | 433 | 544 | 627 | 739 | 929 | 1003 | 1100 | 1211 | 1272 | 1523 | 1660 | 2021 | 2216 |
| SBLE 1690 | 1690 | 169 | 207 | 318 | 441 | 554 | 638 | 753 | 945 | 1021 | 1120 | 1233 | 1295 | 1550 | 1690 | 2057 | 2256 |

* Height including the IP2X terminal cover

SBLE Performance after prolonged float charge of fully charged cells

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.14 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | Seconds | | | |
|-----------|---------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|---------|------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBLE 7,5 | 7,5 | 0,74 | 0,86 | 1,15 | 1,91 | 2,37 | 2,61 | 2,96 | 3,79 | 4,27 | 4,50 | 5,01 | 6,02 | 6,76 | 7,21 | 8,45 | 8,71 |
| SBLE 15 | 15 | 1,47 | 1,73 | 2,48 | 3,53 | 4,38 | 4,92 | 5,91 | 7,58 | 8,53 | 9,18 | 9,66 | 11,0 | 14,3 | 16,5 | 21,6 | 24,8 |
| SBLE 22 | 22 | 2,16 | 2,54 | 3,64 | 5,17 | 6,42 | 7,21 | 8,67 | 11,1 | 12,5 | 13,5 | 14,2 | 16,2 | 20,9 | 24,2 | 31,7 | 36,4 |
| SBLE 30 | 30 | 2,94 | 3,46 | 4,97 | 7,05 | 8,76 | 9,83 | 11,8 | 15,2 | 17,1 | 18,4 | 19,3 | 22,1 | 28,5 | 33,0 | 43,3 | 49,6 |
| SBLE 40 | 40 | 3,92 | 4,61 | 6,62 | 9,40 | 11,7 | 13,1 | 15,8 | 20,2 | 22,8 | 24,5 | 25,8 | 29,4 | 38,0 | 44,0 | 57,7 | 66,1 |
| SBLE 47 | 47 | 4,61 | 5,42 | 7,78 | 11,0 | 13,7 | 15,4 | 18,5 | 23,7 | 26,7 | 28,8 | 30,3 | 34,6 | 44,7 | 51,7 | 67,8 | 77,7 |
| SBLE 62 | 62 | 6,08 | 7,15 | 10,3 | 14,6 | 18,1 | 20,3 | 24,4 | 31,3 | 35,3 | 37,9 | 39,9 | 45,6 | 58,9 | 68,2 | 89,4 | 102 |
| SBLE 75 | 75 | 7,20 | 8,46 | 12,3 | 17,2 | 21,3 | 23,7 | 27,2 | 34,3 | 39,1 | 39,3 | 44,9 | 48,3 | 60,0 | 66,4 | 85,1 | 96,0 |
| SBLE 85 | 85 | 8,32 | 9,79 | 14,1 | 19,2 | 23,1 | 25,5 | 29,4 | 37,6 | 40,3 | 41,8 | 47,0 | 54,7 | 63,6 | 69,5 | 86,5 | 95,7 |
| SBLE 95 | 95 | 9,29 | 10,9 | 15,7 | 21,5 | 25,8 | 28,5 | 32,9 | 42,1 | 45,0 | 46,7 | 52,6 | 61,1 | 71,0 | 77,7 | 96,7 | 107 |
| SBLE 110 | 110 | 10,6 | 12,4 | 18,0 | 25,2 | 31,2 | 34,8 | 39,9 | 50,4 | 57,4 | 57,6 | 65,8 | 70,9 | 88,0 | 97,4 | 125 | 141 |
| SBLE 125 | 125 | 12,2 | 14,4 | 20,7 | 28,3 | 33,9 | 37,6 | 43,3 | 55,3 | 59,3 | 61,5 | 69,2 | 80,4 | 93,5 | 102 | 127 | 141 |
| SBLE 140 | 140 | 13,7 | 16,1 | 23,2 | 31,7 | 38,0 | 42,1 | 48,5 | 62,0 | 66,4 | 68,9 | 77,5 | 90,1 | 105 | 114 | 142 | 158 |
| SBLE 165 | 165 | 16,1 | 19,0 | 27,3 | 37,3 | 44,7 | 49,6 | 57,1 | 73,0 | 78,2 | 81,2 | 91,3 | 106 | 123 | 135 | 168 | 186 |
| SBLE 185 | 185 | 18,1 | 21,3 | 30,6 | 41,8 | 50,2 | 55,6 | 64,1 | 81,9 | 87,7 | 91,0 | 102 | 119 | 138 | 151 | 188 | 208 |
| SBLE 200 | 200 | 19,6 | 23,0 | 33,1 | 45,2 | 54,2 | 60,1 | 69,3 | 88,5 | 94,8 | 98,4 | 111 | 129 | 150 | 163 | 203 | 225 |
| SBLE 215 | 215 | 21,0 | 24,8 | 35,6 | 48,6 | 58,3 | 64,6 | 74,5 | 95,2 | 102 | 106 | 119 | 138 | 161 | 176 | 219 | 242 |
| SBLE 230 | 230 | 22,5 | 26,5 | 38,1 | 52,0 | 62,4 | 69,1 | 79,6 | 102 | 109 | 113 | 127 | 148 | 172 | 188 | 234 | 259 |
| SBLE 255 | 255 | 24,9 | 29,4 | 42,2 | 57,7 | 69,2 | 76,6 | 88,3 | 113 | 121 | 125 | 141 | 164 | 191 | 208 | 259 | 287 |
| SBLE 275 | 275 | 26,9 | 31,7 | 45,6 | 62,2 | 74,6 | 82,6 | 95,2 | 122 | 130 | 135 | 152 | 177 | 206 | 225 | 280 | 310 |
| SBLE 300 | 300 | 29,3 | 34,6 | 49,7 | 67,8 | 81,4 | 90,1 | 104 | 133 | 142 | 148 | 166 | 193 | 224 | 245 | 305 | 338 |
| SBLE 325 | 325 | 31,8 | 37,4 | 53,8 | 73,5 | 88,1 | 97,6 | 113 | 144 | 154 | 160 | 180 | 209 | 243 | 266 | 331 | 366 |
| SBLE 355 | 355 | 34,7 | 40,9 | 58,8 | 80,3 | 96,3 | 107 | 123 | 157 | 168 | 175 | 196 | 228 | 265 | 290 | 361 | 400 |
| SBLE 365 | 365 | 35,7 | 42,1 | 60,5 | 82,5 | 99,0 | 110 | 126 | 162 | 173 | 180 | 202 | 235 | 273 | 298 | 371 | 411 |
| SBLE 375 | 375 | 36,7 | 43,2 | 62,1 | 84,8 | 102 | 113 | 130 | 166 | 178 | 184 | 208 | 241 | 280 | 307 | 382 | 422 |
| SBLE 395 | 395 | 38,6 | 45,5 | 65,4 | 89,3 | 107 | 119 | 137 | 175 | 187 | 194 | 219 | 254 | 295 | 323 | 402 | 445 |
| SBLE 415 | 415 | 40,6 | 47,8 | 68,7 | 93,8 | 113 | 125 | 144 | 184 | 197 | 204 | 230 | 267 | 310 | 339 | 422 | 467 |
| SBLE 435 | 435 | 42,6 | 50,1 | 72,1 | 98,3 | 118 | 131 | 151 | 193 | 206 | 214 | 241 | 280 | 325 | 356 | 443 | 490 |
| SBLE 460 | 460 | 45,0 | 53,0 | 76,2 | 104 | 125 | 138 | 159 | 204 | 218 | 226 | 255 | 296 | 344 | 376 | 468 | 518 |
| SBLE 480 | 480 | 47,0 | 55,3 | 79,5 | 109 | 130 | 144 | 166 | 213 | 228 | 236 | 266 | 309 | 359 | 392 | 488 | 541 |
| SBLE 500 | 500 | 48,9 | 57,6 | 82,8 | 113 | 136 | 150 | 173 | 221 | 237 | 246 | 277 | 322 | 374 | 409 | 509 | 563 |
| SBLE 510 | 510 | 49,9 | 58,8 | 84,5 | 115 | 138 | 153 | 177 | 226 | 242 | 251 | 282 | 328 | 381 | 417 | 519 | 574 |
| SBLE 550 | 550 | 53,8 | 63,4 | 91,1 | 124 | 149 | 165 | 190 | 243 | 261 | 271 | 304 | 354 | 411 | 450 | 560 | 619 |
| SBLE 600 | 600 | 58,7 | 69,1 | 99,4 | 136 | 163 | 180 | 208 | 266 | 284 | 295 | 332 | 386 | 449 | 490 | 610 | 676 |
| SBLE 650 | 650 | 63,6 | 74,9 | 108 | 147 | 176 | 195 | 225 | 288 | 308 | 320 | 360 | 418 | 486 | 531 | 661 | 732 |
| SBLE 700 | 700 | 68,5 | 80,7 | 116 | 158 | 190 | 210 | 242 | 310 | 332 | 344 | 387 | 450 | 523 | 572 | 712 | 788 |
| SBLE 750 | 750 | 73,4 | 86,4 | 124 | 170 | 203 | 225 | 260 | 332 | 356 | 369 | 415 | 483 | 561 | 613 | 763 | 845 |
| SBLE 790 | 790 | 77,3 | 91,0 | 131 | 179 | 214 | 237 | 274 | 350 | 375 | 389 | 437 | 508 | 591 | 646 | 804 | 890 |
| SBLE 830 | 830 | 81,2 | 95,6 | 137 | 188 | 225 | 249 | 287 | 367 | 394 | 408 | 459 | 534 | 621 | 678 | 844 | 935 |
| SBLE 890 | 890 | 87,1 | 103 | 147 | 201 | 241 | 267 | 308 | 394 | 422 | 438 | 493 | 573 | 666 | 727 | 905 | 1002 |
| SBLE 925 | 925 | 90,5 | 107 | 153 | 209 | 251 | 278 | 320 | 410 | 439 | 455 | 512 | 595 | 692 | 756 | 941 | 1042 |
| SBLE 980 | 980 | 95,9 | 113 | 162 | 222 | 266 | 294 | 339 | 434 | 465 | 482 | 542 | 631 | 733 | 801 | 997 | 1104 |
| SBLE 1000 | 1000 | 97,8 | 115 | 166 | 226 | 271 | 300 | 346 | 443 | 474 | 492 | 553 | 644 | 748 | 817 | 1017 | 1126 |
| SBLE 1020 | 1020 | 100 | 118 | 169 | 231 | 277 | 306 | 353 | 452 | 484 | 502 | 564 | 656 | 763 | 834 | 1038 | 1149 |
| SBLE 1070 | 1070 | 105 | 123 | 177 | 242 | 290 | 321 | 371 | 474 | 507 | 526 | 592 | 689 | 800 | 875 | 1089 | 1205 |
| SBLE 1100 | 1100 | 108 | 127 | 182 | 249 | 298 | 330 | 381 | 487 | 522 | 541 | 609 | 708 | 823 | 899 | 1119 | 1239 |
| SBLE 1150 | 1150 | 113 | 133 | 191 | 260 | 312 | 346 | 398 | 509 | 545 | 566 | 636 | 740 | 860 | 940 | 1170 | 1295 |
| SBLE 1200 | 1200 | 117 | 138 | 199 | 271 | 325 | 361 | 416 | 531 | 569 | 590 | 664 | 772 | 897 | 981 | 1221 | 1351 |
| SBLE 1250 | 1250 | 122 | 144 | 207 | 283 | 339 | 376 | 433 | 553 | 593 | 615 | 692 | 804 | 935 | 1022 | 1272 | 1408 |
| SBLE 1300 | 1300 | 127 | 150 | 215 | 294 | 353 | 391 | 450 | 576 | 616 | 639 | 719 | 837 | 972 | 1063 | 1323 | 1464 |
| SBLE 1350 | 1350 | 132 | 156 | 224 | 305 | 366 | 406 | 467 | 598 | 640 | 664 | 747 | 869 | 1010 | 1103 | 1373 | 1520 |
| SBLE 1400 | 1400 | 137 | 161 | 232 | 317 | 380 | 421 | 485 | 620 | 664 | 689 | 775 | 901 | 1047 | 1144 | 1424 | 1577 |
| SBLE 1450 | 1450 | 142 | 167 | 240 | 328 | 393 | 436 | 502 | 642 | 687 | 713 | 802 | 933 | 1084 | 1185 | 1475 | 1633 |
| SBLE 1500 | 1500 | 147 | 173 | 248 | 339 | 407 | 451 | 519 | 664 | 711 | 738 | 830 | 965 | 1122 | 1226 | 1526 | 1689 |
| SBLE 1560 | 1560 | 153 | 180 | 258 | 353 | 423 | 469 | 540 | 691 | 740 | 767 | 863 | 1004 | 1167 | 1275 | 1587 | 1757 |
| SBLE 1600 | 1600 | 157 | 184 | 265 | 362 | 434 | 481 | 554 | 708 | 759 | 787 | 885 | 1030 | 1197 | 1308 | 1628 | 1802 |
| SBLE 1660 | 1660 | 162 | 191 | 275 | 375 | 450 | 499 | 575 | 735 | 787 | 817 | 919 | 1068 | 1241 | 1357 | 1689 | 1869 |
| SBLE 1690 | 1690 | 165 | 195 | 280 | 382 | 458 | 508 | 585 | 748 | 801 | 831 | 935 | 1088 | 1264 | 1381 | 1719 | 1903 |

* Height including the IP2X terminal cover

| Connection | Cell type | Capacity (C ₅ Ah) | Height* (mm) | Width (mm) | Length per block (mm) | | | Approx. weight per cell (kg) | Approx. electrolyte volume between level marks (cm ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|-------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|------------------------------|---|----------------------|------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | | | Solid (kg) | Liquid (L) | | |
| NORMAL CONNECTION | SBM 11 | 11 | 190 | 123 | - | 64,0 | 93,5 | 0,90 | 110 | 0,10 | 0,30 | 5,00 | M 6 |
| | SBM 15 | 15 | 190 | 123 | - | 74,0 | 109 | 1,20 | 120 | 0,11 | 0,33 | 3,67 | M 6 |
| | SBM 22 | 22 | 260 | 123 | - | 64,0 | 93,5 | 1,50 | 110 | 0,15 | 0,46 | 2,82 | M 6 |
| | SBM 30 | 30 | 260 | 123 | - | 74,0 | 109 | 1,80 | 120 | 0,15 | 0,46 | 2,07 | M 6 |
| | SBM 43 | 43 | 344 | 195 | - | 69,0 | 100 | 3,60 | 240 | 0,32 | 1,00 | 1,81 | M 6 |
| | SBM 50 | 50 | 344 | 195 | - | 69,0 | 100 | 3,60 | 240 | 0,32 | 1,00 | 1,56 | M 6 |
| | SBM 56 | 56 | 400 | 195 | - | 69,0 | 100 | 4,30 | 240 | 0,39 | 1,20 | 1,54 | M 6 |
| | SBM 65 | 65 | 350 | 195 | - | 79,0 | 115 | 4,40 | 280 | 0,36 | 1,10 | 1,20 | M 8 |
| | SBM 72 | 72 | 350 | 195 | - | 79,0 | 115 | 4,40 | 280 | 0,36 | 1,10 | 1,08 | M 8 |
| | SBM 84 | 84 | 406 | 195 | - | 79,0 | 115 | 5,10 | 280 | 0,42 | 1,30 | 1,02 | M 8 |
| | SBM 93 | 93 | 406 | 195 | - | 79,0 | 115 | 5,10 | 280 | 0,42 | 1,30 | 0,92 | M 8 |
| | SBM 100 | 100 | 406 | 195 | - | 94,0 | 138 | 6,40 | 340 | 0,52 | 1,60 | 0,86 | M 8 |
| | SBM 112 | 112 | 406 | 195 | - | 94,0 | 138 | 6,40 | 340 | 0,52 | 1,60 | 0,77 | M 8 |
| | SBM 118 | 118 | 406 | 195 | - | 94,0 | 138 | 6,40 | 340 | 0,52 | 1,60 | 0,73 | M 8 |
| | SBM 130 | 130 | 350 | 195 | - | 127 | 187 | 7,50 | 480 | 0,58 | 1,80 | 0,60 | M 10 |
| | SBM 138 | 138 | 406 | 195 | - | 115 | 169 | 7,80 | 430 | 0,65 | 2,00 | 0,62 | M 10 |
| | SBM 150 | 150 | 350 | 195 | - | 159 | 232 | 8,90 | 590 | 0,75 | 2,30 | 0,52 | M 10 |
| | SBM 161 | 161 | 406 | 195 | - | 127 | 187 | 8,80 | 480 | 0,68 | 2,10 | 0,53 | M 10 |
| | SBM 168 | 168 | 350 | 195 | - | 183 | 268 | 10,1 | 700 | 0,87 | 2,70 | 0,46 | M 10 |
| | SBM 184 | 184 | 406 | 195 | - | 159 | 232 | 10,5 | 590 | 0,87 | 2,70 | 0,47 | M 10 |
| | SBM 192 | 192 | 406 | 195 | - | 159 | 232 | 10,5 | 590 | 0,87 | 2,70 | 0,45 | M 10 |
| | SBM 200 | 200 | 406 | 195 | - | 183 | 268 | 12,0 | 700 | 1,04 | 3,20 | 0,43 | M 10 |
| | SBM 208 | 208 | 406 | 195 | - | 183 | 268 | 12,0 | 700 | 1,04 | 3,20 | 0,41 | M 10 |
| | SBM 216 | 216 | 406 | 195 | - | 183 | 268 | 12,0 | 700 | 1,04 | 3,20 | 0,40 | M 10 |
| | SBM 231 | 231 | 406 | 195 | - | 183 | 268 | 12,5 | 690 | 0,97 | 3,00 | 0,37 | M 10 |
| | SBM 241 | 241 | 406 | 195 | - | 183 | 268 | 12,5 | 690 | 0,97 | 3,00 | 0,36 | M 10 |
| | SBM 250 | 250 | 406 | 195 | - | 229 | 337 | 15,5 | 870 | 1,26 | 3,90 | 0,34 | 2 x M 10 |
| | SBM 260 | 260 | 406 | 195 | - | 229 | 337 | 15,5 | 870 | 1,26 | 3,90 | 0,33 | 2 x M 10 |
| | SBM 277 | 277 | 406 | 195 | - | 229 | 337 | 15,5 | 870 | 1,26 | 3,90 | 0,31 | 2 x M 10 |
| | SBM 300 | 300 | 406 | 195 | - | 241 | 355 | 16,5 | 920 | 1,30 | 4,00 | 0,29 | 2 x M 10 |
| | SBM 323 | 323 | 406 | 195 | - | 253 | 373 | 17,5 | 970 | 1,36 | 4,20 | 0,27 | 2 x M 10 |
| | SBM 346 | 346 | 406 | 195 | 146 | 279 | - | 18,8 | 1 080 | 1,56 | 4,80 | 0,25 | 2 x M 10 |
| | SBM 369 | 369 | 406 | 195 | 159 | 305 | - | 20,4 | 1 190 | 1,72 | 5,30 | 0,23 | 2 x M 10 |
| SBM 392 | 392 | 406 | 195 | 171 | 329 | - | 22,2 | 1 300 | 1,91 | 5,90 | 0,22 | 2 x M 10 | |
| SBM 415 | 415 | 410 | 195 | 183 | - | - | 23,7 | 1 400 | 2,07 | 6,40 | 0,21 | 2 x M 10 | |
| SBM 438 | 438 | 410 | 195 | 183 | - | - | 24,2 | 1 390 | 1,98 | 6,10 | 0,20 | 2 x M 10 | |
| SBM 461 | 461 | 410 | 195 | 183 | - | - | 24,7 | 1 390 | 1,91 | 5,90 | 0,19 | 2 x M 10 | |
| SBM 482 | 482 | 410 | 195 | 183 | - | - | 24,7 | 1 390 | 1,91 | 5,90 | 0,18 | 2 x M 10 | |
| SBM 505 | 505 | 410 | 195 | 213 | - | - | 27,6 | 1 630 | 2,37 | 7,30 | 0,17 | 3 x M 10 | |
| SBM 526 | 526 | 410 | 195 | 213 | - | - | 27,6 | 1 630 | 2,37 | 7,30 | 0,16 | 3 x M 10 | |
| SBM 555 | 555 | 410 | 195 | 232 | - | - | 30,3 | 1 790 | 2,59 | 8,00 | 0,15 | 3 x M 10 | |
| SBM 576 | 576 | 410 | 195 | 232 | - | - | 30,3 | 1 790 | 2,59 | 8,00 | 0,15 | 3 x M 10 | |
| SBM 600 | 600 | 410 | 195 | 244 | - | - | 32,1 | 1 890 | 2,75 | 8,50 | 0,14 | 3 x M 10 | |
| SBM 625 | 625 | 410 | 195 | 268 | - | - | 35,4 | 2 100 | 3,08 | 9,50 | 0,14 | 3 x M 10 | |
| SBM 649 | 649 | 410 | 195 | 268 | - | - | 35,4 | 2 100 | 3,08 | 9,50 | 0,13 | 3 x M 10 | |
| SBM 674 | 674 | 410 | 195 | 268 | - | - | 35,9 | 2 100 | 3,01 | 9,30 | 0,13 | 3 x M 10 | |
| SBM 690 | 690 | 410 | 195 | 268 | - | - | 37,0 | 2 080 | 2,88 | 8,90 | 0,12 | 3 x M 10 | |
| SBM 723 | 723 | 410 | 195 | 268 | - | - | 37,0 | 2 080 | 2,88 | 8,90 | 0,12 | 3 x M 10 | |
| SBM 740 | 740 | 410 | 195 | 305 | - | - | 40,2 | 2 390 | 3,43 | 10,6 | 0,12 | 4 x M 10 | |
| SBM 768 | 768 | 410 | 195 | 305 | - | - | 40,2 | 2 390 | 3,43 | 10,6 | 0,11 | 4 x M 10 | |
| SBM 792 | 792 | 410 | 195 | 317 | - | - | 42,0 | 2 490 | 3,63 | 11,2 | 0,11 | 4 x M 10 | |
| SBM 830 | 830 | 410 | 195 | 353 | - | - | 47,1 | 2 800 | 4,11 | 12,7 | 0,10 | 4 x M 10 | |
| SBM 866 | 866 | 410 | 195 | 353 | - | - | 47,1 | 2 800 | 4,11 | 12,7 | 0,10 | 4 x M 10 | |
| SBM 890 | 890 | 410 | 195 | 353 | - | - | 47,6 | 2 800 | 4,05 | 12,5 | 0,10 | 4 x M 10 | |
| SBM 920 | 920 | 410 | 195 | 353 | - | - | 49,2 | 2 780 | 3,82 | 11,8 | 0,09 | 4 x M 10 | |
| SBM 940 | 940 | 410 | 195 | 353 | - | - | 48,7 | 2 780 | 3,89 | 12,0 | 0,09 | 4 x M 10 | |
| SBM 965 | 965 | 410 | 195 | 373 | - | - | 51,9 | 2 910 | 4,05 | 12,5 | 0,09 | 6 x M 10 | |
| SBM 1009 | 1009 | 410 | 195 | 402 | - | - | 53,7 | 3 200 | 4,63 | 14,3 | 0,09 | 5 x M 10 | |
| SBM 1040 | 1040 | 410 | 195 | 438 | - | - | 58,8 | 3 510 | 5,15 | 15,9 | 0,08 | 5 x M 10 | |
| SBM 1082 | 1082 | 410 | 195 | 438 | - | - | 58,8 | 3 510 | 5,15 | 15,9 | 0,08 | 5 x M 10 | |
| SBM 1107 | 1107 | 410 | 195 | 438 | - | - | 59,3 | 3 500 | 5,05 | 15,6 | 0,08 | 5 x M 10 | |
| SBM 1150 | 1150 | 410 | 195 | 438 | - | - | 61,4 | 3 470 | 4,76 | 14,7 | 0,07 | 5 x M 10 | |
| SBM 1181 | 1181 | 410 | 195 | 438 | - | - | 60,9 | 3 480 | 4,86 | 15,0 | 0,07 | 5 x M 10 | |
| SBM 1220 | 1220 | 410 | 195 | 511 | - | - | 69,0 | 4 110 | 5,99 | 18,5 | 0,07 | 6 x M 10 | |
| SBM 1274 | 1274 | 410 | 195 | 511 | - | - | 69,0 | 4 110 | 5,99 | 18,5 | 0,07 | 6 x M 10 | |
| SBM 1324 | 1324 | 410 | 195 | 523 | - | - | 71,0 | 4 200 | 6,09 | 18,8 | 0,06 | 6 x M 10 | |
| SBM 1390 | 1390 | 410 | 195 | 523 | - | - | 73,7 | 4 170 | 5,73 | 17,7 | 0,06 | 6 x M 10 | |
| SBM 1445 | 1445 | 410 | 195 | 523 | - | - | 73,7 | 4 170 | 5,73 | 17,7 | 0,06 | 6 x M 10 | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

| Connection | Cell type | Capacity (C ₅ Ah) | Height* (in) | Width (in) | Length per block (in) | | | Approx. weight per cell (lbs) | Approx. electrolyte volume between level marks (in ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|----------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|-------------------------------|---|----------------------|------------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | | | Solid (lbs) | Liquid (US Gal.) | | |
| NORMAL CONNECTION | SBM 11 | 11 | 7,48 | 4,84 | - | 2,52 | 3,68 | 1,98 | 6,71 | 0,22 | 0,08 | 5,00 | M 6 |
| | SBM 15 | 15 | 7,48 | 4,84 | - | 2,91 | 4,27 | 2,65 | 7,31 | 0,24 | 0,09 | 3,67 | M 6 |
| | SBM 22 | 22 | 10,2 | 4,84 | - | 2,52 | 3,68 | 3,31 | 6,71 | 0,33 | 0,12 | 2,82 | M 6 |
| | SBM 30 | 30 | 10,2 | 4,84 | - | 2,91 | 4,27 | 3,97 | 7,32 | 0,33 | 0,12 | 2,07 | M 6 |
| | SBM 43 | 43 | 13,5 | 7,68 | - | 2,72 | 3,94 | 7,94 | 14,6 | 0,71 | 0,26 | 1,81 | M 6 |
| | SBM 50 | 50 | 13,5 | 7,68 | - | 2,72 | 3,94 | 7,94 | 14,6 | 0,71 | 0,26 | 1,56 | M 6 |
| | SBM 56 | 56 | 15,7 | 7,68 | - | 2,72 | 3,94 | 9,48 | 14,6 | 0,86 | 0,32 | 1,54 | M 6 |
| | SBM 65 | 65 | 13,8 | 7,68 | - | 3,11 | 4,53 | 9,70 | 17,1 | 0,79 | 0,29 | 1,20 | M 8 |
| | SBM 72 | 72 | 13,8 | 7,68 | - | 3,11 | 4,53 | 9,70 | 17,1 | 0,79 | 0,29 | 1,08 | M 8 |
| | SBM 84 | 84 | 16,0 | 7,68 | - | 3,11 | 4,53 | 11,2 | 17,1 | 0,93 | 0,34 | 1,02 | M 8 |
| | SBM 93 | 93 | 16,0 | 7,68 | - | 3,11 | 4,53 | 11,2 | 17,1 | 0,93 | 0,34 | 0,92 | M 8 |
| | SBM 100 | 100 | 16,0 | 7,68 | - | 3,70 | 5,41 | 14,1 | 20,7 | 1,14 | 0,42 | 0,86 | M 8 |
| | SBM 112 | 112 | 16,0 | 7,68 | - | 3,70 | 5,41 | 14,1 | 20,7 | 1,14 | 0,42 | 0,77 | M 8 |
| | SBM 118 | 118 | 16,0 | 7,68 | - | 3,70 | 5,41 | 14,1 | 20,7 | 1,14 | 0,42 | 0,73 | M 8 |
| | SBM 130 | 130 | 13,8 | 7,68 | - | 5,00 | 7,36 | 16,5 | 29,3 | 1,29 | 0,48 | 0,60 | M 10 |
| | SBM 138 | 138 | 16,0 | 7,68 | - | 4,53 | 6,65 | 17,2 | 26,2 | 1,43 | 0,53 | 0,62 | M 10 |
| | SBM 150 | 150 | 13,8 | 7,68 | - | 6,26 | 9,13 | 19,6 | 36,0 | 1,64 | 0,61 | 0,52 | M 10 |
| | SBM 161 | 161 | 16,0 | 7,68 | - | 5,00 | 7,36 | 19,4 | 29,3 | 1,50 | 0,55 | 0,53 | M 10 |
| | SBM 168 | 168 | 13,8 | 7,68 | - | 7,20 | 10,55 | 22,3 | 42,7 | 1,93 | 0,71 | 0,46 | M 10 |
| | SBM 184 | 184 | 16,0 | 7,68 | - | 6,26 | 9,13 | 23,1 | 36,0 | 1,93 | 0,71 | 0,47 | M 10 |
| | SBM 192 | 192 | 16,0 | 7,68 | - | 6,26 | 9,13 | 23,1 | 36,0 | 1,93 | 0,71 | 0,45 | M 10 |
| | SBM 200 | 200 | 16,0 | 7,68 | - | 7,20 | 10,6 | 26,5 | 42,7 | 2,29 | 0,85 | 0,43 | M 10 |
| | SBM 208 | 208 | 16,0 | 7,68 | - | 7,20 | 10,6 | 26,5 | 42,7 | 2,29 | 0,85 | 0,41 | M 10 |
| | SBM 216 | 216 | 16,0 | 7,68 | - | 7,20 | 10,6 | 26,5 | 42,7 | 2,29 | 0,85 | 0,40 | M 10 |
| | SBM 231 | 231 | 16,0 | 7,68 | - | 7,20 | 10,6 | 27,6 | 42,1 | 2,14 | 0,79 | 0,37 | M 10 |
| | SBM 241 | 241 | 16,0 | 7,68 | - | 7,20 | 10,6 | 27,6 | 42,1 | 2,14 | 0,79 | 0,36 | M 10 |
| | SBM 250 | 250 | 16,0 | 7,68 | - | 9,02 | 13,3 | 34,2 | 53,1 | 2,79 | 1,03 | 0,34 | 2 x M 10 |
| | SBM 260 | 260 | 16,0 | 7,68 | - | 9,02 | 13,3 | 34,2 | 53,1 | 2,79 | 1,03 | 0,33 | 2 x M 10 |
| | SBM 277 | 277 | 16,0 | 7,68 | - | 9,02 | 13,3 | 34,2 | 53,1 | 2,79 | 1,03 | 0,31 | 2 x M 10 |
| | SBM 300 | 300 | 16,0 | 7,68 | - | 9,49 | 14,0 | 36,4 | 56,1 | 2,86 | 1,06 | 0,29 | 2 x M 10 |
| | SBM 323 | 323 | 16,0 | 7,68 | - | 9,96 | 14,7 | 38,6 | 59,2 | 3,00 | 1,11 | 0,27 | 2 x M 10 |
| | SBM 346 | 346 | 16,0 | 7,68 | 5,75 | 11,0 | - | 41,4 | 65,9 | 3,43 | 1,27 | 0,25 | 2 x M 10 |
| | SBM 369 | 369 | 16,0 | 7,68 | 6,26 | 12,0 | - | 45,0 | 72,6 | 3,79 | 1,40 | 0,23 | 2 x M 10 |
| SBM 392 | 392 | 16,0 | 7,68 | 6,73 | 13,0 | - | 48,9 | 79,3 | 4,21 | 1,56 | 0,22 | 2 x M 10 | |
| CROSSWISE CONNECTION | SBM 415 | 415 | 16,1 | 7,68 | 7,20 | - | - | 52,2 | 85,4 | 4,57 | 1,69 | 0,21 | 2 x M 10 |
| | SBM 438 | 438 | 16,1 | 7,68 | 7,20 | - | - | 53,4 | 84,8 | 4,36 | 1,61 | 0,20 | 2 x M 10 |
| | SBM 461 | 461 | 16,1 | 7,68 | 7,20 | - | - | 54,5 | 84,8 | 4,21 | 1,56 | 0,19 | 2 x M 10 |
| | SBM 482 | 482 | 16,1 | 7,68 | 7,20 | - | - | 54,5 | 84,8 | 4,21 | 1,56 | 0,18 | 2 x M 10 |
| | SBM 505 | 505 | 16,1 | 7,68 | 8,39 | - | - | 60,8 | 99,5 | 5,21 | 1,93 | 0,17 | 3 x M 10 |
| | SBM 526 | 526 | 16,1 | 7,68 | 8,39 | - | - | 60,8 | 99,5 | 5,21 | 1,93 | 0,16 | 3 x M 10 |
| | SBM 555 | 555 | 16,1 | 7,68 | 9,13 | - | - | 66,8 | 109 | 5,71 | 2,11 | 0,15 | 3 x M 10 |
| | SBM 576 | 576 | 16,1 | 7,68 | 9,13 | - | - | 66,8 | 109 | 5,71 | 2,11 | 0,15 | 3 x M 10 |
| | SBM 600 | 600 | 16,1 | 7,68 | 9,61 | - | - | 70,8 | 115 | 6,07 | 2,25 | 0,14 | 3 x M 10 |
| | SBM 625 | 625 | 16,1 | 7,68 | 10,6 | - | - | 78,0 | 128 | 6,79 | 2,51 | 0,14 | 3 x M 10 |
| | SBM 649 | 649 | 16,1 | 7,68 | 10,6 | - | - | 78,0 | 128 | 6,79 | 2,51 | 0,13 | 3 x M 10 |
| | SBM 674 | 674 | 16,1 | 7,68 | 10,6 | - | - | 79,1 | 128 | 6,64 | 2,46 | 0,13 | 3 x M 10 |
| | SBM 690 | 690 | 16,1 | 7,68 | 10,6 | - | - | 81,6 | 127 | 6,36 | 2,35 | 0,12 | 3 x M 10 |
| | SBM 723 | 723 | 16,1 | 7,68 | 10,6 | - | - | 81,6 | 127 | 6,36 | 2,35 | 0,12 | 3 x M 10 |
| | SBM 740 | 740 | 16,1 | 7,68 | 12,0 | - | - | 88,6 | 146 | 7,57 | 2,80 | 0,12 | 4 x M 10 |
| | SBM 768 | 768 | 16,1 | 7,68 | 12,0 | - | - | 88,6 | 146 | 7,57 | 2,80 | 0,11 | 4 x M 10 |
| | SBM 792 | 792 | 16,1 | 7,68 | 12,5 | - | - | 92,6 | 152 | 8,00 | 2,96 | 0,11 | 4 x M 10 |
| | SBM 830 | 830 | 16,1 | 7,68 | 13,9 | - | - | 104 | 171 | 9,07 | 3,35 | 0,10 | 4 x M 10 |
| | SBM 866 | 866 | 16,1 | 7,68 | 13,9 | - | - | 104 | 171 | 9,07 | 3,35 | 0,10 | 4 x M 10 |
| | SBM 890 | 890 | 16,1 | 7,68 | 13,9 | - | - | 105 | 171 | 8,93 | 3,30 | 0,10 | 4 x M 10 |
| | SBM 920 | 920 | 16,1 | 7,68 | 13,9 | - | - | 108 | 170 | 8,43 | 3,12 | 0,09 | 4 x M 10 |
| | SBM 940 | 940 | 16,1 | 7,68 | 13,9 | - | - | 107 | 170 | 8,57 | 3,17 | 0,09 | 4 x M 10 |
| | SBM 965 | 965 | 16,1 | 7,68 | 14,7 | - | - | 114 | 178 | 8,93 | 3,30 | 0,09 | 6 x M 10 |
| | SBM 1009 | 1009 | 16,1 | 7,68 | 15,8 | - | - | 118 | 195 | 10,2 | 3,78 | 0,09 | 5 x M 10 |
| SBM 1040 | 1040 | 16,1 | 7,68 | 17,2 | - | - | 130 | 214 | 11,4 | 4,20 | 0,08 | 5 x M 10 | |
| SBM 1082 | 1082 | 16,1 | 7,68 | 17,2 | - | - | 130 | 214 | 11,4 | 4,20 | 0,08 | 5 x M 10 | |
| SBM 1107 | 1107 | 16,1 | 7,68 | 17,2 | - | - | 131 | 214 | 11,1 | 4,12 | 0,08 | 5 x M 10 | |
| SBM 1150 | 1150 | 16,1 | 7,68 | 17,2 | - | - | 135 | 212 | 10,5 | 3,88 | 0,07 | 5 x M 10 | |
| SBM 1181 | 1181 | 16,1 | 7,68 | 17,2 | - | - | 134 | 212 | 10,7 | 3,96 | 0,07 | 5 x M 10 | |
| SBM 1220 | 1220 | 16,1 | 7,68 | 20,1 | - | - | 152 | 251 | 13,2 | 4,89 | 0,07 | 6 x M 10 | |
| SBM 1274 | 1274 | 16,1 | 7,68 | 20,1 | - | - | 152 | 251 | 13,2 | 4,89 | 0,07 | 6 x M 10 | |
| SBM 1324 | 1324 | 16,1 | 7,68 | 20,6 | - | - | 157 | 256 | 13,4 | 4,97 | 0,06 | 6 x M 10 | |
| SBM 1390 | 1390 | 16,1 | 7,68 | 20,6 | - | - | 162 | 254 | 12,6 | 4,68 | 0,06 | 6 x M 10 | |
| SBM 1445 | 1445 | 16,1 | 7,68 | 20,6 | - | - | 162 | 254 | 12,6 | 4,68 | 0,06 | 6 x M 10 | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.00 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|-------|---------|------|-------|-------|------|------|---------|------|-------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBM 11 | 11 | 1,11 | 1,39 | 2,20 | 3,60 | 5,24 | 6,47 | 9,02 | 11,6 | 13,6 | 14,8 | 17,0 | 20,5 | 29,5 | 33,8 | 42,5 | 46,8 |
| SBM 15 | 15 | 1,52 | 1,89 | 3,00 | 4,91 | 7,14 | 8,82 | 12,3 | 15,9 | 18,5 | 20,20 | 23,13 | 28,0 | 40,2 | 46,1 | 58,0 | 63,8 |
| SBM 22 | 22 | 2,23 | 2,77 | 4,40 | 7,19 | 10,5 | 13,0 | 18,2 | 23,7 | 27,6 | 29,8 | 34,0 | 40,4 | 55,7 | 63,1 | 75,5 | 80,2 |
| SBM 30 | 30 | 3,04 | 3,78 | 6,00 | 9,81 | 14,3 | 17,7 | 24,9 | 32,3 | 37,6 | 40,6 | 46,3 | 55,0 | 76,0 | 86,0 | 103 | 109 |
| SBM 43 | 43 | 4,37 | 5,42 | 8,60 | 14,1 | 20,6 | 25,5 | 36,1 | 49,3 | 57,3 | 62,3 | 71,1 | 84,6 | 116 | 131 | 160 | 170 |
| SBM 50 | 50 | 5,08 | 6,3 | 10,0 | 16,4 | 23,9 | 29,7 | 42,0 | 57,3 | 66,6 | 72,4 | 82,7 | 98,4 | 135 | 153 | 186 | 198 |
| SBM 56 | 56 | 5,70 | 7,1 | 11,2 | 18,3 | 26,8 | 33,3 | 47,0 | 63,9 | 74,0 | 80,0 | 91,3 | 108 | 145 | 162 | 193 | 205 |
| SBM 65 | 65 | 6,60 | 8,2 | 13,0 | 21,3 | 31,1 | 38,6 | 54,5 | 74,5 | 86,6 | 94 | 108 | 128 | 175 | 199 | 241 | 257 |
| SBM 72 | 72 | 7,31 | 9,1 | 14,4 | 23,6 | 34,4 | 42,8 | 60,4 | 82,5 | 95,9 | 104 | 119 | 142 | 194 | 220 | 267 | 285 |
| SBM 84 | 84 | 8,55 | 10,6 | 16,8 | 27,5 | 40,1 | 50,0 | 70,5 | 95,8 | 111 | 120 | 137 | 161 | 218 | 243 | 290 | 307 |
| SBM 93 | 93 | 9,47 | 11,7 | 18,6 | 30,4 | 44,4 | 55,3 | 78,0 | 106 | 123 | 133 | 152 | 179 | 241 | 269 | 321 | 340 |
| SBM 100 | 100 | 10,2 | 12,6 | 20,0 | 32,7 | 47,8 | 59,5 | 83,9 | 114 | 132 | 143 | 163 | 192 | 259 | 289 | 345 | 365 |
| SBM 112 | 112 | 11,4 | 14,1 | 22,4 | 36,6 | 53,5 | 66,6 | 94,0 | 128 | 148 | 160 | 183 | 215 | 290 | 324 | 387 | 409 |
| SBM 118 | 118 | 12,0 | 14,9 | 23,6 | 38,6 | 56,4 | 70,2 | 99,0 | 135 | 156 | 169 | 192 | 227 | 306 | 341 | 407 | 431 |
| SBM 130 | 130 | 13,2 | 16,4 | 26,0 | 42,6 | 62,2 | 77,2 | 109,1 | 149 | 173 | 188 | 215 | 256 | 351 | 397 | 482 | 515 |
| SBM 138 | 138 | 14,0 | 17,4 | 27,6 | 45,1 | 65,9 | 82,1 | 115,8 | 157 | 182 | 197 | 225 | 265 | 358 | 399 | 476 | 504 |
| SBM 150 | 150 | 15,2 | 18,9 | 30,0 | 49,2 | 71,8 | 89,1 | 126 | 172 | 200 | 217 | 248 | 295 | 404 | 458 | 557 | 594 |
| SBM 161 | 161 | 16,4 | 20,3 | 32,2 | 52,6 | 76,9 | 95,7 | 135 | 184 | 213 | 230 | 263 | 309 | 417 | 466 | 556 | 588 |
| SBM 168 | 168 | 17,1 | 21,2 | 33,6 | 55,1 | 80,4 | 100 | 141 | 192 | 224 | 243 | 278 | 330 | 453 | 513 | 623 | 665 |
| SBM 184 | 184 | 18,7 | 23,2 | 36,8 | 60,1 | 87,9 | 109 | 154 | 210 | 243 | 263 | 300 | 353 | 477 | 532 | 635 | 672 |
| SBM 192 | 192 | 19,5 | 24,2 | 38,4 | 62,7 | 91,7 | 114 | 161 | 219 | 254 | 274 | 313 | 369 | 498 | 555 | 663 | 702 |
| SBM 200 | 200 | 20,4 | 25,2 | 40,0 | 65,4 | 95,5 | 119 | 168 | 228 | 264 | 286 | 326 | 384 | 518 | 579 | 691 | 731 |
| SBM 208 | 208 | 21,2 | 26,2 | 41,6 | 68,0 | 99,4 | 124 | 175 | 237 | 275 | 297 | 339 | 399 | 539 | 602 | 718 | 760 |
| SBM 216 | 216 | 22,0 | 27,2 | 43,2 | 70,6 | 103 | 128 | 181 | 246 | 286 | 309 | 352 | 415 | 560 | 625 | 746 | 789 |
| SBM 231 | 231 | 23,5 | 29,1 | 46,2 | 75,5 | 110 | 137 | 194 | 264 | 305 | 330 | 377 | 444 | 599 | 668 | 798 | 844 |
| SBM 241 | 241 | 24,5 | 30,3 | 48,2 | 78,8 | 115 | 143 | 202 | 275 | 319 | 344 | 393 | 463 | 625 | 697 | 832 | 881 |
| SBM 250 | 250 | 25,4 | 31,5 | 50,0 | 81,7 | 119 | 149 | 210 | 285 | 331 | 357 | 408 | 480 | 648 | 723 | 863 | 913 |
| SBM 260 | 260 | 26,5 | 32,7 | 52,0 | 85,0 | 124 | 155 | 218 | 297 | 344 | 372 | 424 | 499 | 674 | 752 | 898 | 950 |
| SBM 277 | 277 | 28,2 | 34,9 | 55,4 | 90,5 | 132 | 165 | 232 | 316 | 366 | 396 | 452 | 532 | 718 | 801 | 956 | 1 012 |
| SBM 300 | 300 | 30,5 | 37,8 | 60,0 | 98,0 | 143 | 178 | 252 | 342 | 397 | 429 | 489 | 576 | 777 | 868 | 1036 | 1 096 |
| SBM 323 | 323 | 32,9 | 40,7 | 64,6 | 106 | 154 | 192 | 271 | 368 | 427 | 462 | 527 | 620 | 837 | 934 | 1115 | 1 180 |
| SBM 346 | 346 | 35,2 | 43,6 | 69,2 | 113 | 165 | 206 | 290 | 395 | 457 | 495 | 564 | 664 | 897 | 1001 | 1195 | 1 264 |
| SBM 369 | 369 | 37,6 | 46,5 | 73,8 | 121 | 176 | 219 | 310 | 421 | 488 | 527 | 602 | 708 | 956 | 1068 | 1274 | 1 348 |
| SBM 392 | 392 | 39,9 | 49,4 | 78,4 | 128 | 187 | 233 | 329 | 447 | 518 | 560 | 639 | 753 | 1016 | 1134 | 1354 | 1 432 |
| SBM 415 | 415 | 42,2 | 52,2 | 83,0 | 136 | 198 | 247 | 348 | 473 | 549 | 593 | 677 | 797 | 1075 | 1201 | 1433 | 1 516 |
| SBM 438 | 438 | 44,6 | 55,1 | 87,6 | 143 | 209 | 260 | 367 | 500 | 579 | 626 | 714 | 841 | 1135 | 1267 | 1512 | 1 600 |
| SBM 461 | 461 | 46,9 | 58,0 | 92,2 | 151 | 220 | 274 | 387 | 526 | 610 | 659 | 752 | 885 | 1195 | 1334 | 1592 | 1 684 |
| SBM 482 | 482 | 49,1 | 60,7 | 96,4 | 158 | 230 | 287 | 404 | 550 | 637 | 689 | 786 | 925 | 1249 | 1394 | 1664 | 1 761 |
| SBM 505 | 505 | 51,4 | 64 | 101 | 165 | 241 | 300 | 424 | 576 | 668 | 722 | 823 | 970 | 1309 | 1461 | 1744 | 1 845 |
| SBM 526 | 526 | 53,5 | 66 | 105 | 172 | 251 | 313 | 441 | 600 | 695 | 752 | 858 | 1010 | 1363 | 1522 | 1816 | 1 922 |
| SBM 555 | 555 | 56,5 | 70 | 111 | 181 | 265 | 330 | 466 | 633 | 734 | 793 | 905 | 1066 | 1438 | 1606 | 1916 | 2 028 |
| SBM 576 | 576 | 58,6 | 73 | 115 | 188 | 275 | 343 | 483 | 657 | 762 | 823 | 939 | 1106 | 1493 | 1666 | 1989 | 2 105 |
| SBM 600 | 600 | 61,1 | 76 | 120 | 196 | 287 | 357 | 503 | 685 | 793 | 858 | 978 | 1152 | 1555 | 1736 | 2072 | 2 192 |
| SBM 625 | 625 | 63,6 | 79 | 125 | 204 | 299 | 372 | 524 | 713 | 826 | 893 | 1019 | 1200 | 1620 | 1808 | 2158 | 2 284 |
| SBM 649 | 649 | 66,1 | 82 | 130 | 212 | 310 | 386 | 545 | 740 | 858 | 928 | 1058 | 1246 | 1682 | 1878 | 2241 | 2 371 |
| SBM 674 | 674 | 68,6 | 85 | 135 | 220 | 322 | 401 | 565 | 769 | 891 | 963 | 1099 | 1294 | 1747 | 1950 | 2327 | 2 463 |
| SBM 690 | 690 | 70,2 | 87 | 138 | 225 | 330 | 410 | 579 | 787 | 912 | 986 | 1125 | 1325 | 1788 | 1996 | 2382 | 2 521 |
| SBM 723 | 723 | 73,6 | 91 | 145 | 236 | 345 | 430 | 607 | 825 | 956 | 1033 | 1179 | 1388 | 1874 | 2092 | 2496 | 2 642 |
| SBM 740 | 740 | 75,3 | 93 | 148 | 242 | 353 | 440 | 621 | 844 | 978 | 1058 | 1207 | 1421 | 1918 | 2141 | 2555 | 2 704 |
| SBM 768 | 768 | 78,2 | 97 | 154 | 251 | 367 | 457 | 644 | 876 | 1015 | 1098 | 1252 | 1475 | 1990 | 2222 | 2652 | 2 806 |
| SBM 792 | 792 | 80,6 | 100 | 158 | 259 | 378 | 471 | 664 | 904 | 1047 | 1132 | 1291 | 1521 | 2052 | 2291 | 2735 | 2 894 |
| SBM 830 | 830 | 84,5 | 104 | 166 | 271 | 396 | 494 | 696 | 947 | 1097 | 1186 | 1353 | 1594 | 2151 | 2401 | 2866 | 3 033 |
| SBM 866 | 866 | 87,5 | 108 | 172 | 281 | 411 | 511 | 722 | 981 | 1137 | 1229 | 1402 | 1651 | 2229 | 2488 | 2969 | 3 142 |
| SBM 890 | 890 | 90,6 | 112 | 178 | 291 | 425 | 529 | 747 | 1015 | 1177 | 1272 | 1451 | 1709 | 2306 | 2575 | 3073 | 3 252 |
| SBM 920 | 920 | 93,6 | 116 | 184 | 301 | 439 | 547 | 772 | 1050 | 1216 | 1315 | 1500 | 1766 | 2384 | 2662 | 3177 | 3 362 |
| SBM 940 | 940 | 95,7 | 118 | 188 | 307 | 449 | 559 | 789 | 1072 | 1243 | 1344 | 1533 | 1805 | 2436 | 2719 | 3246 | 3 435 |
| SBM 965 | 965 | 98,2 | 121 | 193 | 315 | 461 | 574 | 810 | 1101 | 1276 | 1379 | 1574 | 1853 | 2501 | 2792 | 3332 | 3 526 |
| SBM 1009 | 1009 | 103 | 127 | 202 | 330 | 482 | 600 | 847 | 1151 | 1334 | 1442 | 1645 | 1937 | 2615 | 2919 | 3484 | 3 687 |
| SBM 1040 | 1040 | 106 | 131 | 208 | 340 | 497 | 618 | 873 | 1187 | 1375 | 1487 | 1696 | 1997 | 2695 | 3009 | 3591 | 3 800 |
| SBM 1082 | 1082 | 110 | 136 | 216 | 354 | 517 | 643 | 908 | 1234 | 1431 | 1547 | 1764 | 2077 | 2804 | 3130 | 3736 | 3 954 |
| SBM 1107 | 1107 | 113 | 139 | 221 | 362 | 529 | 658 | 929 | 1263 | 1464 | 1582 | 1805 | 2125 | 2869 | 3203 | 3822 | 4 045 |
| SBM 1150 | 1150 | 117 | 145 | 230 | 376 | 549 | 684 | 965 | 1312 | 1520 | 1644 | 1875 | 2208 | 2980 | 3327 | 3971 | 4 202 |
| SBM 1181 | 1181 | 120 | 149 | 236 | 386 | 564 | 702 | 991 | 1347 | 1561 | 1688 | 1926 | 2267 | 3061 | 3417 | 4078 | 4 315 |
| SBM 1220 | 1220 | 124 | 154 | 244 | 399 | 583 | 725 | 1024 | 1392 | 1613 | 1744 | 1989 | 2342 | 3162 | 3529 | 4213 | 4 458 |
| SBM 1274 | 1274 | 130 | 160 | 255 | 416 | 609 | 758 | 1069 | 1453 | 1684 | 1821 | 2077 | 2446 | 3302 | 3686 | 4399 | 4 655 |
| SBM 1324 | 1324 | 135 | 167 | 265 | 433 | 632 | 787 | 1111 | 1511 | 1751 | 1893 | 2159 | 2542 | 3431 | 3830 | 4572 | 4 838 |
| SBM 1390 | 1390 | 141 | 175 | 278 | 454 | 664 | 827 | 1166 | 1586 | 1838 | 1987 | 2267 | 2669 | 3602 | 4021 | 4800 | 5 079 |
| SBM 1445 | 1445 | 147 | 182 | 289 | 472 | 690 | 859 | 1212 | 1649 | 1911 | 2066 | 2356 | 2774 | 3745 | 4180 | 4989 | 5 280 |

* Height including the IP2X terminal cover

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.05 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | Seconds | | | |
|-----------|---------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|---------|------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBM 11 | 11 | 1,11 | 1,38 | 2,18 | 3,54 | 4,90 | 6,18 | 7,91 | 9,91 | 11,8 | 12,9 | 14,3 | 17,1 | 25,4 | 29,2 | 36,0 | 38,9 |
| SBM 15 | 15 | 1,51 | 1,88 | 2,97 | 4,83 | 6,68 | 8,43 | 10,8 | 13,5 | 16,1 | 17,6 | 19,6 | 23,3 | 34,6 | 39,9 | 49,1 | 53,1 |
| SBM 22 | 22 | 2,21 | 2,75 | 4,36 | 7,08 | 9,85 | 12,5 | 16,0 | 20,1 | 23,8 | 26,0 | 28,6 | 33,4 | 47,5 | 53,9 | 63,9 | 69,1 |
| SBM 30 | 30 | 3,02 | 3,75 | 5,94 | 9,66 | 13,4 | 17,0 | 21,8 | 27,4 | 32,4 | 35,4 | 39,1 | 45,6 | 64,8 | 73,6 | 87,1 | 94,2 |
| SBM 43 | 43 | 4,33 | 5,38 | 8,53 | 13,9 | 19,3 | 24,7 | 32,5 | 41,9 | 49,4 | 53,7 | 59,9 | 70,1 | 100 | 113 | 136 | 145 |
| SBM 50 | 50 | 5,04 | 6,25 | 9,92 | 16,2 | 22,4 | 28,7 | 37,8 | 48,7 | 57,4 | 62,4 | 69,7 | 81,6 | 116 | 131 | 158 | 169 |
| SBM 56 | 56 | 5,65 | 7,00 | 11,1 | 18,1 | 25,1 | 32,1 | 42,3 | 54,1 | 63,8 | 69,5 | 76,0 | 88 | 123 | 139 | 163 | 176 |
| SBM 65 | 65 | 6,55 | 8,13 | 12,9 | 21,0 | 29,2 | 37,3 | 49,1 | 63,3 | 74,6 | 81,2 | 90,6 | 106 | 151 | 170 | 206 | 220 |
| SBM 72 | 72 | 7,26 | 9,01 | 14,3 | 23,3 | 32,3 | 41,3 | 54,4 | 70,1 | 82,7 | 89,9 | 100 | 117 | 167 | 189 | 228 | 243 |
| SBM 84 | 84 | 8,48 | 10,5 | 16,6 | 27,2 | 37,7 | 48,2 | 63,5 | 81,2 | 95,7 | 104 | 114 | 132 | 185 | 208 | 245 | 264 |
| SBM 93 | 93 | 9,38 | 11,6 | 18,4 | 30,1 | 41,8 | 53,3 | 70,3 | 89,9 | 106 | 115 | 126 | 146 | 205 | 230 | 271 | 292 |
| SBM 100 | 100 | 10,1 | 12,5 | 19,8 | 32,3 | 44,9 | 57,3 | 75,6 | 96,7 | 114 | 124 | 136 | 157 | 220 | 247 | 292 | 314 |
| SBM 112 | 112 | 11,3 | 14,0 | 22,2 | 36,2 | 50,3 | 64,2 | 84,7 | 108 | 128 | 139 | 152 | 176 | 246 | 277 | 327 | 352 |
| SBM 118 | 118 | 11,9 | 14,8 | 23,4 | 38,1 | 53,0 | 67,7 | 89,2 | 114 | 134 | 147 | 160 | 186 | 260 | 292 | 344 | 371 |
| SBM 130 | 130 | 13,1 | 16,3 | 25,8 | 42,0 | 58,3 | 74,5 | 98 | 127 | 149 | 162 | 181 | 212 | 301 | 341 | 411 | 440 |
| SBM 138 | 138 | 13,9 | 17,3 | 27,4 | 44,6 | 62,0 | 79,1 | 104 | 133 | 157 | 171 | 187 | 217 | 304 | 341 | 402 | 433 |
| SBM 150 | 150 | 15,1 | 18,8 | 29,8 | 48,5 | 67,3 | 86,0 | 113 | 146 | 172 | 187 | 209 | 245 | 348 | 393 | 475 | 507 |
| SBM 161 | 161 | 16,2 | 20,1 | 31,9 | 52,0 | 72,3 | 92,3 | 122 | 156 | 183 | 200 | 219 | 253 | 354 | 398 | 469 | 506 |
| SBM 168 | 168 | 16,9 | 21,0 | 33,3 | 54,3 | 75,4 | 96,3 | 127 | 164 | 193 | 210 | 234 | 274 | 390 | 440 | 532 | 568 |
| SBM 184 | 184 | 18,6 | 23,0 | 36,5 | 59,5 | 82,6 | 105 | 139 | 178 | 210 | 228 | 250 | 289 | 405 | 455 | 536 | 578 |
| SBM 192 | 192 | 19,4 | 24,0 | 38,1 | 62,1 | 86,2 | 110 | 145 | 186 | 219 | 238 | 261 | 302 | 423 | 475 | 560 | 603 |
| SBM 200 | 200 | 20,2 | 25,0 | 39,6 | 64,6 | 89,8 | 115 | 151 | 193 | 228 | 248 | 271 | 315 | 440 | 495 | 583 | 628 |
| SBM 208 | 208 | 21,0 | 26,0 | 41,2 | 67,2 | 93,4 | 119 | 157 | 201 | 237 | 258 | 282 | 327 | 458 | 515 | 606 | 653 |
| SBM 216 | 216 | 21,8 | 27,0 | 42,8 | 69,8 | 97,0 | 124 | 163 | 209 | 246 | 268 | 293 | 340 | 475 | 534 | 630 | 678 |
| SBM 231 | 231 | 23,3 | 28,9 | 45,8 | 74,7 | 104 | 132 | 175 | 223 | 263 | 287 | 314 | 363 | 508 | 572 | 674 | 725 |
| SBM 241 | 241 | 24,3 | 30,1 | 47,8 | 77,9 | 108 | 138 | 182 | 233 | 275 | 299 | 327 | 379 | 530 | 596 | 703 | 757 |
| SBM 250 | 250 | 25,2 | 31,3 | 49,6 | 80,8 | 112 | 143 | 189 | 242 | 285 | 310 | 339 | 393 | 550 | 619 | 729 | 785 |
| SBM 260 | 260 | 26,2 | 32,5 | 51,5 | 84,0 | 117 | 149 | 197 | 251 | 296 | 323 | 353 | 409 | 572 | 643 | 758 | 816 |
| SBM 277 | 277 | 27,9 | 34,6 | 54,9 | 89,5 | 124 | 159 | 209 | 268 | 316 | 344 | 376 | 436 | 610 | 685 | 808 | 870 |
| SBM 300 | 300 | 30,3 | 37,5 | 59,5 | 97,0 | 135 | 172 | 227 | 290 | 342 | 372 | 407 | 472 | 660 | 742 | 875 | 942 |
| SBM 323 | 323 | 32,6 | 40,4 | 64,0 | 104 | 145 | 185 | 244 | 312 | 368 | 401 | 438 | 508 | 711 | 799 | 942 | 1014 |
| SBM 346 | 346 | 34,9 | 43,3 | 68,6 | 112 | 155 | 198 | 262 | 334 | 394 | 430 | 470 | 544 | 761 | 856 | 1009 | 1086 |
| SBM 369 | 369 | 37,2 | 46,1 | 73,1 | 119 | 166 | 212 | 279 | 357 | 420 | 458 | 501 | 580 | 812 | 913 | 1076 | 1159 |
| SBM 392 | 392 | 39,6 | 49,0 | 77,7 | 127 | 176 | 225 | 296 | 379 | 447 | 487 | 532 | 617 | 863 | 970 | 1143 | 1231 |
| SBM 415 | 415 | 41,9 | 51,9 | 82,3 | 134 | 186 | 238 | 314 | 401 | 473 | 515 | 563 | 653 | 913 | 1027 | 1210 | 1303 |
| SBM 438 | 438 | 44,2 | 54,8 | 86,8 | 142 | 197 | 251 | 331 | 423 | 499 | 544 | 594 | 689 | 964 | 1084 | 1277 | 1375 |
| SBM 461 | 461 | 46,5 | 57,6 | 91,4 | 149 | 207 | 264 | 349 | 446 | 525 | 572 | 626 | 725 | 1015 | 1141 | 1344 | 1448 |
| SBM 482 | 482 | 48,6 | 60,3 | 95,5 | 156 | 216 | 276 | 364 | 466 | 549 | 598 | 654 | 758 | 1061 | 1193 | 1405 | 1513 |
| SBM 505 | 505 | 51,0 | 63,1 | 100 | 163 | 227 | 290 | 382 | 488 | 575 | 627 | 685 | 794 | 1111 | 1249 | 1472 | 1586 |
| SBM 526 | 526 | 53,1 | 65,8 | 104 | 170 | 236 | 302 | 398 | 509 | 599 | 653 | 714 | 827 | 1158 | 1301 | 1534 | 1652 |
| SBM 555 | 555 | 56,0 | 69,4 | 110 | 179 | 249 | 318 | 420 | 537 | 632 | 689 | 753 | 873 | 1221 | 1373 | 1618 | 1743 |
| SBM 576 | 576 | 58,1 | 72,0 | 114 | 186 | 259 | 330 | 436 | 557 | 656 | 715 | 782 | 906 | 1268 | 1425 | 1679 | 1809 |
| SBM 600 | 600 | 60,5 | 75,0 | 119 | 194 | 269 | 344 | 454 | 580 | 684 | 745 | 814 | 944 | 1320 | 1484 | 1749 | 1884 |
| SBM 625 | 625 | 63,1 | 78,1 | 124 | 202 | 281 | 358 | 473 | 604 | 712 | 776 | 848 | 983 | 1376 | 1546 | 1822 | 1963 |
| SBM 649 | 649 | 65,5 | 81,1 | 129 | 210 | 291 | 372 | 491 | 627 | 740 | 806 | 881 | 1021 | 1428 | 1606 | 1892 | 2038 |
| SBM 674 | 674 | 68,0 | 84,3 | 134 | 218 | 303 | 386 | 510 | 652 | 768 | 837 | 915 | 1060 | 1483 | 1668 | 1965 | 2116 |
| SBM 690 | 690 | 69,6 | 86,3 | 137 | 223 | 310 | 396 | 522 | 667 | 786 | 857 | 937 | 1085 | 1519 | 1707 | 2012 | 2167 |
| SBM 723 | 723 | 72,9 | 90,4 | 143 | 234 | 325 | 415 | 547 | 699 | 824 | 898 | 981 | 1137 | 1591 | 1789 | 2108 | 2270 |
| SBM 740 | 740 | 74,7 | 92,5 | 147 | 239 | 332 | 424 | 560 | 715 | 843 | 919 | 1004 | 1164 | 1629 | 1831 | 2158 | 2324 |
| SBM 768 | 768 | 77,5 | 96,0 | 152 | 248 | 345 | 440 | 581 | 742 | 875 | 954 | 1042 | 1208 | 1690 | 1900 | 2239 | 2412 |
| SBM 792 | 792 | 79,9 | 99,0 | 157 | 256 | 356 | 454 | 599 | 766 | 902 | 983 | 1075 | 1246 | 1743 | 1960 | 2309 | 2487 |
| SBM 830 | 830 | 83,7 | 104 | 165 | 268 | 373 | 476 | 628 | 802 | 946 | 1031 | 1127 | 1306 | 1827 | 2054 | 2420 | 2606 |
| SBM 866 | 866 | 86,8 | 108 | 170 | 278 | 386 | 493 | 650 | 831 | 980 | 1068 | 1167 | 1353 | 1893 | 2128 | 2508 | 2700 |
| SBM 890 | 890 | 89,8 | 111 | 176 | 288 | 400 | 510 | 673 | 860 | 1014 | 1105 | 1208 | 1400 | 1959 | 2202 | 2595 | 2795 |
| SBM 920 | 920 | 92,8 | 115 | 182 | 297 | 413 | 527 | 696 | 889 | 1048 | 1142 | 1249 | 1447 | 2025 | 2276 | 2682 | 2889 |
| SBM 940 | 940 | 94,8 | 118 | 186 | 304 | 422 | 539 | 711 | 909 | 1071 | 1167 | 1276 | 1479 | 2069 | 2326 | 2741 | 2952 |
| SBM 965 | 965 | 97,4 | 121 | 191 | 312 | 433 | 553 | 730 | 933 | 1100 | 1198 | 1310 | 1518 | 2124 | 2388 | 2814 | 3030 |
| SBM 1009 | 1009 | 102 | 126 | 200 | 326 | 453 | 578 | 763 | 975 | 1150 | 1253 | 1370 | 1587 | 2221 | 2496 | 2942 | 3168 |
| SBM 1040 | 1040 | 105 | 130 | 206 | 336 | 467 | 596 | 786 | 1005 | 1185 | 1291 | 1412 | 1636 | 2289 | 2573 | 3032 | 3266 |
| SBM 1082 | 1082 | 109 | 135 | 214 | 350 | 486 | 620 | 818 | 1046 | 1233 | 1343 | 1469 | 1702 | 2381 | 2677 | 3155 | 3397 |
| SBM 1107 | 1107 | 112 | 138 | 219 | 358 | 497 | 635 | 837 | 1070 | 1261 | 1374 | 1503 | 1741 | 2436 | 2739 | 3228 | 3476 |
| SBM 1150 | 1150 | 116 | 144 | 228 | 372 | 516 | 659 | 870 | 1112 | 1310 | 1428 | 1561 | 1809 | 2531 | 2845 | 3353 | 3611 |
| SBM 1181 | 1181 | 119 | 148 | 234 | 382 | 530 | 677 | 893 | 1142 | 1346 | 1466 | 1603 | 1858 | 2599 | 2922 | 3443 | 3708 |
| SBM 1220 | 1220 | 123 | 153 | 242 | 394 | 548 | 699 | 923 | 1179 | 1390 | 1515 | 1656 | 1919 | 2685 | 3018 | 3557 | 3831 |
| SBM 1274 | 1274 | 129 | 159 | 253 | 412 | 572 | 730 | 963 | 1232 | 1452 | 1582 | 1729 | 2004 | 2804 | 3152 | 3715 | 4000 |
| SBM 1324 | 1324 | 134 | 166 | 262 | 428 | 594 | 759 | 1001 | 1280 | 1509 | 1644 | 1797 | 2083 | 2914 | 3276 | 3860 | 4157 |
| SBM 1390 | 1390 | 140 | 174 | 275 | 449 | 624 | 797 | 1051 | 1344 | 1584 | 1726 | 1887 | 2187 | 3059 | 3439 | 4053 | 4365 |
| SBM 1445 | 1445 | 146 | 181 | 286 | 467 | 649 | 828 | 1093 | 1397 | 1647 | 1794 | 1961 | 2273 | 3180 | 3575 | 4213 | 4537 |

* Height including the IP2X terminal cover

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.10 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBM 11 | 11 | 1,09 | 1,36 | 2,15 | 3,31 | 4,54 | 5,41 | 6,43 | 8,04 | 9,71 | 10,3 | 11,9 | 14,6 | 21,5 | 24,6 | 30,1 | 31,9 |
| SBM 15 | 15 | 1,49 | 1,85 | 2,93 | 4,51 | 6,20 | 7,37 | 8,77 | 11,0 | 13,2 | 14,0 | 16,2 | 19,9 | 29,3 | 33,5 | 41,0 | 43,4 |
| SBM 22 | 22 | 2,18 | 2,71 | 4,29 | 6,61 | 9,13 | 10,9 | 13,0 | 16,2 | 19,7 | 20,6 | 23,5 | 28,4 | 40,3 | 45,1 | 53,6 | 57,3 |
| SBM 30 | 30 | 2,97 | 3,69 | 5,85 | 9,02 | 12,4 | 14,9 | 17,7 | 22,1 | 26,8 | 28,1 | 32,0 | 38,7 | 55,0 | 61,5 | 73,0 | 78,1 |
| SBM 43 | 43 | 4,26 | 5,29 | 8,40 | 12,9 | 18,0 | 21,8 | 26,5 | 33,4 | 40,9 | 42,8 | 48,9 | 59,3 | 83,9 | 94,6 | 113 | 130 |
| SBM 50 | 50 | 4,95 | 6,15 | 9,77 | 15,0 | 20,9 | 25,3 | 30,8 | 38,8 | 47,5 | 49,8 | 56,8 | 69,0 | 97,5 | 110 | 131 | 151 |
| SBM 56 | 56 | 5,55 | 6,90 | 10,9 | 16,9 | 23,4 | 28,3 | 34,5 | 43,1 | 52,4 | 54,5 | 62,2 | 74,6 | 104 | 116 | 137 | 145 |
| SBM 65 | 65 | 6,44 | 8,00 | 12,7 | 19,6 | 27,2 | 32,9 | 40,1 | 50,4 | 61,8 | 64,8 | 73,9 | 89,7 | 127 | 143 | 170 | 196 |
| SBM 72 | 72 | 7,13 | 8,86 | 14,1 | 21,7 | 30,2 | 36,5 | 44,4 | 55,9 | 68,4 | 71,7 | 81,9 | 99,3 | 140 | 158 | 188 | 217 |
| SBM 84 | 84 | 8,33 | 10,4 | 16,4 | 25,4 | 35,2 | 42,5 | 51,7 | 64,6 | 78,6 | 81,7 | 93,3 | 112 | 156 | 174 | 205 | 218 |
| SBM 93 | 93 | 9,22 | 11,5 | 18,1 | 28,1 | 38,9 | 47,1 | 57,3 | 71,5 | 87,0 | 90,5 | 103 | 124 | 173 | 193 | 227 | 241 |
| SBM 100 | 100 | 9,91 | 12,3 | 19,5 | 30,2 | 41,9 | 50,6 | 61,6 | 76,9 | 93,6 | 97,3 | 111 | 133 | 186 | 207 | 244 | 260 |
| SBM 112 | 112 | 11,1 | 13,8 | 21,8 | 33,8 | 46,9 | 56,7 | 69,0 | 86,2 | 105 | 109 | 124 | 149 | 208 | 232 | 274 | 291 |
| SBM 118 | 118 | 11,7 | 14,5 | 23,0 | 35,6 | 49,4 | 59,7 | 72,7 | 90,8 | 110 | 115 | 131 | 157 | 219 | 244 | 288 | 306 |
| SBM 130 | 130 | 12,9 | 16,0 | 25,4 | 39,1 | 54,5 | 65,9 | 80,1 | 101 | 124 | 130 | 148 | 179 | 254 | 286 | 340 | 393 |
| SBM 138 | 138 | 13,7 | 17,0 | 26,9 | 41,7 | 57,8 | 69,9 | 85,0 | 106 | 129 | 134 | 153 | 184 | 256 | 286 | 337 | 358 |
| SBM 150 | 150 | 14,9 | 18,5 | 29,3 | 45,1 | 62,8 | 76,0 | 92,5 | 116 | 143 | 149 | 171 | 207 | 293 | 330 | 392 | 453 |
| SBM 161 | 161 | 16,0 | 19,8 | 31,3 | 48,6 | 67,4 | 81,5 | 99,2 | 124 | 151 | 157 | 179 | 214 | 299 | 333 | 393 | 418 |
| SBM 168 | 168 | 16,6 | 20,7 | 32,8 | 50,6 | 70,4 | 85,1 | 104 | 130 | 160 | 167 | 191 | 232 | 328 | 370 | 440 | 507 |
| SBM 184 | 184 | 18,2 | 22,7 | 35,8 | 55,6 | 77,0 | 93,1 | 113 | 142 | 172 | 179 | 204 | 245 | 342 | 381 | 450 | 477 |
| SBM 192 | 192 | 19,0 | 23,7 | 37,4 | 58,0 | 80,4 | 97,2 | 118 | 148 | 180 | 187 | 213 | 256 | 356 | 398 | 469 | 498 |
| SBM 200 | 200 | 19,8 | 24,6 | 38,9 | 60,4 | 83,7 | 101 | 123 | 154 | 187 | 195 | 222 | 266 | 371 | 414 | 489 | 519 |
| SBM 208 | 208 | 20,6 | 25,6 | 40,5 | 62,8 | 87,1 | 105 | 128 | 160 | 195 | 202 | 231 | 277 | 386 | 431 | 508 | 540 |
| SBM 216 | 216 | 21,4 | 26,6 | 42,0 | 65,2 | 90,4 | 109 | 133 | 166 | 202 | 210 | 240 | 288 | 401 | 447 | 528 | 561 |
| SBM 231 | 231 | 22,9 | 28,5 | 45,0 | 69,8 | 96,7 | 117 | 142 | 178 | 216 | 225 | 257 | 308 | 429 | 478 | 564 | 599 |
| SBM 241 | 241 | 23,9 | 29,7 | 46,9 | 72,8 | 101 | 122 | 148 | 185 | 226 | 234 | 268 | 321 | 447 | 499 | 589 | 625 |
| SBM 250 | 250 | 24,8 | 30,8 | 48,7 | 75,5 | 105 | 127 | 154 | 192 | 234 | 243 | 278 | 333 | 464 | 518 | 611 | 649 |
| SBM 260 | 260 | 25,8 | 32,0 | 50,6 | 78,5 | 109 | 132 | 160 | 200 | 243 | 253 | 289 | 346 | 483 | 538 | 635 | 675 |
| SBM 277 | 277 | 27,5 | 34,1 | 53,9 | 83,7 | 116 | 140 | 171 | 213 | 259 | 270 | 308 | 369 | 514 | 574 | 677 | 719 |
| SBM 300 | 300 | 29,7 | 37,0 | 58,4 | 90,6 | 126 | 152 | 185 | 231 | 281 | 292 | 333 | 400 | 557 | 621 | 733 | 779 |
| SBM 323 | 323 | 32,0 | 39,8 | 62,9 | 97,5 | 135 | 164 | 199 | 248 | 302 | 314 | 359 | 430 | 600 | 669 | 789 | 838 |
| SBM 346 | 346 | 34,3 | 42,6 | 67,3 | 104 | 145 | 175 | 213 | 266 | 324 | 337 | 384 | 461 | 642 | 716 | 845 | 898 |
| SBM 369 | 369 | 36,6 | 45,5 | 71,8 | 111 | 154 | 187 | 227 | 284 | 345 | 359 | 410 | 492 | 685 | 764 | 902 | 958 |
| SBM 392 | 392 | 38,9 | 48,3 | 76,3 | 118 | 164 | 198 | 241 | 302 | 367 | 381 | 436 | 522 | 728 | 812 | 958 | 1017 |
| SBM 415 | 415 | 41,1 | 51,1 | 80,8 | 125 | 174 | 210 | 256 | 319 | 388 | 404 | 461 | 553 | 770 | 859 | 1014 | 1077 |
| SBM 438 | 438 | 43,4 | 54,0 | 85,3 | 132 | 183 | 222 | 270 | 337 | 410 | 426 | 487 | 583 | 813 | 907 | 1070 | 1137 |
| SBM 461 | 461 | 45,7 | 56,8 | 89,7 | 139 | 193 | 233 | 284 | 355 | 431 | 449 | 512 | 614 | 856 | 955 | 1126 | 1196 |
| SBM 482 | 482 | 47,8 | 59,4 | 93,8 | 146 | 202 | 244 | 297 | 371 | 451 | 469 | 536 | 642 | 895 | 998 | 1178 | 1251 |
| SBM 505 | 505 | 50,0 | 62,2 | 98,3 | 153 | 211 | 256 | 311 | 388 | 473 | 491 | 561 | 673 | 938 | 1046 | 1234 | 1311 |
| SBM 526 | 526 | 52,1 | 64,8 | 102 | 159 | 220 | 266 | 324 | 405 | 492 | 512 | 584 | 701 | 977 | 1089 | 1285 | 1365 |
| SBM 555 | 555 | 55,0 | 68,4 | 108 | 168 | 232 | 281 | 342 | 427 | 519 | 540 | 617 | 739 | 1030 | 1149 | 1356 | 1440 |
| SBM 576 | 576 | 57,1 | 71,0 | 112 | 174 | 241 | 292 | 355 | 443 | 539 | 560 | 640 | 767 | 1069 | 1193 | 1407 | 1495 |
| SBM 600 | 600 | 59,5 | 73,9 | 117 | 181 | 251 | 304 | 370 | 462 | 562 | 584 | 667 | 799 | 1114 | 1242 | 1466 | 1557 |
| SBM 625 | 625 | 61,9 | 77,0 | 122 | 189 | 262 | 316 | 385 | 481 | 585 | 608 | 694 | 833 | 1160 | 1294 | 1527 | 1622 |
| SBM 649 | 649 | 64,3 | 80,0 | 126 | 196 | 272 | 329 | 400 | 499 | 607 | 631 | 721 | 864 | 1205 | 1344 | 1586 | 1684 |
| SBM 674 | 674 | 66,8 | 83,0 | 131 | 204 | 282 | 341 | 415 | 519 | 631 | 656 | 749 | 898 | 1251 | 1396 | 1647 | 1749 |
| SBM 690 | 690 | 68,4 | 85,0 | 134 | 208 | 289 | 349 | 425 | 531 | 646 | 671 | 767 | 919 | 1281 | 1429 | 1686 | 1791 |
| SBM 723 | 723 | 71,7 | 89,1 | 141 | 218 | 303 | 366 | 445 | 556 | 677 | 703 | 803 | 963 | 1342 | 1497 | 1766 | 1876 |
| SBM 740 | 740 | 73,3 | 91,2 | 144 | 223 | 310 | 375 | 456 | 569 | 693 | 720 | 822 | 986 | 1374 | 1532 | 1808 | 1920 |
| SBM 768 | 768 | 76,1 | 94,6 | 149 | 232 | 322 | 389 | 473 | 591 | 719 | 747 | 853 | 1023 | 1426 | 1590 | 1876 | 1993 |
| SBM 792 | 792 | 78,5 | 97,6 | 154 | 239 | 332 | 401 | 488 | 609 | 741 | 771 | 880 | 1055 | 1470 | 1640 | 1935 | 2055 |
| SBM 830 | 830 | 82,3 | 102 | 162 | 251 | 347 | 420 | 511 | 639 | 777 | 808 | 922 | 1106 | 1541 | 1719 | 2028 | 2154 |
| SBM 866 | 866 | 85,2 | 106 | 167 | 260 | 360 | 435 | 530 | 662 | 805 | 837 | 956 | 1146 | 1597 | 1781 | 2101 | 2232 |
| SBM 890 | 890 | 88,2 | 110 | 173 | 269 | 373 | 451 | 548 | 685 | 833 | 866 | 989 | 1186 | 1652 | 1843 | 2174 | 2310 |
| SBM 920 | 920 | 91,2 | 113 | 179 | 278 | 385 | 466 | 567 | 708 | 861 | 895 | 1022 | 1225 | 1708 | 1905 | 2248 | 2387 |
| SBM 940 | 940 | 93,2 | 116 | 183 | 284 | 394 | 476 | 579 | 723 | 880 | 915 | 1045 | 1252 | 1745 | 1946 | 2297 | 2439 |
| SBM 965 | 965 | 95,6 | 119 | 188 | 291 | 404 | 489 | 594 | 742 | 903 | 939 | 1072 | 1285 | 1792 | 1998 | 2358 | 2504 |
| SBM 1009 | 1009 | 100 | 124 | 196 | 305 | 422 | 511 | 622 | 776 | 944 | 982 | 1121 | 1344 | 1873 | 2089 | 2465 | 2618 |
| SBM 1040 | 1040 | 103 | 128 | 202 | 314 | 435 | 526 | 641 | 800 | 973 | 1012 | 1156 | 1385 | 1931 | 2153 | 2541 | 2699 |
| SBM 1082 | 1082 | 107 | 133 | 211 | 327 | 453 | 548 | 667 | 832 | 1013 | 1053 | 1202 | 1441 | 2009 | 2240 | 2644 | 2808 |
| SBM 1107 | 1107 | 110 | 136 | 215 | 334 | 463 | 560 | 682 | 852 | 1036 | 1077 | 1230 | 1475 | 2055 | 2292 | 2705 | 2873 |
| SBM 1150 | 1150 | 114 | 142 | 224 | 347 | 481 | 582 | 708 | 885 | 1076 | 1119 | 1278 | 1532 | 2135 | 2381 | 2810 | 2984 |
| SBM 1181 | 1181 | 117 | 146 | 230 | 357 | 494 | 598 | 727 | 909 | 1105 | 1149 | 1312 | 1573 | 2193 | 2445 | 2885 | 3065 |
| SBM 1220 | 1220 | 121 | 150 | 237 | 368 | 511 | 618 | 752 | 939 | 1142 | 1187 | 1356 | 1625 | 2265 | 2526 | 2981 | 3166 |
| SBM 1274 | 1274 | 126 | 157 | 248 | 385 | 533 | 645 | 785 | 980 | 1192 | 1240 | 1416 | 1697 | 2365 | 2638 | 3113 | 3306 |
| SBM 1324 | 1324 | 131 | 163 | 258 | 400 | 554 | 670 | 816 | 1019 | 1239 | 1288 | 1471 | 1764 | 2458 | 2741 | 3235 | 3436 |
| SBM 1390 | 1390 | 138 | 171 | 271 | 420 | 582 | 704 | 856 | 1069 | 1301 | 1352 | 1545 | 1852 | 2581 | 2878 | 3396 | 3607 |
| SBM 1445 | 1445 | 143 | 178 | 281 | 436 | 605 | 732 | 890 | 1112 | 1352 | 1406 | 1606 | 1925 | 2683 | 2992 | 3530 | 3750 |

* Height including the IP2X terminal cover

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.14 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 10 | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBM 11 | 11 | 1,06 | 1,32 | 2,07 | 3,11 | 3,97 | 4,51 | 5,20 | 6,40 | 7,27 | 7,92 | 9,12 | 11,4 | 16,1 | 18,1 | 21,1 | 21,8 |
| SBM 15 | 15 | 1,45 | 1,80 | 2,82 | 4,25 | 5,41 | 6,15 | 7,09 | 8,72 | 9,92 | 10,8 | 12,4 | 15,6 | 22,0 | 24,7 | 28,7 | 29,7 |
| SBM 22 | 22 | 2,13 | 2,64 | 4,14 | 6,23 | 7,93 | 9,03 | 10,4 | 12,8 | 14,5 | 15,8 | 18,2 | 22,9 | 32,3 | 36,2 | 42,2 | 43,6 |
| SBM 30 | 30 | 2,90 | 3,60 | 5,64 | 8,49 | 10,8 | 12,3 | 14,2 | 17,4 | 19,8 | 21,6 | 24,9 | 31,2 | 44,0 | 49,4 | 57,5 | 59,5 |
| SBM 43 | 43 | 4,16 | 5,16 | 8,08 | 12,2 | 15,5 | 17,6 | 20,3 | 25,0 | 28,4 | 31,0 | 35,7 | 44,7 | 63,1 | 70,8 | 82,4 | 85,2 |
| SBM 50 | 50 | 4,83 | 6,00 | 9,40 | 14,2 | 18,0 | 20,5 | 23,6 | 29,1 | 33,1 | 36,0 | 41,5 | 52,0 | 73,3 | 82,3 | 95,8 | 99,1 |
| SBM 56 | 56 | 5,40 | 6,70 | 10,6 | 15,9 | 20,5 | 23,6 | 27,8 | 33,8 | 38,7 | 41,9 | 48,1 | 60,0 | 83,9 | 92,9 | 107 | 111 |
| SBM 65 | 65 | 6,28 | 7,80 | 12,2 | 18,4 | 23,4 | 26,7 | 30,7 | 37,8 | 43,0 | 46,8 | 53,9 | 67,6 | 95,3 | 107 | 125 | 129 |
| SBM 72 | 72 | 6,96 | 8,64 | 13,5 | 20,4 | 26,0 | 29,5 | 34,0 | 41,9 | 47,6 | 51,9 | 59,7 | 74,9 | 106 | 118 | 138 | 143 |
| SBM 84 | 84 | 8,10 | 10,1 | 15,8 | 23,9 | 30,7 | 35,4 | 41,6 | 50,7 | 58,0 | 62,9 | 72,1 | 90,0 | 126 | 139 | 161 | 166 |
| SBM 93 | 93 | 8,97 | 11,1 | 17,5 | 26,4 | 34,0 | 39,2 | 46,1 | 56,1 | 64,2 | 69,6 | 79,8 | 100 | 139 | 154 | 178 | 184 |
| SBM 100 | 100 | 9,64 | 12,0 | 18,8 | 28,4 | 36,6 | 42,2 | 49,6 | 60,3 | 69,1 | 74,8 | 85,9 | 107 | 150 | 166 | 192 | 198 |
| SBM 112 | 112 | 10,8 | 13,4 | 21,1 | 31,8 | 41,0 | 47,3 | 55,5 | 67,6 | 77,4 | 83,8 | 96,2 | 120 | 168 | 186 | 215 | 221 |
| SBM 118 | 118 | 11,4 | 14,1 | 22,2 | 33,5 | 43,2 | 49,8 | 58,5 | 71,2 | 81,5 | 88,3 | 101 | 126 | 177 | 196 | 226 | 233 |
| SBM 130 | 130 | 12,6 | 15,6 | 24,4 | 36,8 | 46,9 | 53,3 | 61,4 | 76 | 86 | 94 | 108 | 135 | 191 | 214 | 249 | 258 |
| SBM 138 | 138 | 13,3 | 16,5 | 26,0 | 39,2 | 50,5 | 58,2 | 68,4 | 83,2 | 95,3 | 103 | 118 | 148 | 207 | 229 | 265 | 273 |
| SBM 150 | 150 | 14,5 | 18,0 | 28,2 | 42,5 | 54,1 | 61,5 | 70,9 | 87 | 99 | 108 | 124 | 156 | 220 | 247 | 287 | 297 |
| SBM 161 | 161 | 15,5 | 19,3 | 30,3 | 45,7 | 58,9 | 67,9 | 79,8 | 97,1 | 111 | 120 | 138 | 173 | 241 | 267 | 309 | 318 |
| SBM 168 | 168 | 16,2 | 20,2 | 31,6 | 47,6 | 60,6 | 68,9 | 79 | 98 | 111 | 121 | 139 | 175 | 246 | 276 | 322 | 333 |
| SBM 184 | 184 | 17,7 | 22,0 | 34,7 | 52,3 | 67,3 | 77,6 | 91,2 | 111 | 127 | 138 | 158 | 197 | 276 | 305 | 353 | 364 |
| SBM 192 | 192 | 18,5 | 23,0 | 36,2 | 54,5 | 70,3 | 81,0 | 95,2 | 116 | 133 | 144 | 165 | 206 | 287 | 319 | 368 | 380 |
| SBM 200 | 200 | 19,3 | 23,9 | 37,7 | 56,8 | 73,2 | 84,4 | 99,2 | 121 | 138 | 150 | 172 | 214 | 299 | 332 | 384 | 395 |
| SBM 208 | 208 | 20,1 | 24,9 | 39,2 | 59,1 | 76,1 | 87,8 | 103 | 125 | 144 | 156 | 179 | 223 | 311 | 345 | 399 | 411 |
| SBM 216 | 216 | 20,8 | 25,8 | 40,7 | 61,3 | 79,1 | 91,2 | 107 | 130 | 149 | 162 | 185 | 231 | 323 | 358 | 414 | 427 |
| SBM 231 | 231 | 22,3 | 27,6 | 43,5 | 65,6 | 84,5 | 97,5 | 115 | 139 | 160 | 173 | 198 | 248 | 346 | 383 | 443 | 457 |
| SBM 241 | 241 | 23,2 | 28,8 | 45,4 | 68,4 | 88,2 | 102 | 119 | 145 | 166 | 180 | 207 | 258 | 361 | 400 | 462 | 476 |
| SBM 250 | 250 | 24,1 | 29,9 | 47,1 | 71,0 | 91,5 | 106 | 124 | 151 | 173 | 187 | 215 | 268 | 374 | 415 | 480 | 494 |
| SBM 260 | 260 | 25,1 | 31,1 | 49,0 | 73,8 | 95,2 | 110 | 129 | 157 | 180 | 195 | 223 | 279 | 389 | 431 | 499 | 514 |
| SBM 277 | 277 | 26,7 | 33,1 | 52,2 | 78,7 | 101 | 117 | 137 | 167 | 191 | 207 | 238 | 297 | 415 | 460 | 531 | 548 |
| SBM 300 | 300 | 28,9 | 35,9 | 56,5 | 85,2 | 110 | 127 | 149 | 181 | 207 | 224 | 258 | 321 | 449 | 498 | 576 | 593 |
| SBM 323 | 323 | 31,1 | 38,6 | 60,9 | 91,7 | 118 | 136 | 160 | 195 | 223 | 242 | 277 | 346 | 484 | 536 | 620 | 639 |
| SBM 346 | 346 | 33,4 | 41,4 | 65,2 | 98,3 | 127 | 146 | 172 | 209 | 239 | 259 | 297 | 371 | 518 | 574 | 664 | 684 |
| SBM 369 | 369 | 35,6 | 44,1 | 69,5 | 105 | 135 | 156 | 183 | 223 | 255 | 276 | 317 | 395 | 553 | 612 | 708 | 730 |
| SBM 392 | 392 | 37,8 | 46,9 | 73,9 | 111 | 143 | 165 | 194 | 236 | 271 | 293 | 337 | 420 | 587 | 650 | 752 | 775 |
| SBM 415 | 415 | 40,0 | 49,7 | 78,2 | 118 | 152 | 175 | 206 | 250 | 287 | 311 | 356 | 445 | 621 | 689 | 796 | 820 |
| SBM 438 | 438 | 42,2 | 52,4 | 82,5 | 124 | 160 | 185 | 217 | 264 | 303 | 328 | 376 | 469 | 656 | 727 | 840 | 866 |
| SBM 461 | 461 | 44,5 | 55,2 | 86,8 | 131 | 169 | 195 | 229 | 278 | 318 | 345 | 396 | 494 | 690 | 765 | 885 | 911 |
| SBM 482 | 482 | 46,5 | 57,7 | 90,8 | 137 | 176 | 203 | 239 | 291 | 333 | 361 | 414 | 516 | 722 | 800 | 925 | 953 |
| SBM 505 | 505 | 48,7 | 60,4 | 95,1 | 143 | 185 | 213 | 250 | 305 | 349 | 378 | 434 | 541 | 756 | 838 | 969 | 998 |
| SBM 526 | 526 | 50,7 | 62,9 | 99,1 | 149 | 193 | 222 | 261 | 317 | 363 | 394 | 452 | 564 | 788 | 873 | 1009 | 1040 |
| SBM 555 | 555 | 53,5 | 66,4 | 105 | 158 | 203 | 234 | 275 | 335 | 383 | 415 | 476 | 595 | 831 | 921 | 1065 | 1097 |
| SBM 576 | 576 | 55,5 | 68,9 | 109 | 164 | 211 | 243 | 286 | 347 | 398 | 431 | 494 | 617 | 862 | 956 | 1105 | 1139 |
| SBM 600 | 600 | 57,9 | 71,8 | 113 | 170 | 220 | 253 | 297 | 362 | 415 | 449 | 515 | 643 | 898 | 996 | 1151 | 1186 |
| SBM 625 | 625 | 60,3 | 74,8 | 118 | 178 | 229 | 264 | 310 | 377 | 432 | 468 | 537 | 670 | 936 | 1037 | 1199 | 1236 |
| SBM 649 | 649 | 62,6 | 77,6 | 122 | 184 | 238 | 274 | 322 | 391 | 448 | 486 | 557 | 695 | 972 | 1077 | 1245 | 1283 |
| SBM 674 | 674 | 65,0 | 80,6 | 127 | 191 | 247 | 284 | 334 | 407 | 466 | 504 | 579 | 722 | 1009 | 1118 | 1293 | 1333 |
| SBM 690 | 690 | 66,5 | 82,6 | 130 | 196 | 253 | 291 | 342 | 416 | 477 | 516 | 592 | 739 | 1033 | 1145 | 1324 | 1364 |
| SBM 723 | 723 | 69,7 | 86,5 | 136 | 205 | 265 | 305 | 358 | 436 | 499 | 541 | 621 | 775 | 1083 | 1200 | 1387 | 1429 |
| SBM 740 | 740 | 71,4 | 88,5 | 139 | 210 | 271 | 312 | 367 | 446 | 511 | 554 | 635 | 793 | 1108 | 1228 | 1420 | 1463 |
| SBM 768 | 768 | 74,1 | 91,9 | 145 | 218 | 281 | 324 | 381 | 463 | 531 | 575 | 659 | 823 | 1150 | 1274 | 1474 | 1518 |
| SBM 792 | 792 | 76,4 | 94,8 | 149 | 225 | 290 | 334 | 393 | 478 | 547 | 593 | 680 | 849 | 1186 | 1314 | 1520 | 1566 |
| SBM 830 | 830 | 80,0 | 99,3 | 156 | 236 | 304 | 350 | 412 | 501 | 573 | 621 | 713 | 889 | 1243 | 1377 | 1593 | 1641 |
| SBM 866 | 866 | 82,9 | 103 | 162 | 244 | 315 | 363 | 426 | 519 | 594 | 644 | 738 | 922 | 1288 | 1427 | 1650 | 1700 |
| SBM 890 | 890 | 85,8 | 106 | 168 | 253 | 326 | 376 | 441 | 537 | 615 | 666 | 764 | 954 | 1333 | 1477 | 1708 | 1760 |
| SBM 920 | 920 | 88,7 | 110 | 173 | 261 | 337 | 388 | 456 | 555 | 636 | 688 | 790 | 986 | 1378 | 1527 | 1765 | 1819 |
| SBM 940 | 940 | 90,6 | 112 | 177 | 267 | 344 | 397 | 466 | 567 | 649 | 703 | 807 | 1007 | 1408 | 1560 | 1804 | 1858 |
| SBM 965 | 965 | 93,1 | 115 | 182 | 274 | 353 | 407 | 478 | 582 | 667 | 722 | 828 | 1034 | 1445 | 1601 | 1852 | 1908 |
| SBM 1009 | 1009 | 97,3 | 121 | 190 | 287 | 369 | 426 | 500 | 609 | 697 | 755 | 866 | 1081 | 1511 | 1674 | 1936 | 1995 |
| SBM 1040 | 1040 | 100 | 124 | 196 | 295 | 381 | 439 | 516 | 627 | 718 | 778 | 893 | 1114 | 1557 | 1726 | 1995 | 2056 |
| SBM 1082 | 1082 | 104 | 129 | 204 | 307 | 396 | 457 | 536 | 653 | 747 | 810 | 929 | 1159 | 1620 | 1796 | 2076 | 2139 |
| SBM 1107 | 1107 | 107 | 132 | 209 | 314 | 405 | 467 | 549 | 668 | 765 | 828 | 950 | 1186 | 1658 | 1837 | 2124 | 2189 |
| SBM 1150 | 1150 | 111 | 138 | 217 | 327 | 421 | 485 | 570 | 694 | 794 | 861 | 987 | 1232 | 1722 | 1908 | 2207 | 2274 |
| SBM 1181 | 1181 | 114 | 141 | 222 | 335 | 432 | 498 | 586 | 712 | 814 | 884 | 1014 | 1266 | 1768 | 1960 | 2266 | 2335 |
| SBM 1220 | 1220 | 118 | 146 | 230 | 346 | 447 | 515 | 605 | 736 | 843 | 913 | 1047 | 1307 | 1827 | 2025 | 2341 | 2412 |
| SBM 1274 | 1274 | 123 | 152 | 240 | 362 | 466 | 538 | 632 | 768 | 880 | 953 | 1094 | 1365 | 1908 | 2114 | 2444 | 2519 |
| SBM 1324 | 1324 | 128 | 158 | 249 | 376 | 485 | 559 | 656 | 799 | 915 | 991 | 1137 | 1419 | 1983 | 2197 | 2540 | 2618 |
| SBM 1390 | 1390 | 134 | 166 | 262 | 395 | 509 | 587 | 689 | 838 | 960 | 1040 | 1193 | 1489 | 2081 | 2307 | 2667 | 2748 |
| SBM 1445 | 1445 | 139 | 173 | 272 | 410 | 529 | 610 | 716 | 872 | 998 | 1081 | 1241 | 1548 | 2164 | 2398 | 2773 | 2857 |

* Height including the IP2X terminal cover

SBH Capacities and dimensions - International System of units

| Connection | Cell type | Capacity (C ₅ Ah) | Height* (mm) | Width (mm) | Length per block (mm) | | | Approx. weight per cell (kg) | Approx. electrolyte volume between level marks (cm ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|----------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|------------------------------|---|----------------------|------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | | | Solid (kg) | Liquid (L) | | |
| NORMAL CONNECTION | SBH 8,3 | 8,3 | 260 | 123 | - | 53,0 | 77,0 | 1,10 | 80 | 0,12 | 0,36 | 3,61 | M 6 |
| | SBH 12 | 12 | 260 | 123 | - | 64,0 | 93,5 | 1,50 | 110 | 0,14 | 0,44 | 2,50 | M 6 |
| | SBH 16 | 16 | 260 | 123 | - | 74,0 | 109 | 1,80 | 120 | 0,16 | 0,48 | 1,88 | M 6 |
| | SBH 19 | 19 | 344 | 195 | - | 57,0 | 82,0 | 2,80 | 190 | 0,29 | 0,90 | 2,05 | M 6 |
| | SBH 29 | 29 | 344 | 195 | - | 69,0 | 100 | 3,70 | 230 | 0,36 | 1,10 | 1,34 | M 6 |
| | SBH 39 | 39 | 350 | 195 | - | 79,0 | 115 | 4,50 | 270 | 0,39 | 1,20 | 1,00 | M 8 |
| | SBH 49 | 49 | 350 | 195 | - | 94,0 | 138 | 5,40 | 340 | 0,49 | 1,50 | 0,80 | M 8 |
| | SBH 59 | 59 | 350 | 195 | - | 103 | 151 | 6,20 | 370 | 0,52 | 1,60 | 0,66 | M 10 |
| | SBH 69 | 69 | 350 | 195 | - | 127 | 187 | 7,30 | 470 | 0,68 | 2,10 | 0,57 | M 10 |
| | SBH 79 | 79 | 350 | 195 | - | 127 | 187 | 7,70 | 470 | 0,65 | 2,00 | 0,49 | M 10 |
| | SBH 88 | 88 | 350 | 195 | - | 159 | 232 | 9,10 | 580 | 0,81 | 2,50 | 0,44 | M 10 |
| | SBH 98 | 98 | 350 | 195 | - | 159 | 232 | 9,40 | 570 | 0,78 | 2,40 | 0,40 | M 10 |
| | SBH 110 | 110 | 350 | 195 | - | 183 | 268 | 10,6 | 680 | 0,94 | 2,90 | 0,35 | M 10 |
| | SBH 118 | 118 | 350 | 195 | - | 183 | 268 | 11,0 | 670 | 0,87 | 2,70 | 0,33 | M 10 |
| | SBH 137 | 137 | 350 | 195 | - | 253 | 373 | 14,5 | 950 | 1,33 | 4,10 | 0,28 | 2 x M 10 |
| SBH 157 | 157 | 350 | 195 | - | 253 | 373 | 15,3 | 940 | 1,26 | 3,90 | 0,25 | 2 x M 10 | |
| CROSSWISE CONNECTION | SBH 177 | 177 | 354 | 195 | 159 | - | - | 17,6 | 1170 | 1,59 | 4,90 | 0,22 | 2 x M 10 |
| | SBH 196 | 196 | 354 | 195 | 159 | - | - | 18,3 | 1150 | 1,52 | 4,70 | 0,20 | 2 x M 10 |
| | SBH 204 | 204 | 410 | 195 | 133 | - | - | 18,0 | 940 | 1,49 | 4,60 | 0,21 | 2 x M 10 |
| | SBH 236 | 236 | 354 | 195 | 183 | - | - | 21,4 | 1350 | 1,75 | 5,40 | 0,17 | 2 x M 10 |
| | SBH 256 | 256 | 410 | 195 | 159 | - | - | 21,7 | 1150 | 1,78 | 5,50 | 0,17 | 2 x M 10 |
| | SBH 265 | 265 | 354 | 195 | 232 | - | - | 26,1 | 1750 | 2,40 | 7,40 | 0,15 | 3 x M 10 |
| | SBH 270 | 270 | 410 | 195 | 171 | - | - | 23,4 | 1260 | 1,98 | 6,10 | 0,16 | 2 x M 10 |
| | SBH 281 | 281 | 410 | 195 | 183 | - | - | 24,8 | 1360 | 2,17 | 6,70 | 0,15 | 2 x M 10 |
| | SBH 294 | 294 | 354 | 195 | 232 | - | - | 27,2 | 1730 | 2,27 | 7,00 | 0,13 | 3 x M 10 |
| | SBH 307 | 307 | 410 | 195 | 183 | - | - | 25,6 | 1350 | 2,07 | 6,40 | 0,14 | 2 x M 10 |
| | SBH 323 | 323 | 410 | 195 | 206 | - | - | 28,1 | 1530 | 2,43 | 7,50 | 0,13 | 3 x M 10 |
| | SBH 345 | 345 | 410 | 195 | 232 | - | - | 30,9 | 1750 | 2,85 | 8,80 | 0,12 | 3 x M 10 |
| | SBH 353 | 353 | 354 | 195 | 268 | - | - | 31,8 | 2020 | 2,62 | 8,10 | 0,11 | 3 x M 10 |
| | SBH 363 | 363 | 410 | 195 | 232 | - | - | 31,3 | 1740 | 2,79 | 8,60 | 0,12 | 3 x M 10 |
| | SBH 383 | 383 | 410 | 195 | 232 | - | - | 32,2 | 1730 | 2,69 | 8,30 | 0,11 | 3 x M 10 |
| | SBH 393 | 393 | 354 | 195 | 305 | - | - | 36,1 | 2310 | 3,01 | 9,30 | 0,10 | 4 x M 10 |
| | SBH 400 | 400 | 410 | 195 | 244 | - | - | 33,9 | 1830 | 2,88 | 8,90 | 0,11 | 3 x M 10 |
| | SBH 422 | 422 | 410 | 195 | 268 | - | - | 37,0 | 2040 | 3,27 | 10,1 | 0,10 | 3 x M 10 |
| | SBH 440 | 440 | 410 | 195 | 268 | - | - | 37,4 | 2040 | 3,21 | 9,90 | 0,10 | 3 x M 10 |
| | SBH 460 | 460 | 410 | 195 | 268 | - | - | 38,3 | 2020 | 3,11 | 9,60 | 0,09 | 3 x M 10 |
| | SBH 471 | 471 | 354 | 195 | 353 | - | - | 42,2 | 2700 | 3,50 | 10,8 | 0,08 | 4 x M 10 |
| | SBH 491 | 491 | 354 | 195 | 378 | - | - | 45,1 | 2890 | 3,79 | 11,7 | 0,08 | 5 x M 10 |
| | SBH 510 | 510 | 410 | 195 | 305 | - | - | 42,7 | 2310 | 3,56 | 11,0 | 0,08 | 4 x M 10 |
| | SBH 560 | 560 | 410 | 195 | 353 | - | - | 49,2 | 2720 | 4,34 | 13,4 | 0,08 | 4 x M 10 |
| | SBH 590 | 590 | 354 | 195 | 438 | - | - | 52,6 | 3370 | 4,37 | 13,5 | 0,07 | 5 x M 10 |
| | SBH 600 | 600 | 410 | 195 | 353 | - | - | 50,6 | 2700 | 4,18 | 12,9 | 0,07 | 4 x M 10 |
| | SBH 615 | 615 | 410 | 195 | 353 | - | - | 51,0 | 2700 | 4,15 | 12,8 | 0,07 | 4 x M 10 |
| SBH 640 | 640 | 410 | 195 | 378 | - | - | 53,2 | 2890 | 4,47 | 13,8 | 0,07 | 5 x M 10 | |
| SBH 655 | 655 | 410 | 195 | 390 | - | - | 55,0 | 2990 | 4,67 | 14,4 | 0,07 | 5 x M 10 | |
| SBH 670 | 670 | 410 | 195 | 402 | - | - | 56,7 | 3100 | 4,86 | 15,0 | 0,06 | 5 x M 10 | |
| SBH 705 | 705 | 410 | 195 | 438 | - | - | 61,5 | 3410 | 5,41 | 16,7 | 0,06 | 5 x M 10 | |
| SBH 765 | 765 | 410 | 195 | 438 | - | - | 63,7 | 3370 | 5,18 | 16,0 | 0,06 | 5 x M 10 | |
| SBH 800 | 800 | 410 | 195 | 463 | - | - | 65,9 | 3560 | 5,51 | 17,0 | 0,05 | 6 x M 10 | |
| SBH 865 | 865 | 410 | 195 | 498 | - | - | 72,6 | 3850 | 5,90 | 18,2 | 0,05 | 6 x M 10 | |
| SBH 920 | 920 | 410 | 195 | 523 | - | - | 76,4 | 4050 | 6,19 | 19,1 | 0,05 | 6 x M 10 | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

SBH Capacities and dimensions - Imperial units

| Connection | Cell type | Capacity (C ₅ Ah) | Height* (in) | Width (in) | Length per block (in) | | | Approx. weight per cell (lbs) | Approx. electrolyte volume between level marks (in ³) | Electrolyte per cell | | Internal resistance (mOhm) | Cell connection bolt per pole |
|----------------------|-----------|------------------------------|--------------|------------|-----------------------|---------|---------|-------------------------------|---|----------------------|------------------|----------------------------|-------------------------------|
| | | | | | 1 cell | 2 cells | 3 cells | | | Solid (lbs) | Liquid (US Gal.) | | |
| NORMAL CONNECTION | SBH 8,3 | 8,3 | 10,2 | 4,84 | - | 2,09 | 3,03 | 2,43 | 4,88 | 0,26 | 0,10 | 3,61 | M 6 |
| | SBH 12 | 12 | 10,2 | 4,84 | - | 2,52 | 3,68 | 3,31 | 6,71 | 0,31 | 0,12 | 2,50 | M 6 |
| | SBH 16 | 16 | 10,2 | 4,84 | - | 2,91 | 4,27 | 3,97 | 7,32 | 0,35 | 0,13 | 1,88 | M 6 |
| | SBH 19 | 19 | 13,5 | 7,68 | - | 2,24 | 3,23 | 6,17 | 11,6 | 0,64 | 0,24 | 2,05 | M 6 |
| | SBH 29 | 29 | 13,5 | 7,68 | - | 2,72 | 3,94 | 8,16 | 14,0 | 0,79 | 0,29 | 1,34 | M 6 |
| | SBH 39 | 39 | 13,8 | 7,68 | - | 3,11 | 4,53 | 9,92 | 16,5 | 0,86 | 0,32 | 1,00 | M 8 |
| | SBH 49 | 49 | 13,8 | 7,68 | - | 3,70 | 5,41 | 11,9 | 20,7 | 1,07 | 0,40 | 0,80 | M 8 |
| | SBH 59 | 59 | 13,8 | 7,68 | - | 4,06 | 5,94 | 13,7 | 22,6 | 1,14 | 0,42 | 0,66 | M 10 |
| | SBH 69 | 69 | 13,8 | 7,68 | - | 5,00 | 7,36 | 16,1 | 28,7 | 1,50 | 0,55 | 0,57 | M 10 |
| | SBH 79 | 79 | 13,8 | 7,68 | - | 5,00 | 7,36 | 17,0 | 28,7 | 1,43 | 0,53 | 0,49 | M 10 |
| | SBH 88 | 88 | 13,8 | 7,68 | - | 6,26 | 9,13 | 20,1 | 35,4 | 1,79 | 0,66 | 0,44 | M 10 |
| | SBH 98 | 98 | 13,8 | 7,68 | - | 6,26 | 9,13 | 20,7 | 34,8 | 1,71 | 0,63 | 0,40 | M 10 |
| | SBH 110 | 110 | 13,8 | 7,68 | - | 7,20 | 10,6 | 23,4 | 41,5 | 2,07 | 0,77 | 0,35 | M 10 |
| | SBH 118 | 118 | 13,8 | 7,68 | - | 7,20 | 10,6 | 24,3 | 40,9 | 1,93 | 0,71 | 0,33 | M 10 |
| | SBH 137 | 137 | 13,8 | 7,68 | - | 9,96 | 14,7 | 32,0 | 58,0 | 2,93 | 1,08 | 0,28 | 2 x M 10 |
| SBH 157 | 157 | 13,8 | 7,68 | - | 9,96 | 14,7 | 33,7 | 57,4 | 2,79 | 1,03 | 0,25 | 2 x M 10 | |
| CROSSWISE CONNECTION | SBH 177 | 177 | 13,9 | 7,68 | 6,26 | - | - | 38,8 | 71,4 | 3,50 | 1,29 | 0,22 | 2 x M 10 |
| | SBH 196 | 196 | 13,9 | 7,68 | 6,26 | - | - | 40,3 | 70,2 | 3,36 | 1,24 | 0,20 | 2 x M 10 |
| | SBH 204 | 204 | 16,1 | 7,68 | 5,24 | - | - | 39,7 | 57,4 | 3,29 | 1,22 | 0,21 | 2 x M 10 |
| | SBH 236 | 236 | 13,9 | 7,68 | 7,20 | - | - | 47,2 | 82,4 | 3,86 | 1,43 | 0,17 | 2 x M 10 |
| | SBH 256 | 256 | 16,1 | 7,68 | 6,26 | - | - | 47,8 | 70,2 | 3,93 | 1,45 | 0,17 | 2 x M 10 |
| | SBH 265 | 265 | 13,9 | 7,68 | 9,13 | - | - | 57,5 | 107 | 5,29 | 1,95 | 0,15 | 3 x M 10 |
| | SBH 270 | 270 | 16,1 | 7,68 | 6,73 | - | - | 51,6 | 76,9 | 4,36 | 1,61 | 0,16 | 2 x M 10 |
| | SBH 281 | 281 | 16,1 | 7,68 | 7,20 | - | - | 54,7 | 83,0 | 4,79 | 1,77 | 0,15 | 2 x M 10 |
| | SBH 294 | 294 | 13,9 | 7,68 | 9,13 | - | - | 60,0 | 106 | 5,00 | 1,85 | 0,13 | 3 x M 10 |
| | SBH 307 | 307 | 16,1 | 7,68 | 7,20 | - | - | 56,4 | 82,4 | 4,57 | 1,69 | 0,14 | 2 x M 10 |
| | SBH 323 | 323 | 16,1 | 7,68 | 8,11 | - | - | 61,9 | 93,4 | 5,36 | 1,98 | 0,13 | 3 x M 10 |
| | SBH 345 | 345 | 16,1 | 7,68 | 9,13 | - | - | 68,1 | 107 | 6,29 | 2,32 | 0,12 | 3 x M 10 |
| | SBH 353 | 353 | 13,9 | 7,68 | 10,6 | - | - | 70,1 | 123 | 5,79 | 2,14 | 0,11 | 3 x M 10 |
| | SBH 363 | 363 | 16,1 | 7,68 | 9,13 | - | - | 69,0 | 106 | 6,14 | 2,27 | 0,12 | 3 x M 10 |
| | SBH 383 | 383 | 16,1 | 7,68 | 9,13 | - | - | 71,0 | 106 | 5,93 | 2,19 | 0,11 | 3 x M 10 |
| | SBH 393 | 393 | 13,9 | 7,68 | 12,0 | - | - | 79,6 | 141 | 6,64 | 2,46 | 0,10 | 4 x M 10 |
| | SBH 400 | 400 | 16,1 | 7,68 | 9,61 | - | - | 74,7 | 112 | 6,36 | 2,35 | 0,11 | 3 x M 10 |
| | SBH 422 | 422 | 16,1 | 7,68 | 10,6 | - | - | 81,6 | 124 | 7,21 | 2,67 | 0,10 | 3 x M 10 |
| | SBH 440 | 440 | 16,1 | 7,68 | 10,6 | - | - | 82,5 | 124 | 7,07 | 2,62 | 0,10 | 3 x M 10 |
| | SBH 460 | 460 | 16,1 | 7,68 | 10,6 | - | - | 84,4 | 123 | 6,86 | 2,54 | 0,09 | 3 x M 10 |
| | SBH 471 | 471 | 13,9 | 7,68 | 13,9 | - | - | 93,0 | 165 | 7,71 | 2,85 | 0,08 | 4 x M 10 |
| | SBH 491 | 491 | 13,9 | 7,68 | 14,9 | - | - | 99,4 | 176 | 8,36 | 3,09 | 0,08 | 5 x M 10 |
| | SBH 510 | 510 | 16,1 | 7,68 | 12,0 | - | - | 94,1 | 141 | 7,86 | 2,91 | 0,08 | 4 x M 10 |
| | SBH 560 | 560 | 16,1 | 7,68 | 13,9 | - | - | 108 | 166 | 9,57 | 3,54 | 0,08 | 4 x M 10 |
| | SBH 590 | 590 | 13,9 | 7,68 | 17,2 | - | - | 116 | 206 | 9,64 | 3,57 | 0,07 | 5 x M 10 |
| | SBH 600 | 600 | 16,1 | 7,68 | 13,9 | - | - | 112 | 165 | 9,21 | 3,41 | 0,07 | 4 x M 10 |
| | SBH 615 | 615 | 16,1 | 7,68 | 13,9 | - | - | 112 | 165 | 9,14 | 3,38 | 0,07 | 4 x M 10 |
| SBH 640 | 640 | 16,1 | 7,68 | 14,9 | - | - | 117 | 176 | 9,86 | 3,65 | 0,07 | 5 x M 10 | |
| SBH 655 | 655 | 16,1 | 7,68 | 15,4 | - | - | 121 | 182 | 10,3 | 3,80 | 0,07 | 5 x M 10 | |
| SBH 670 | 670 | 16,1 | 7,68 | 15,8 | - | - | 125 | 189 | 10,7 | 3,96 | 0,06 | 5 x M 10 | |
| SBH 705 | 705 | 16,1 | 7,68 | 17,2 | - | - | 136 | 208 | 11,9 | 4,41 | 0,06 | 5 x M 10 | |
| SBH 765 | 765 | 16,1 | 7,68 | 17,2 | - | - | 140 | 206 | 11,4 | 4,23 | 0,06 | 5 x M 10 | |
| SBH 800 | 800 | 16,1 | 7,68 | 18,2 | - | - | 145 | 217 | 12,1 | 4,49 | 0,05 | 6 x M 10 | |
| SBH 865 | 865 | 16,1 | 7,68 | 19,6 | - | - | 160 | 235 | 13,0 | 4,81 | 0,05 | 6 x M 10 | |
| SBH 920 | 920 | 16,1 | 7,68 | 20,6 | - | - | 168 | 247 | 13,6 | 5,05 | 0,05 | 6 x M 10 | |

* Height including the IP2X terminal cover - The grey line distinguishes the normal mounted cells from the crosswise cells.

SBH Performance after prolonged float charge of fully charged cells

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.00 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBH 8,3 | 8,3 | 1,04 | 1,66 | 2,73 | 4,05 | 5,34 | 7,78 | 14,1 | 18,8 | 21,7 | 25,8 | 32,0 | 43,0 | 48,6 | 61,7 | 65,4 |
| SBH 12 | 12 | 1,50 | 2,40 | 3,95 | 5,86 | 7,73 | 11,3 | 20,4 | 27,2 | 31,3 | 37,3 | 46,3 | 62,2 | 70,2 | 89,3 | 94,5 |
| SBH 16 | 16 | 2,00 | 3,20 | 5,26 | 7,81 | 10,3 | 15,0 | 27,2 | 36,3 | 41,8 | 49,8 | 61,8 | 82,9 | 93,6 | 119 | 126 |
| SBH 19 | 19 | 2,38 | 3,80 | 6,24 | 9,27 | 12,2 | 17,9 | 32,8 | 44,0 | 51,2 | 61,0 | 75,6 | 97,9 | 112 | 141 | 155 |
| SBH 29 | 29 | 3,64 | 5,80 | 9,53 | 14,1 | 18,6 | 27,3 | 50,0 | 67,2 | 78,2 | 93,1 | 115 | 149 | 170 | 215 | 236 |
| SBH 39 | 39 | 4,89 | 7,80 | 12,8 | 19,0 | 25,1 | 36,7 | 67,3 | 90,3 | 105 | 125 | 155 | 201 | 229 | 289 | 317 |
| SBH 49 | 49 | 6,15 | 9,8 | 16,1 | 23,9 | 31,5 | 46,1 | 84,5 | 114 | 132 | 157 | 195 | 253 | 288 | 363 | 399 |
| SBH 59 | 59 | 7,41 | 11,8 | 19,4 | 28,8 | 37,9 | 55,4 | 102 | 137 | 159 | 189 | 235 | 304 | 347 | 437 | 480 |
| SBH 69 | 69 | 8,66 | 13,8 | 22,7 | 33,7 | 44,4 | 64,8 | 119 | 160 | 186 | 221 | 275 | 356 | 406 | 511 | 561 |
| SBH 79 | 79 | 9,92 | 15,8 | 26,0 | 38,5 | 50,8 | 74,2 | 136 | 183 | 213 | 253 | 314 | 407 | 464 | 585 | 642 |
| SBH 88 | 88 | 11,0 | 17,6 | 28,9 | 42,9 | 56,6 | 82,7 | 152 | 204 | 237 | 282 | 350 | 453 | 517 | 652 | 716 |
| SBH 98 | 98 | 12,3 | 19,6 | 32,2 | 47,8 | 63,0 | 92,1 | 169 | 227 | 264 | 314 | 390 | 505 | 576 | 726 | 797 |
| SBH 110 | 110 | 13,8 | 22,0 | 36,1 | 53,7 | 70,7 | 103 | 190 | 255 | 297 | 353 | 438 | 567 | 647 | 815 | 895 |
| SBH 118 | 118 | 14,8 | 23,6 | 38,8 | 57,6 | 75,9 | 111 | 203 | 273 | 318 | 379 | 470 | 608 | 694 | 874 | 960 |
| SBH 137 | 137 | 17,2 | 27,4 | 45,0 | 66,8 | 88,1 | 129 | 236 | 317 | 369 | 440 | 545 | 706 | 805 | 1015 | 1114 |
| SBH 157 | 157 | 19,7 | 31,4 | 51,6 | 76,6 | 101 | 148 | 271 | 364 | 423 | 504 | 625 | 809 | 923 | 1163 | 1277 |
| SBH 177 | 177 | 22,2 | 35,4 | 58,2 | 86,3 | 114 | 166 | 305 | 410 | 477 | 568 | 704 | 912 | 1040 | 1311 | 1439 |
| SBH 196 | 196 | 24,6 | 39,2 | 64,4 | 95,6 | 126 | 184 | 338 | 454 | 529 | 629 | 780 | 1010 | 1152 | 1452 | 1594 |
| SBH 204 | 204 | 25,6 | 40,8 | 67,3 | 100 | 131 | 192 | 349 | 469 | 537 | 635 | 770 | 967 | 1091 | 1327 | 1411 |
| SBH 236 | 236 | 29,6 | 47,2 | 77,5 | 115 | 152 | 222 | 407 | 547 | 636 | 757 | 939 | 1216 | 1387 | 1748 | 1919 |
| SBH 256 | 256 | 32,1 | 51,2 | 84,5 | 125 | 165 | 241 | 438 | 588 | 674 | 797 | 966 | 1213 | 1369 | 1665 | 1771 |
| SBH 265 | 265 | 33,3 | 53,0 | 87,1 | 129 | 170 | 249 | 457 | 614 | 715 | 850 | 1055 | 1366 | 1558 | 1963 | 2155 |
| SBH 270 | 270 | 33,8 | 54,0 | 89,1 | 132 | 174 | 254 | 462 | 621 | 711 | 840 | 1019 | 1279 | 1444 | 1756 | 1868 |
| SBH 281 | 281 | 35,2 | 56,2 | 92,7 | 137 | 181 | 265 | 481 | 646 | 740 | 874 | 1061 | 1332 | 1503 | 1827 | 1944 |
| SBH 294 | 294 | 36,9 | 58,8 | 96,6 | 143 | 189 | 276 | 507 | 681 | 793 | 943 | 1170 | 1515 | 1728 | 2178 | 2391 |
| SBH 307 | 307 | 38,5 | 61,4 | 101 | 150 | 198 | 289 | 525 | 706 | 809 | 955 | 1159 | 1455 | 1642 | 1997 | 2124 |
| SBH 323 | 323 | 40,5 | 64,6 | 107 | 158 | 208 | 304 | 552 | 742 | 851 | 1005 | 1219 | 1531 | 1728 | 2101 | 2234 |
| SBH 345 | 345 | 43,2 | 69,0 | 114 | 169 | 222 | 325 | 590 | 793 | 909 | 1074 | 1302 | 1635 | 1845 | 2244 | 2386 |
| SBH 353 | 353 | 44,3 | 70,6 | 116 | 172 | 227 | 332 | 609 | 818 | 952 | 1133 | 1405 | 1819 | 2075 | 2615 | 2871 |
| SBH 363 | 363 | 45,5 | 72,6 | 120 | 178 | 234 | 342 | 621 | 834 | 956 | 1130 | 1370 | 1720 | 1942 | 2361 | 2511 |
| SBH 383 | 383 | 48,0 | 76,6 | 126 | 187 | 247 | 361 | 655 | 880 | 1009 | 1192 | 1446 | 1815 | 2049 | 2491 | 2649 |
| SBH 393 | 393 | 49,3 | 78,6 | 129 | 192 | 253 | 369 | 678 | 910 | 1060 | 1261 | 1564 | 2025 | 2310 | 2911 | 3196 |
| SBH 400 | 400 | 50,1 | 80,0 | 132 | 196 | 258 | 377 | 684 | 919 | 1054 | 1245 | 1510 | 1895 | 2139 | 2601 | 2767 |
| SBH 422 | 422 | 52,9 | 84,4 | 139 | 206 | 272 | 398 | 722 | 970 | 1112 | 1313 | 1593 | 2000 | 2257 | 2744 | 2919 |
| SBH 440 | 440 | 55,1 | 88,0 | 145 | 215 | 283 | 415 | 753 | 1011 | 1159 | 1369 | 1661 | 2085 | 2353 | 2861 | 3044 |
| SBH 460 | 460 | 57,6 | 92,0 | 152 | 225 | 296 | 433 | 787 | 1057 | 1212 | 1432 | 1736 | 2180 | 2460 | 2992 | 3182 |
| SBH 471 | 471 | 59,1 | 94,2 | 155 | 230 | 303 | 443 | 812 | 1091 | 1270 | 1511 | 1875 | 2427 | 2768 | 3489 | 3830 |
| SBH 491 | 491 | 61,6 | 98,2 | 161 | 239 | 316 | 461 | 847 | 1137 | 1324 | 1575 | 1954 | 2530 | 2886 | 3637 | 3993 |
| SBH 510 | 510 | 63,9 | 102 | 168 | 249 | 328 | 481 | 872 | 1172 | 1343 | 1587 | 1925 | 2417 | 2728 | 3317 | 3528 |
| SBH 560 | 560 | 70,2 | 112 | 185 | 274 | 361 | 528 | 958 | 1287 | 1475 | 1743 | 2114 | 2654 | 2995 | 3642 | 3874 |
| SBH 590 | 590 | 74,1 | 118 | 194 | 288 | 379 | 554 | 1017 | 1367 | 1591 | 1893 | 2348 | 3040 | 3468 | 4371 | 4798 |
| SBH 600 | 600 | 75,2 | 120 | 198 | 293 | 386 | 565 | 1026 | 1379 | 1581 | 1867 | 2265 | 2843 | 3209 | 3902 | 4150 |
| SBH 615 | 615 | 77,0 | 123 | 203 | 301 | 396 | 579 | 1052 | 1414 | 1620 | 1914 | 2321 | 2914 | 3289 | 4000 | 4254 |
| SBH 640 | 640 | 80,2 | 128 | 211 | 313 | 412 | 603 | 1095 | 1471 | 1686 | 1992 | 2416 | 3033 | 3423 | 4162 | 4427 |
| SBH 655 | 655 | 82,1 | 131 | 216 | 320 | 422 | 617 | 1120 | 1506 | 1725 | 2038 | 2472 | 3104 | 3503 | 4260 | 4531 |
| SBH 670 | 670 | 83,9 | 134 | 221 | 328 | 431 | 631 | 1146 | 1540 | 1765 | 2085 | 2529 | 3175 | 3584 | 4357 | 4635 |
| SBH 705 | 705 | 88,3 | 141 | 233 | 345 | 454 | 664 | 1206 | 1620 | 1857 | 2194 | 2661 | 3341 | 3771 | 4585 | 4877 |
| SBH 765 | 765 | 95,8 | 153 | 253 | 374 | 493 | 721 | 1308 | 1758 | 2015 | 2381 | 2888 | 3625 | 4092 | 4975 | 5292 |
| SBH 800 | 800 | 100 | 160 | 264 | 391 | 515 | 754 | 1368 | 1839 | 2107 | 2490 | 3020 | 3791 | 4279 | 5203 | 5534 |
| SBH 865 | 865 | 108 | 173 | 286 | 423 | 557 | 815 | 1479 | 1988 | 2279 | 2692 | 3265 | 4099 | 4627 | 5625 | 5983 |
| SBH 920 | 920 | 115 | 184 | 304 | 450 | 592 | 867 | 1573 | 2115 | 2424 | 2863 | 3473 | 4359 | 4921 | 5983 | 6364 |

* Height including the IP2X terminal cover

SBH Performance after prolonged float charge of fully charged cells

Available Amperes at +20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.05 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBH 8,3 | 8,3 | 1,03 | 1,63 | 2,69 | 3,97 | 5,2 | 7,57 | 13,4 | 16,1 | 18,6 | 22,0 | 26,2 | 35,5 | 41,7 | 50,9 | 55,0 |
| SBH 12 | 12 | 1,49 | 2,36 | 3,89 | 5,74 | 7,6 | 11,0 | 19,4 | 23,3 | 26,9 | 31,8 | 37,9 | 51,3 | 60,3 | 73,7 | 79,5 |
| SBH 16 | 16 | 1,98 | 3,15 | 5,18 | 7,65 | 10,1 | 14,6 | 25,8 | 31,0 | 35,8 | 42,4 | 50,6 | 68,4 | 80,4 | 98,2 | 106 |
| SBH 19 | 19 | 2,37 | 3,74 | 6,17 | 9,09 | 11,9 | 17,3 | 31,0 | 38,0 | 43,8 | 52,0 | 61,6 | 83,4 | 95,0 | 117 | 126 |
| SBH 29 | 29 | 3,61 | 5,71 | 9,41 | 13,9 | 18,2 | 26,3 | 47,3 | 58,0 | 66,9 | 79,3 | 94,0 | 127 | 145 | 179 | 192 |
| SBH 39 | 39 | 4,86 | 7,68 | 12,7 | 18,7 | 24,5 | 35,4 | 63,7 | 78,0 | 90,0 | 107 | 126 | 171 | 195 | 241 | 258 |
| SBH 49 | 49 | 6,10 | 9,7 | 15,9 | 23,5 | 30,8 | 44,5 | 80,0 | 98,0 | 113 | 134 | 159 | 215 | 245 | 303 | 325 |
| SBH 59 | 59 | 7,34 | 11,6 | 19,1 | 28,2 | 37,1 | 53,6 | 96,3 | 118 | 136 | 161 | 191 | 259 | 295 | 364 | 391 |
| SBH 69 | 69 | 8,59 | 13,6 | 22,4 | 33,0 | 43 | 62,7 | 113 | 138 | 159 | 189 | 224 | 303 | 345 | 426 | 457 |
| SBH 79 | 79 | 9,83 | 15,6 | 25,6 | 37,8 | 50 | 71,7 | 129 | 158 | 182 | 216 | 256 | 347 | 395 | 488 | 523 |
| SBH 88 | 88 | 11,0 | 17,3 | 28,6 | 42,1 | 55 | 79,9 | 144 | 176 | 203 | 241 | 285 | 386 | 440 | 543 | 583 |
| SBH 98 | 98 | 12,2 | 19,3 | 31,8 | 46,9 | 62 | 89,0 | 160 | 196 | 226 | 268 | 318 | 430 | 490 | 605 | 649 |
| SBH 110 | 110 | 13,7 | 21,7 | 35,7 | 52,6 | 69 | 100 | 180 | 220 | 254 | 301 | 357 | 483 | 550 | 679 | 728 |
| SBH 118 | 118 | 14,7 | 23,2 | 38,3 | 56,5 | 74 | 107 | 193 | 236 | 272 | 323 | 383 | 518 | 590 | 728 | 781 |
| SBH 137 | 137 | 17,1 | 27,0 | 44,5 | 65,6 | 86 | 124 | 224 | 274 | 316 | 375 | 444 | 601 | 685 | 846 | 907 |
| SBH 157 | 157 | 19,5 | 30,9 | 50,9 | 75,1 | 99 | 143 | 256 | 314 | 362 | 430 | 509 | 689 | 785 | 969 | 1040 |
| SBH 177 | 177 | 22,0 | 34,9 | 57,4 | 84,7 | 111 | 161 | 289 | 354 | 408 | 484 | 574 | 777 | 885 | 1093 | 1172 |
| SBH 196 | 196 | 24,4 | 38,6 | 63,6 | 93,8 | 123 | 178 | 320 | 392 | 452 | 536 | 636 | 860 | 980 | 1210 | 1298 |
| SBH 204 | 204 | 25,3 | 40,2 | 66,2 | 98,0 | 128 | 186 | 331 | 402 | 457 | 538 | 626 | 811 | 916 | 1104 | 1151 |
| SBH 236 | 236 | 29,4 | 46 | 77 | 113 | 148 | 214 | 385 | 472 | 544 | 646 | 765 | 1036 | 1180 | 1457 | 1563 |
| SBH 256 | 256 | 31,8 | 50 | 83 | 123 | 161 | 233 | 416 | 505 | 574 | 675 | 785 | 1018 | 1149 | 1386 | 1445 |
| SBH 265 | 265 | 33,0 | 52 | 86 | 127 | 167 | 241 | 433 | 530 | 611 | 725 | 859 | 1163 | 1325 | 1636 | 1755 |
| SBH 270 | 270 | 33,5 | 53 | 88 | 130 | 170 | 246 | 438 | 532 | 605 | 712 | 828 | 1074 | 1212 | 1462 | 1524 |
| SBH 281 | 281 | 34,9 | 55 | 91 | 135 | 177 | 256 | 456 | 554 | 630 | 741 | 862 | 1117 | 1261 | 1521 | 1586 |
| SBH 294 | 294 | 36,6 | 58 | 95 | 141 | 185 | 267 | 480 | 588 | 678 | 804 | 953 | 1290 | 1470 | 1815 | 1947 |
| SBH 307 | 307 | 38,1 | 61 | 100 | 147 | 193 | 280 | 498 | 605 | 688 | 809 | 942 | 1221 | 1378 | 1662 | 1732 |
| SBH 323 | 323 | 40,1 | 64 | 105 | 155 | 203 | 295 | 524 | 637 | 724 | 851 | 991 | 1284 | 1450 | 1749 | 1823 |
| SBH 345 | 345 | 42,8 | 68 | 112 | 166 | 217 | 315 | 560 | 680 | 773 | 909 | 1058 | 1372 | 1548 | 1868 | 1947 |
| SBH 353 | 353 | 43,9 | 70 | 115 | 169 | 222 | 321 | 576 | 706 | 814 | 966 | 1145 | 1549 | 1765 | 2179 | 2338 |
| SBH 363 | 363 | 45,1 | 72 | 118 | 174 | 229 | 331 | 589 | 716 | 814 | 957 | 1114 | 1443 | 1629 | 1965 | 2048 |
| SBH 383 | 383 | 47,6 | 76 | 124 | 184 | 241 | 349 | 622 | 755 | 859 | 1010 | 1175 | 1523 | 1719 | 2074 | 2161 |
| SBH 393 | 393 | 48,8 | 77 | 128 | 189 | 247 | 358 | 638 | 775 | 881 | 1036 | 1206 | 1563 | 1764 | 2128 | 2218 |
| SBH 400 | 400 | 49,7 | 79 | 130 | 192 | 252 | 365 | 649 | 789 | 897 | 1054 | 1227 | 1590 | 1795 | 2166 | 2257 |
| SBH 422 | 422 | 52,4 | 83 | 137 | 203 | 266 | 385 | 685 | 832 | 946 | 1112 | 1295 | 1678 | 1894 | 2285 | 2381 |
| SBH 440 | 440 | 54,6 | 87 | 143 | 211 | 277 | 401 | 714 | 868 | 986 | 1160 | 1350 | 1749 | 1975 | 2382 | 2483 |
| SBH 460 | 460 | 57,1 | 91 | 149 | 221 | 290 | 419 | 747 | 907 | 1031 | 1213 | 1411 | 1829 | 2064 | 2490 | 2596 |
| SBH 471 | 471 | 58,5 | 93 | 153 | 226 | 297 | 429 | 764 | 929 | 1056 | 1242 | 1445 | 1873 | 2114 | 2550 | 2658 |
| SBH 491 | 491 | 61,0 | 97 | 159 | 236 | 309 | 448 | 797 | 968 | 1101 | 1294 | 1506 | 1952 | 2204 | 2658 | 2771 |
| SBH 510 | 510 | 63,3 | 101 | 166 | 245 | 321 | 465 | 828 | 1006 | 1143 | 1344 | 1564 | 2028 | 2289 | 2761 | 2878 |
| SBH 560 | 560 | 69,5 | 110 | 182 | 269 | 353 | 511 | 909 | 1104 | 1255 | 1476 | 1718 | 2227 | 2513 | 3032 | 3160 |
| SBH 590 | 590 | 73,4 | 116 | 191 | 282 | 371 | 536 | 963 | 1180 | 1361 | 1614 | 1913 | 2589 | 2950 | 3642 | 3907 |
| SBH 600 | 600 | 74,5 | 118 | 195 | 288 | 378 | 547 | 974 | 1183 | 1345 | 1582 | 1841 | 2386 | 2693 | 3248 | 3386 |
| SBH 615 | 615 | 76,4 | 121 | 200 | 295 | 387 | 561 | 998 | 1213 | 1379 | 1621 | 1887 | 2445 | 2760 | 3330 | 3470 |
| SBH 640 | 640 | 79,5 | 126 | 208 | 307 | 403 | 584 | 1039 | 1262 | 1435 | 1687 | 1963 | 2545 | 2872 | 3465 | 3611 |
| SBH 655 | 655 | 81,3 | 129 | 213 | 315 | 412 | 597 | 1063 | 1291 | 1468 | 1727 | 2009 | 2604 | 2940 | 3546 | 3696 |
| SBH 670 | 670 | 83,2 | 132 | 217 | 322 | 422 | 611 | 1087 | 1321 | 1502 | 1766 | 2055 | 2664 | 3007 | 3627 | 3781 |
| SBH 705 | 705 | 87,5 | 139 | 229 | 339 | 444 | 643 | 1144 | 1390 | 1580 | 1858 | 2163 | 2803 | 3164 | 3817 | 3978 |
| SBH 765 | 765 | 95,0 | 151 | 248 | 368 | 482 | 698 | 1242 | 1508 | 1715 | 2017 | 2347 | 3042 | 3433 | 4142 | 4317 |
| SBH 800 | 800 | 99,3 | 158 | 260 | 384 | 504 | 729 | 1298 | 1577 | 1793 | 2109 | 2454 | 3181 | 3590 | 4331 | 4514 |
| SBH 865 | 865 | 107 | 171 | 281 | 416 | 545 | 789 | 1404 | 1706 | 1939 | 2280 | 2653 | 3439 | 3882 | 4683 | 4881 |
| SBH 920 | 920 | 114 | 181 | 299 | 442 | 579 | 839 | 1493 | 1814 | 2062 | 2425 | 2822 | 3658 | 4129 | 4981 | 5191 |

* Height including the IP2X terminal cover

SBH Performance after prolonged float charge of fully charged cells

Available Amperes at + 20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.10 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|------|------|---------|------|------|------|------|------|---------|------|------|
| | | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBH 8,3 | 8,3 | 1,01 | 1,59 | 2,61 | 3,84 | 5,02 | 7,09 | 10,8 | 12,9 | 14,5 | 16,5 | 20,5 | 28,2 | 32,8 | 41,5 | 43,7 |
| SBH 12 | 12 | 1,46 | 2,30 | 3,78 | 5,56 | 7,26 | 10,2 | 15,6 | 18,6 | 21,0 | 23,9 | 29,6 | 40,8 | 47,4 | 60,0 | 63,2 |
| SBH 16 | 16 | 1,94 | 3,07 | 5,04 | 7,41 | 9,68 | 13,7 | 20,8 | 24,8 | 28,0 | 31,9 | 39,5 | 54,4 | 63,2 | 80,0 | 84,2 |
| SBH 19 | 19 | 2,31 | 3,64 | 5,99 | 8,80 | 11,5 | 16,4 | 25,3 | 30,4 | 34,3 | 38,8 | 47,8 | 65,7 | 76,0 | 93,1 | 104 |
| SBH 29 | 29 | 3,52 | 5,56 | 9,14 | 13,4 | 17,6 | 25,0 | 38,7 | 46,4 | 52,3 | 59,2 | 72,9 | 100 | 116 | 142 | 159 |
| SBH 39 | 39 | 4,74 | 7,48 | 12,3 | 18,1 | 23,6 | 33,6 | 52,0 | 62,4 | 70,3 | 79,7 | 98,1 | 135 | 156 | 191 | 214 |
| SBH 49 | 49 | 5,95 | 9,4 | 15,5 | 22,7 | 29,7 | 42,2 | 65,3 | 78,4 | 88,4 | 100 | 123 | 170 | 196 | 240 | 269 |
| SBH 59 | 59 | 7,16 | 11,3 | 18,6 | 27,3 | 35,8 | 50,8 | 78,7 | 94,4 | 106 | 121 | 148 | 204 | 236 | 289 | 324 |
| SBH 69 | 69 | 8,38 | 13,2 | 21,8 | 32,0 | 41,8 | 59,5 | 92,0 | 110 | 124 | 141 | 174 | 239 | 276 | 338 | 379 |
| SBH 79 | 79 | 9,59 | 15,2 | 24,9 | 36,6 | 47,9 | 68,1 | 105 | 126 | 142 | 161 | 199 | 273 | 316 | 387 | 434 |
| SBH 88 | 88 | 10,7 | 16,9 | 27,7 | 40,8 | 53,3 | 75,8 | 117 | 141 | 159 | 180 | 221 | 304 | 352 | 431 | 483 |
| SBH 98 | 98 | 11,9 | 18,8 | 30,9 | 45,4 | 59,4 | 84,4 | 131 | 157 | 177 | 200 | 247 | 339 | 392 | 480 | 538 |
| SBH 110 | 110 | 13,4 | 21,1 | 34,7 | 51,0 | 66,7 | 94,8 | 147 | 176 | 198 | 225 | 277 | 381 | 440 | 539 | 604 |
| SBH 118 | 118 | 14,3 | 22,6 | 37,2 | 54,7 | 71,5 | 102 | 157 | 189 | 213 | 241 | 297 | 408 | 472 | 578 | 648 |
| SBH 137 | 137 | 16,6 | 26,3 | 43,2 | 63,5 | 83,0 | 118 | 183 | 219 | 247 | 280 | 345 | 474 | 548 | 671 | 752 |
| SBH 157 | 157 | 19,1 | 30,1 | 49,5 | 72,7 | 95,2 | 135 | 209 | 251 | 283 | 321 | 395 | 543 | 628 | 769 | 862 |
| SBH 177 | 177 | 21,5 | 34,0 | 55,8 | 82,0 | 107 | 153 | 236 | 283 | 319 | 362 | 445 | 612 | 708 | 867 | 972 |
| SBH 196 | 196 | 23,8 | 37,6 | 61,8 | 90,8 | 119 | 169 | 261 | 314 | 353 | 400 | 493 | 678 | 784 | 960 | 1076 |
| SBH 204 | 204 | 24,7 | 39,3 | 64,4 | 94,7 | 124 | 176 | 269 | 315 | 355 | 399 | 482 | 647 | 736 | 876 | 920 |
| SBH 236 | 236 | 28,7 | 45,3 | 74,4 | 109 | 143 | 203 | 315 | 378 | 426 | 482 | 594 | 816 | 944 | 1156 | 1296 |
| SBH 256 | 256 | 31,0 | 49,4 | 80,9 | 119 | 155 | 221 | 337 | 396 | 445 | 501 | 604 | 812 | 923 | 1099 | 1155 |
| SBH 265 | 265 | 32,2 | 50,8 | 83,6 | 123 | 161 | 228 | 353 | 424 | 478 | 541 | 667 | 917 | 1060 | 1298 | 1455 |
| SBH 270 | 270 | 32,6 | 52,1 | 85,3 | 125 | 164 | 233 | 356 | 417 | 469 | 529 | 637 | 856 | 974 | 1159 | 1218 |
| SBH 281 | 281 | 34,0 | 54,2 | 88,8 | 130 | 170 | 242 | 370 | 434 | 489 | 550 | 663 | 891 | 1013 | 1206 | 1267 |
| SBH 294 | 294 | 35,7 | 56,4 | 92,7 | 136 | 178 | 253 | 392 | 470 | 530 | 601 | 740 | 1017 | 1176 | 1440 | 1614 |
| SBH 307 | 307 | 37,1 | 59,2 | 97,0 | 142 | 186 | 265 | 405 | 475 | 534 | 601 | 725 | 973 | 1107 | 1318 | 1385 |
| SBH 323 | 323 | 39,1 | 62,3 | 102 | 150 | 196 | 279 | 426 | 499 | 562 | 632 | 762 | 1024 | 1165 | 1386 | 1457 |
| SBH 345 | 345 | 41,7 | 66,5 | 109 | 160 | 209 | 298 | 455 | 533 | 600 | 676 | 814 | 1094 | 1244 | 1481 | 1556 |
| SBH 353 | 353 | 42,9 | 67,7 | 111 | 164 | 214 | 304 | 471 | 565 | 637 | 721 | 888 | 1221 | 1412 | 1729 | 1938 |
| SBH 363 | 363 | 43,9 | 70,0 | 115 | 168 | 220 | 313 | 478 | 561 | 631 | 711 | 857 | 1151 | 1309 | 1558 | 1637 |
| SBH 383 | 383 | 46,3 | 73,8 | 121 | 178 | 232 | 330 | 505 | 592 | 666 | 750 | 904 | 1214 | 1381 | 1644 | 1727 |
| SBH 393 | 393 | 47,7 | 75,4 | 124 | 182 | 238 | 339 | 524 | 629 | 709 | 803 | 989 | 1359 | 1572 | 1925 | 2157 |
| SBH 400 | 400 | 48,4 | 77,1 | 126 | 186 | 243 | 345 | 527 | 618 | 695 | 783 | 944 | 1268 | 1442 | 1717 | 1804 |
| SBH 422 | 422 | 51,0 | 81,4 | 133 | 196 | 256 | 364 | 556 | 652 | 734 | 826 | 996 | 1338 | 1522 | 1811 | 1903 |
| SBH 440 | 440 | 53,2 | 84,8 | 139 | 204 | 267 | 380 | 580 | 680 | 765 | 862 | 1039 | 1395 | 1586 | 1888 | 1984 |
| SBH 460 | 460 | 55,6 | 88,7 | 145 | 213 | 279 | 397 | 606 | 711 | 800 | 901 | 1086 | 1458 | 1659 | 1974 | 2075 |
| SBH 471 | 471 | 57,2 | 90,4 | 149 | 218 | 285 | 406 | 628 | 753 | 849 | 962 | 1185 | 1629 | 1884 | 2307 | 2586 |
| SBH 491 | 491 | 59,4 | 94,7 | 155 | 228 | 298 | 424 | 647 | 759 | 854 | 961 | 1159 | 1556 | 1770 | 2107 | 2214 |
| SBH 510 | 510 | 61,7 | 98,3 | 161 | 237 | 309 | 440 | 672 | 788 | 887 | 999 | 1204 | 1617 | 1839 | 2189 | 2300 |
| SBH 560 | 560 | 67,7 | 108 | 177 | 260 | 340 | 483 | 738 | 866 | 974 | 1097 | 1322 | 1775 | 2019 | 2403 | 2525 |
| SBH 590 | 590 | 71,3 | 114 | 186 | 274 | 358 | 509 | 778 | 912 | 1026 | 1155 | 1393 | 1870 | 2127 | 2532 | 2661 |
| SBH 600 | 600 | 72,5 | 116 | 190 | 278 | 364 | 518 | 791 | 927 | 1043 | 1175 | 1416 | 1902 | 2163 | 2575 | 2706 |
| SBH 615 | 615 | 74,4 | 119 | 194 | 285 | 373 | 531 | 811 | 951 | 1069 | 1204 | 1452 | 1950 | 2217 | 2640 | 2774 |
| SBH 640 | 640 | 77,4 | 123 | 202 | 297 | 388 | 552 | 844 | 989 | 1113 | 1253 | 1511 | 2029 | 2308 | 2747 | 2886 |
| SBH 655 | 655 | 79,2 | 126 | 207 | 304 | 397 | 565 | 863 | 1012 | 1139 | 1283 | 1546 | 2076 | 2362 | 2811 | 2954 |
| SBH 670 | 670 | 81,0 | 129 | 212 | 311 | 407 | 578 | 883 | 1036 | 1165 | 1312 | 1582 | 2124 | 2416 | 2876 | 3022 |
| SBH 705 | 705 | 85,2 | 136 | 223 | 327 | 428 | 608 | 929 | 1090 | 1226 | 1381 | 1664 | 2235 | 2542 | 3026 | 3179 |
| SBH 765 | 765 | 92,5 | 148 | 242 | 355 | 464 | 660 | 1008 | 1182 | 1330 | 1498 | 1806 | 2425 | 2758 | 3283 | 3450 |
| SBH 800 | 800 | 96,7 | 154 | 253 | 371 | 485 | 690 | 1054 | 1237 | 1391 | 1567 | 1888 | 2536 | 2885 | 3434 | 3608 |
| SBH 865 | 865 | 105 | 167 | 273 | 401 | 525 | 746 | 1140 | 1337 | 1504 | 1694 | 2042 | 2742 | 3119 | 3713 | 3901 |
| SBH 920 | 920 | 111 | 177 | 291 | 427 | 558 | 794 | 1213 | 1422 | 1599 | 1802 | 2172 | 2916 | 3317 | 3949 | 4149 |

* Height including the IP2X terminal cover

SBH Performance after prolonged float charge of fully charged cells

Available Amperes at + 20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 1.14 V/cell

| Cell type | Capacity (C ₅ Ah) | Hours | | | | | | Minutes | | | | | | Seconds | | |
|-----------|---------------------------------|-------|------|------|------|-------|------|---------|------|------|------|------|------|---------|------|------|
| | | 8 | 5 | 3 | 2 | 1,5 | 1 | 30 | 20 | 15 | 10 | 5 | 1 | 30 | 5 | 1 |
| SBH 8,3 | 8,3 | 0,97 | 1,54 | 2,51 | 3,51 | 4,47 | 5,87 | 8,6 | 10,3 | 11,7 | 13,4 | 16,6 | 22,7 | 26,5 | 32,2 | 38,6 |
| SBH 12 | 12 | 1,40 | 2,22 | 3,62 | 5,08 | 6,47 | 8,49 | 12,4 | 14,9 | 16,9 | 19,4 | 23,9 | 32,8 | 38,3 | 46,5 | 55,8 |
| SBH 16 | 16 | 1,87 | 2,96 | 4,83 | 6,77 | 8,62 | 11,3 | 16,6 | 19,8 | 22,5 | 25,9 | 31,9 | 43,7 | 51,0 | 62,0 | 74,4 |
| SBH 19 | 19 | 2,23 | 3,51 | 5,76 | 8,41 | 10,9 | 14,5 | 19,8 | 23,5 | 26,4 | 29,9 | 36,6 | 52,5 | 60,9 | 76,0 | 79,9 |
| SBH 29 | 29 | 3,40 | 5,36 | 8,79 | 12,8 | 16,6 | 22,1 | 30,2 | 35,9 | 40,3 | 45,7 | 55,9 | 80,2 | 92,9 | 116 | 122 |
| SBH 39 | 39 | 4,58 | 7,20 | 11,8 | 17,3 | 22,4 | 29,7 | 40,6 | 48,3 | 54,2 | 61,4 | 75,1 | 108 | 125 | 156 | 164 |
| SBH 49 | 49 | 5,75 | 9,05 | 14,9 | 21,7 | 28,1 | 37,3 | 51,0 | 60,7 | 68,1 | 77,2 | 94,4 | 136 | 157 | 196 | 206 |
| SBH 59 | 59 | 6,92 | 10,9 | 17,9 | 26,1 | 33,8 | 44,9 | 61,4 | 73,1 | 82,0 | 92,9 | 114 | 163 | 189 | 236 | 248 |
| SBH 69 | 69 | 8,10 | 12,7 | 20,9 | 30,6 | 39,6 | 52,6 | 71,8 | 85,5 | 95,9 | 109 | 133 | 191 | 221 | 276 | 290 |
| SBH 79 | 79 | 9,27 | 14,6 | 23,9 | 35,0 | 45,3 | 60,2 | 82,2 | 97,9 | 110 | 124 | 152 | 218 | 253 | 316 | 332 |
| SBH 88 | 88 | 10,3 | 16,3 | 26,7 | 39,0 | 50,5 | 67,0 | 91,6 | 109 | 122 | 139 | 170 | 243 | 282 | 352 | 370 |
| SBH 98 | 98 | 11,5 | 18,1 | 29,7 | 43,4 | 56,2 | 74,7 | 102 | 121 | 136 | 154 | 189 | 271 | 314 | 392 | 412 |
| SBH 110 | 110 | 12,9 | 20,3 | 33,3 | 48,7 | 63,1 | 83,8 | 115 | 136 | 153 | 173 | 212 | 304 | 352 | 440 | 462 |
| SBH 118 | 118 | 13,8 | 21,8 | 35,8 | 52,3 | 67,7 | 89,9 | 123 | 146 | 164 | 186 | 227 | 326 | 378 | 472 | 496 |
| SBH 137 | 137 | 16,1 | 25,3 | 41,5 | 60,7 | 78,6 | 104 | 143 | 170 | 190 | 216 | 264 | 379 | 439 | 548 | 576 |
| SBH 157 | 157 | 18,4 | 29,0 | 47,6 | 69,5 | 90,0 | 120 | 163 | 195 | 218 | 247 | 302 | 434 | 503 | 628 | 660 |
| SBH 177 | 177 | 20,8 | 32,7 | 53,6 | 78,4 | 101,5 | 135 | 184 | 219 | 246 | 279 | 341 | 489 | 567 | 708 | 744 |
| SBH 196 | 196 | 23,0 | 36,2 | 59,4 | 86,8 | 112 | 149 | 204 | 243 | 273 | 309 | 378 | 542 | 628 | 784 | 824 |
| SBH 204 | 204 | 24,0 | 37,8 | 61,8 | 86,9 | 110 | 145 | 212 | 253 | 284 | 321 | 393 | 516 | 591 | 696 | 720 |
| SBH 236 | 236 | 27,7 | 43,6 | 71,5 | 105 | 135 | 180 | 246 | 292 | 328 | 372 | 455 | 653 | 756 | 944 | 992 |
| SBH 256 | 256 | 30,1 | 47,4 | 77,5 | 109 | 138 | 181 | 266 | 317 | 356 | 403 | 493 | 647 | 742 | 873 | 904 |
| SBH 265 | 265 | 31,1 | 48,9 | 80,3 | 117 | 152 | 202 | 276 | 328 | 368 | 417 | 511 | 733 | 849 | 1060 | 1114 |
| SBH 270 | 270 | 31,8 | 50,0 | 81,8 | 115 | 146 | 191 | 281 | 335 | 375 | 425 | 520 | 682 | 782 | 921 | 953 |
| SBH 281 | 281 | 33,1 | 52,0 | 85,1 | 120 | 152 | 199 | 293 | 348 | 391 | 442 | 541 | 710 | 814 | 958 | 992 |
| SBH 294 | 294 | 34,5 | 54,3 | 89,1 | 130 | 169 | 224 | 306 | 364 | 409 | 463 | 566 | 813 | 942 | 1176 | 1236 |
| SBH 307 | 307 | 36,1 | 56,9 | 93,0 | 131 | 166 | 218 | 320 | 380 | 427 | 483 | 591 | 776 | 890 | 1047 | 1084 |
| SBH 323 | 323 | 38,0 | 59,8 | 97,8 | 138 | 175 | 229 | 336 | 400 | 449 | 509 | 622 | 816 | 936 | 1101 | 1140 |
| SBH 345 | 345 | 40,6 | 63,9 | 104 | 147 | 187 | 245 | 359 | 428 | 480 | 543 | 665 | 872 | 1000 | 1176 | 1218 |
| SBH 353 | 353 | 41,4 | 65,2 | 107 | 156 | 202 | 269 | 367 | 437 | 491 | 556 | 680 | 976 | 1131 | 1412 | 1484 |
| SBH 363 | 363 | 42,7 | 67,2 | 110 | 155 | 196 | 257 | 378 | 450 | 505 | 572 | 699 | 917 | 1052 | 1238 | 1281 |
| SBH 383 | 383 | 45,1 | 70,9 | 116 | 163 | 207 | 272 | 399 | 475 | 533 | 603 | 738 | 968 | 1110 | 1306 | 1352 |
| SBH 393 | 393 | 46,1 | 72,6 | 119 | 174 | 225 | 299 | 409 | 487 | 546 | 619 | 757 | 1087 | 1259 | 1572 | 1652 |
| SBH 400 | 400 | 47,1 | 74,1 | 121 | 170 | 216 | 284 | 416 | 496 | 556 | 630 | 771 | 1011 | 1159 | 1364 | 1412 |
| SBH 422 | 422 | 49,6 | 78,1 | 128 | 180 | 228 | 299 | 439 | 523 | 587 | 665 | 813 | 1066 | 1223 | 1439 | 1489 |
| SBH 440 | 440 | 51,8 | 81,5 | 133 | 187 | 238 | 312 | 458 | 545 | 612 | 693 | 848 | 1112 | 1275 | 1500 | 1553 |
| SBH 460 | 460 | 54,1 | 85,2 | 139 | 196 | 249 | 326 | 479 | 570 | 640 | 724 | 886 | 1163 | 1333 | 1568 | 1624 |
| SBH 471 | 471 | 55,3 | 87,0 | 143 | 209 | 270 | 359 | 490 | 584 | 655 | 742 | 907 | 1302 | 1509 | 1884 | 1980 |
| SBH 491 | 491 | 57,6 | 90,7 | 149 | 217 | 282 | 374 | 511 | 608 | 683 | 773 | 946 | 1358 | 1573 | 1964 | 2064 |
| SBH 510 | 510 | 60,0 | 94,4 | 154 | 217 | 276 | 362 | 531 | 632 | 709 | 803 | 982 | 1289 | 1478 | 1739 | 1800 |
| SBH 560 | 560 | 65,9 | 104 | 170 | 239 | 303 | 397 | 583 | 694 | 779 | 882 | 1079 | 1415 | 1623 | 1909 | 1976 |
| SBH 590 | 590 | 69,2 | 109 | 179 | 261 | 338 | 449 | 614 | 731 | 820 | 929 | 1137 | 1632 | 1890 | 2360 | 2480 |
| SBH 600 | 600 | 70,6 | 111 | 182 | 256 | 324 | 425 | 625 | 744 | 834 | 945 | 1156 | 1516 | 1739 | 2046 | 2118 |
| SBH 615 | 615 | 72,4 | 114 | 186 | 262 | 333 | 436 | 640 | 762 | 855 | 968 | 1185 | 1554 | 1782 | 2097 | 2171 |
| SBH 640 | 640 | 75,3 | 119 | 194 | 273 | 346 | 454 | 666 | 793 | 890 | 1008 | 1233 | 1617 | 1854 | 2182 | 2259 |
| SBH 655 | 655 | 77,1 | 121 | 198 | 279 | 354 | 464 | 682 | 812 | 911 | 1031 | 1262 | 1655 | 1898 | 2233 | 2312 |
| SBH 670 | 670 | 78,8 | 124 | 203 | 285 | 362 | 475 | 697 | 830 | 932 | 1055 | 1291 | 1693 | 1941 | 2284 | 2365 |
| SBH 705 | 705 | 82,9 | 131 | 213 | 300 | 381 | 500 | 734 | 874 | 980 | 1110 | 1358 | 1782 | 2043 | 2404 | 2488 |
| SBH 765 | 765 | 90,0 | 142 | 232 | 326 | 414 | 542 | 796 | 948 | 1064 | 1205 | 1474 | 1933 | 2217 | 2608 | 2700 |
| SBH 800 | 800 | 94,1 | 148 | 242 | 341 | 433 | 567 | 833 | 991 | 1112 | 1260 | 1541 | 2022 | 2318 | 2728 | 2824 |
| SBH 865 | 865 | 102 | 160 | 262 | 368 | 468 | 613 | 900 | 1072 | 1203 | 1362 | 1666 | 2186 | 2506 | 2949 | 3053 |
| SBH 920 | 920 | 108 | 170 | 279 | 392 | 497 | 652 | 958 | 1140 | 1279 | 1449 | 1772 | 2325 | 2666 | 3137 | 3247 |

* Height including the IP2X terminal cover

SBH - Engine starting applications

Performance for fully charged cells under a constant current charge according to IEC 60623 standard

Available Amperes at + 20°C ± 5°C (+ 68°F ± 9°F)

Final voltage: 0.65 V/cell

Final voltage: 0.85 V/cell

| Cell type | Capacity (C ₅ Ah) | Minutes | | Seconds | | | | Minutes | | Seconds | | | |
|-----------|---------------------------------|---------|-------|---------|-------|-------|-------|---------|------|---------|------|------|-------|
| | | 1,5 | 1 | 30 | 15 | 5 | 1 | 1,5 | 1 | 30 | 15 | 5 | 1 |
| SBH 8,3 | 8,3 | 90,8 | 98,1 | 109 | 119 | 132 | 149 | 64,1 | 70,1 | 77,9 | 91,5 | 102 | 112 |
| SBH 12 | 12 | 131 | 142 | 158 | 171 | 190 | 216 | 92,6 | 101 | 113 | 132 | 148 | 162 |
| SBH 16 | 16 | 175 | 189 | 210 | 229 | 254 | 287 | 123 | 135 | 150 | 176 | 198 | 216 |
| SBH 19 | 19 | 215 | 230 | 253 | 275 | 306 | 341 | 151 | 163 | 182 | 209 | 235 | 256 |
| SBH 29 | 29 | 328 | 351 | 386 | 420 | 468 | 521 | 231 | 249 | 277 | 320 | 358 | 391 |
| SBH 39 | 39 | 441 | 472 | 519 | 565 | 629 | 700 | 311 | 335 | 373 | 430 | 482 | 525 |
| SBH 49 | 49 | 554 | 593 | 652 | 710 | 790 | 880 | 390 | 421 | 469 | 540 | 605 | 660 |
| SBH 59 | 59 | 667 | 714 | 785 | 855 | 951 | 1060 | 470 | 507 | 564 | 650 | 728 | 795 |
| SBH 69 | 69 | 780 | 835 | 918 | 1000 | 1112 | 1239 | 550 | 592 | 660 | 760 | 852 | 929 |
| SBH 79 | 79 | 893 | 956 | 1051 | 1145 | 1274 | 1419 | 629 | 678 | 755 | 871 | 975 | 1064 |
| SBH 88 | 88 | 942 | 993 | 1084 | 1158 | 1275 | 1382 | 654 | 696 | 768 | 848 | 936 | 1020 |
| SBH 98 | 98 | 1108 | 1186 | 1304 | 1420 | 1580 | 1760 | 781 | 841 | 937 | 1080 | 1210 | 1320 |
| SBH 110 | 110 | 1244 | 1331 | 1463 | 1594 | 1773 | 1976 | 876 | 944 | 1052 | 1212 | 1358 | 1482 |
| SBH 118 | 118 | 1334 | 1428 | 1570 | 1710 | 1902 | 2119 | 940 | 1013 | 1128 | 1300 | 1457 | 1589 |
| SBH 137 | 137 | 1549 | 1658 | 1822 | 1985 | 2209 | 2460 | 1091 | 1176 | 1310 | 1510 | 1692 | 1845 |
| SBH 157 | 157 | 1775 | 1900 | 2088 | 2275 | 2531 | 2820 | 1250 | 1348 | 1501 | 1730 | 1938 | 2115 |
| SBH 177 | 177 | 2001 | 2142 | 2355 | 2565 | 2854 | 3179 | 1410 | 1520 | 1693 | 1951 | 2185 | 2384 |
| SBH 196 | 196 | 2216 | 2372 | 2607 | 2840 | 3160 | 3520 | 1561 | 1683 | 1874 | 2160 | 2420 | 2640 |
| SBH 204 | 204 | 2183 | 2302 | 2513 | 2684 | 2955 | 3203 | 1516 | 1613 | 1780 | 1966 | 2170 | 2365 |
| SBH 236 | 236 | 2668 | 2857 | 3139 | 3420 | 3805 | 4238 | 1880 | 2026 | 2257 | 2601 | 2914 | 3179 |
| SBH 256 | 256 | 2739 | 2889 | 3154 | 3368 | 3709 | 4020 | 1903 | 2024 | 2234 | 2468 | 2724 | 2968 |
| SBH 265 | 265 | 2996 | 3208 | 3525 | 3840 | 4272 | 4759 | 2111 | 2275 | 2534 | 2920 | 3272 | 3569 |
| SBH 270 | 270 | 2889 | 3047 | 3326 | 3552 | 3912 | 4240 | 2007 | 2135 | 2357 | 2603 | 2873 | 3131 |
| SBH 281 | 281 | 3007 | 3171 | 3462 | 3697 | 4071 | 4413 | 2088 | 2222 | 2453 | 2709 | 2990 | 3258 |
| SBH 294 | 294 | 3324 | 3559 | 3911 | 4260 | 4740 | 5280 | 2342 | 2524 | 2811 | 3240 | 3630 | 3960 |
| SBH 307 | 307 | 3285 | 3464 | 3782 | 4039 | 4448 | 4821 | 2282 | 2427 | 2679 | 2959 | 3266 | 3560 |
| SBH 323 | 323 | 3478 | 3667 | 4004 | 4276 | 4708 | 5103 | 2415 | 2570 | 2837 | 3133 | 3458 | 3768 |
| SBH 345 | 345 | 3900 | 4176 | 4589 | 4999 | 5562 | 6196 | 2748 | 2962 | 3299 | 3802 | 4260 | 4647 |
| SBH 353 | 353 | 3991 | 4273 | 4696 | 5115 | 5691 | 6340 | 2811 | 3031 | 3376 | 3890 | 4358 | 4755 |
| SBH 363 | 363 | 3906 | 4119 | 4497 | 4802 | 5288 | 5732 | 2713 | 2886 | 3186 | 3518 | 3883 | 4232 |
| SBH 383 | 383 | 4098 | 4322 | 4718 | 5039 | 5549 | 6014 | 2846 | 3028 | 3343 | 3692 | 4075 | 4441 |
| SBH 393 | 393 | 4443 | 4757 | 5228 | 5694 | 6336 | 7058 | 3130 | 3374 | 3758 | 4331 | 4852 | 5293 |
| SBH 400 | 400 | 4280 | 4514 | 4928 | 5262 | 5795 | 6281 | 2973 | 3162 | 3491 | 3856 | 4256 | 4638 |
| SBH 422 | 422 | 4515 | 4762 | 5199 | 5552 | 6114 | 6627 | 3136 | 3336 | 3683 | 4068 | 4490 | 4893 |
| SBH 440 | 440 | 4708 | 4965 | 5420 | 5788 | 6374 | 6909 | 3270 | 3479 | 3840 | 4241 | 4681 | 5102 |
| SBH 460 | 460 | 4922 | 5191 | 5667 | 6052 | 6664 | 7223 | 3419 | 3637 | 4015 | 4434 | 4894 | 5334 |
| SBH 471 | 471 | 5325 | 5701 | 6265 | 6825 | 7594 | 8459 | 3751 | 4044 | 4504 | 5191 | 5815 | 6344 |
| SBH 491 | 491 | 5551 | 5943 | 6532 | 7114 | 7916 | 8818 | 3911 | 4215 | 4695 | 5411 | 6062 | 6613 |
| SBH 510 | 510 | 5457 | 5755 | 6283 | 6709 | 7389 | 8009 | 3790 | 4032 | 4451 | 4916 | 5426 | 5914 |
| SBH 560 | 560 | 5992 | 6319 | 6899 | 7367 | 8113 | 8794 | 4162 | 4427 | 4888 | 5398 | 5958 | 6493 |
| SBH 590 | 590 | 6670 | 7141 | 7848 | 8549 | 9512 | 10596 | 4699 | 5065 | 5642 | 6502 | 7285 | 7947 |
| SBH 600 | 600 | 6420 | 6771 | 7392 | 7893 | 8692 | 9422 | 4459 | 4744 | 5237 | 5784 | 6384 | 6957 |
| SBH 615 | 615 | 6581 | 6940 | 7576 | 8091 | 8910 | 9657 | 4571 | 4862 | 5368 | 5928 | 6543 | 7131 |
| SBH 640 | 640 | 6848 | 7222 | 7884 | 8419 | 9272 | 10050 | 4756 | 5060 | 5586 | 6169 | 6809 | 7421 |
| SBH 655 | 655 | 7009 | 7391 | 8069 | 8617 | 9489 | 10286 | 4868 | 5179 | 5717 | 6314 | 6969 | 7595 |
| SBH 670 | 670 | 7169 | 7561 | 8254 | 8814 | 9707 | 10521 | 4979 | 5297 | 5848 | 6458 | 7128 | 7769 |
| SBH 705 | 705 | 7544 | 7956 | 8685 | 9275 | 10214 | 11071 | 5239 | 5574 | 6153 | 6796 | 7501 | 8175 |
| SBH 765 | 765 | 8186 | 8633 | 9424 | 10064 | 11083 | 12013 | 5685 | 6048 | 6677 | 7374 | 8139 | 8870 |
| SBH 800 | 800 | 8560 | 9028 | 9855 | 10524 | 11590 | 12562 | 5945 | 6325 | 6982 | 7712 | 8511 | 9276 |
| SBH 865 | 865 | 9256 | 9761 | 10656 | 11379 | 12532 | 13583 | 6428 | 6839 | 7550 | 8338 | 9203 | 10030 |
| SBH 920 | 920 | 9844 | 10382 | 11334 | 12103 | 13328 | 14447 | 6837 | 7274 | 8030 | 8868 | 9788 | 10668 |

* Height including the IP2X terminal cover

Saft is committed to the highest standards of environmental stewardship

As part of this environmental commitment, Saft prioritises the use of recycled raw materials over virgin raw materials in all manufacturing processes. We also strive, year on year, to reduce air and water emissions from our plants, as well as minimizing water usage, reducing consumption of fossil energy consumption and associated CO₂ emissions, and ensuring that all our customers have access to recycling solutions for their

spent batteries. To facilitate the end-of-life collection and recycling of industrial batteries, including our nickel & lithium-based technologies, Saft has developed well-established partnerships with collection companies in most EU countries, in North America and in many other countries worldwide. This collection network receives spent batteries from our customers and dispatches them to fully approved recycling facilities, in compliance

with the laws governing trans-boundary waste shipments. This collection network is currently undergoing minor adaptations to meet the requirements of the EU batteries directive. A list of our battery collection points is available on our web site. In other countries, Saft will assist anyone using our batteries in finding environmentally sound recycling solutions. Please contact your sales representative for further information.



Saft

12, rue Sadi Carnot
93170 Bagnole - France
Tel. : +33 1 49 93 19 18
Fax : +33 1 49 93 19 64
www.saftbatteries.com

Document N° 21924-2-0515
Edition: May 2015

Data in this document is subject to change without notice and becomes contractual only after written confirmation.

Photo credits: Saft, Fotolia – R411/2
Printed on FSC paper by GMK, an Imprim' Green member
© Saft – Société par Actions Simplifiée au capital de 31 944 000 €
RCS Bobigny B 383 703 873